WIRE FENCE

STORM LINE

FENCE

GRA VEL

CONCRETE

TRACT C

LOSS & RECREATION

53,191 S.F.

DECIDUOUS TREE

OVERHEAD POWER

UNDERGROUND GAS

EDGE OF PAVEMENT

FOUND CORNER MONUMENT AS NOTED

PROPERTY CORNER

LIGHT POLE WITH ARM

ROAD SIGNAGE

MAIL BOX

POWER POLE

WATER VALVE FIRE HYDRANT

TRACT B

PRIVATE ACCESS TRACT

2,573 S.F.

121.00°

— 111.00'

- 111.00°

— 111.00**'**—

- *\111.00*′└

5,550 S.F.

— *→111.00*′\

£111.00°

5,220 S.F.

—100.00**'**-

4,862 S.F. & \$4,866 S.F. & \(\)

L=13.63'

R=171.00'

TRACT A

COMMUNITY RECREATION

9,012 S.F.

6,035 S.F.

5,608 S.F.

-112.04

5,595 S.I

5,252 S.F.

— ^{__⊙}T_3100.52'¹

25,026 S.F. 21 ≥ 4,866 S.F.

PROJECT INFORMATION:

TOTAL EXISTING SITE AREA:

PROPOSED NUMBER OF LOTS:

REQUIRED RECREATION SPACE:

TAX PARCEL NUMBERS:

EXISTING ZONING:

PROPOSED USE:

SEWER DISTRICT:

WATER DISTRICT:

SCHOOL DISTRICT:

EXISTING LAND COVER:

TELEPHONE SERVICE:

POWER SOURCE:

FIRE DISTRICT:

PROPOSED DENSITY:

SITE ADDRESS:

N89'36'34"W 1321.16'(C)

257,657 S.F. (5.915 ACRES)

0943100140, 0943100145,

R-4

SINGLE-FAMILY

4.52 DU/ACRE

N/A, L.O.S.S. SEPTIC

FALL CITY WATER DISTRICT

SNOQUALMIE VALLEY #410

PUGET SOUND ENERGY

AND ASSOCIATED OUTBUILDINGS

9,360 S.F.

COMCAST

32911 & 32919 REDMOND-FALL CITY RD SE &

KING COUNTY FIRE PROTECTION DISTRICT NO. 27

DENSE VEGETATION, LAWN, SINGLE-FAMILY HOMES

4055 332nd AVE SE, FALL CITY, WA 98024

0943100100, 0943100110 & 0943100223


L=10.28'

R=129.00'

UNDERGROUND

UTILITY ESMT

9410260826



VICINITY MAP



LEGAL DESCRIPTION:

ALL OF LOT 1 AND THE EAST 178.5 FEET OF LOT 2, AS MEASURED ALONG THE SOUTH LOT LINE, BLOCK "C", JEREMIAH W. BORST'S EXECUTORS FALL CITY ACREAGE TRACTS, ACCORDING TO PLAT THEREOF RECORDED IN VOLUME 7 OF PLATS, PAGE 73, RECORDS OF KING COUNTY, WASHINGTON, EXCEPT PORTION THEREOF CONVEYED TO STATE OF WASHINGTON FOR STATE ROAD NO. 2, BY DEED RECORDED UNDER RECORDING NUMBER 2581218, RECORDS OF KING COUNTY, WASHINGTON

LOT 2 EXCEPT THE EAST 178.5 FEET THEREOF, AS MEASURED ALONG THE SOUTH LOT LINE, BLOCK "C", JEREMIAH W. BORST'S EXECUTOR'S FALL CITY ACREAGE TRACTS, ACCORDING TO PLAT THEREOF RECORDED IN VOLUME 7 OF PLATS, PAGE 73, RECORDS OF KING COUNTY WASHINGTON EXCEPT PORTION THEREOF CONVEYED TO STATE OF WASHINGTON, FOR STATE ROAD NO. 2, BY DEED RECORDED UNDER RECORDING NUMBER 2581218, RECORDS OF KING COUNTY, WASHINGTON.

THE EAST HALF OF THE WEST HALF OF LOT 3, BLOCK C, JEREMIAH W. BORST'S EXECUTORS FALL CITY ACREAGE TRACTS, ACCORDING TO THE PLAT THEREOF RECORDED IN VOLUME 7 OF PLATS, PAGE 73, IN KING COUNTY, WASHINGTON; EXCEPT THAT PORTION THEREOF DEEDED TO THE STATE OF WASHINGTON BY DEED RECORDED UNDER RECORDING NUMBER 2581217

THE EAST HALF OF LOT 3, BLOCK "C", PLAT OF JEREMIAH BORST'S EXECUTORS FALL CITY ACREAGE TRACTS, ACCORDING TO THE PLAT THEREOF RECORDED IN VOLUME 7 OF PLATS, PAGE 73, RECORDS OF KING COUNTY, WASHINGTON.

LOT 3, KING COUNTY SHORT PLAT NUMBER 876095, RECORDED UNDER RECORDING NUMBER 7612080557, IN KING COUNTY,

SURVEYOR'S NOTES

1. ALL TITLE INFORMATION SHOWN ON THIS MAP HAS BEEN EXTRACTED FROM:

CHICAGO TITLE INSURANCE COMPANY ALTA COMMITMENT ORDER NO. 212802-SC DATED JULY 16, 2021 CHICAGO TITLE INSURANCE COMPANY ALTA UPDATE 3RD COMMITMENT ORDER NO. 212891-SC DATED SEPTEMBER 20, 2021. CHICAGO TITLE INSURANCE COMPANY ALTA COMMITMENT ORDER NO. 212728-SC DATED JULY 08, 2021 IN PREPARING THIS MAP, D.R. STRONG CONSULTING ENGINEERS INC. HAS CONDUCTED NO INDEPENDENT TITLE SEARCH NOR IS D.R. STRONG CONSULTING ENGINEERS INC. AWARE OF ANY TITLE ISSUES AFFECTING THE SURVEYED PROPERTY OTHER THAN THOSE SHOWN ON THE MAP AND DISCLOSED BY REFERENCED CHICAGO TITLE INSURANCE COMPANY COMMITMENT. D.R. STRONG CONSULTING ENGINEERS INC. HAS RELIED WHOLLY ON CHICAGO TITLE COMPANY REPRESENTATIONS OF THE TITLE'S CONDITION TO PREPARE THIS SURVEY AND THEREFORE D.R. STRONG CONSULTING ENGINEERS INC. QUALIFIES THE MAP'S ACCURACY AND COMPLETENESS TO THAT

2. THIS SURVEY REPRESENTS VISIBLE PHYSICAL IMPROVEMENT CONDITIONS EXISTING ON SEPTEMBER 29, 2021. ALL SURVEY CONTROL INDICATED AS "FOUND" WAS RECOVERED FOR THIS PROJECT IN FEBRUAURY 2020. AND SEPTEMBER. 2021.

3. PROPERTY AREA = 231,034± SQUARE FEET (5.3038± ACRES)

4. ALL DISTANCES ARE IN FEET.

5. THIS IS A COMBINED FIELD TRAVERSE AND GLOBAL POSITIONING SYSTEM SURVEY. A TRIMBLE ONE SECOND COMBINED ELECTRONIC TOTAL STATION AND A LEICA SERIES 1200 GLOBAL POSITIONING SYSTEM WERE USED TO MEASURE THE ANGULAR AND DISTANCE RELATIONSHIPS BETWEEN THE CONTROLLING MONUMENTATION AS SHOWN. CLOSURE RATIOS OF THE TRAVERSE MET OR EXCEEDED THOSE SPECIFIED IN WAC 332-130-090. ALL MEASURING INSTRUMENTS AND EQUIPMENT ARE MAINTAINED IN ADJUSTMENT ACCORDING TO MANUFACTURER'S SPECIFICATIONS.

6. UTILITIES OTHER THAN THOSE SHOWN MAY EXIST ON THIS SITE. ONLY THOSE UTILITIES WITH EVIDENCE OF THEIR INSTALLATION VISIBLE AT GROUND SURFACE ARE SHOWN HEREON. UNDERGROUND UTILITY LOCATIONS SHOWN ARE APPROXIMATE ONLY. UNDERGROUND CONNECTIONS ARE SHOWN AS STRAIGHT LINES BETWEEN SURFACE UTILITY LOCATIONS BUT MAY CONTAIN BENDS OR CURVES NOT SHOWN. SOME UNDERGROUND LOCATIONS SHOWN HEREON MAY HAVE BEEN TAKEN FROM PUBLIC RECORDS. D.R. STRONG CONSULTING ENGINEERS INC. ASSUMES NO LIABILITY FOR THE ACCURACY OF PUBLIC RECORDS.

7. CONTOUR INTERVAL = 2 FOOT. CONTOURS SHOWN ARE PRODUCED FROM A DIGITAL TERRAIN MODEL DERIVED FROM DIRECT FIELD OBSERVATIONS OBTAINED DURING THE COURSE OF THE FIELD TRAVERSE SURVEY. CONTOUR ACCURACY COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS (AT LEAST 90 PERCENT OF THE ELEVATIONS ACCURATE WITHIN ONE-HALF THE CONTOUR INTERVAL).

8. THE TOPOGRAPHIC ELEMENTS SHOWN ON THIS MAP ARE INTENDED FOR USE IN CIVIL ENGINEERING DESIGN.

9. SR 202 ALIGNMENT PER REFERENCE R2.

TITLE RESTRICTIONS:

THIS SITE IS SUBJECT TO:

1 AN UNDERGROUND UTILITIES EASEMENT PER INSTRUMENT RECORDED UNDER REC NO. 9410260826.

2. COVENANTS, CONDITIONS, RESTRICTIONS, EASEMENTS, ETC. PER PLAT OF JEREMIAH W. BORST'S EXECUTORS FALL CITY ACREAGE TRACTS, RECORDED IN VOL. 7 OF PLATS, PAGE 73.

3. THE TERMS AND CONDITIONS OF 'NOTICE OF UTILITY CONNECTION CHARGES' PER INSTRUMENT RECORDED UNDER REC

4. THE TERMS AND CONDITIONS OF 'NOTICE OF OPERATION AND MAINTENANCE REQUIREMENTS FOR NONCONFORMING ON-SITE SEWAGE SYSTEM' PER INSTRUMENT RECORDED UNDER REC NO. 20110202001353.

VERTICAL DATUM:

NAVD '88 PER KING COUNTY VERTICAL CONTROL PNT NO. 2547.

BENCHMARK:

KING COUNTY VERTICAL CONTROL PNT NO. 2547. FOUND FOUND 2" BRASS DISK WITH "X" IN CONCRETE (NO CASE) 0.5' BELOW GRADE, NW CORNER SECTION 15. ELEVATION = 99.30 FEET.

SHEET INDEX:


C1 1 OF 4 COVER SHEE C2 2 OF 4 CONCEPTUAL GRADING PLAN C3 3 OF 4 CONCEPTUAL ROAD & UTILITIES PLAN C4 4 OF 4 ROAD PROFILES

TOPOGRAPHIC & BOUNDARY SURVEY

1 OF 1 TOPOGRAPHIC & BOUNDARY SURVEY

QUARTER OF SECTION 15-24-7, PER REFERENCES 1, 2 AND 3 **GRAPHIC SCALE**


BASIS OF BEARINGS: NOO'16'15"E BETWEEN FOUND MONUMENTS ALONG THE WEST LINE OF THE NORTHWEST



 $R: \2021 \0 \21081 \3 \Drawings \Plots \PP \01-3 \CVR \21081. dwg \2/1/2022 \1:00 \PM$ COPYRIGHT © 2022, D.R. STRONG CONSULTING ENGINEERS INC

D.R. STRONG **CONSULTING ENGINEERS** ENGINEERS PLANNERS SURVEYORS


620 - 7th AVENUE KIRKLAND, WA 98033 O 425.827.3063 F 425.827.2423



DRAFTED BY: **JSE** DESIGNED BY: JSE PROJECT ENGINEER: MAJ DATE: **10.03.22**

PROJECT NO.: **21081**

DRAWING: C1 SHEET: 1 OF 4



THE RILEY GROUP, INC GEOTECHNICAL ENGINEER... 17522 BOTHELL WAY NORTHEAST BOTHELL, WA 98011 (425) 415-0551 CONTACT: KRISTINA WELLER, P.E. LANDSCAPE ARCHITECT... ..CORE DESIGN INC 12100 NE 195TH ST, SUITE 300

FC 202 INVESTMENTS, LLC

ROBERT@TAYLORDEV.COM

.620 — 7TH AVENUE

(425) 827-3063

(425) 869-1300

CIVIL ENGINEER/LAND SURVEYOR..... D.R. STRONG CONSULTING ENGINEERS, INC.

15 LAKE BELLEVUE DRIVE, STE 102

BELLEVUE, WASHINGTON 98005

CONTACT: ROBERT FITZMAURICE

KIRKLAND, WASHINGTON 98033

CONTACT: MAHER A. JOUDI, P.E.

JAMES.REICHHOFF@DRSTRONG.COM

.CONTACT: JAMES G. REICHHOFF, P.L.S.

MAHER.JOUDI@DRSTRONG.COM

BOTHELL, WASHINGTON 98011 (425) 885-7877 CONTACT: LINDSEY SOLORIO LBS@COREDESIGNINC.COM

PROJECT CONTACTS:

SURVEYOR...

11 7 12 8 85,550 S.F. = 5,550 S.F. = 5,550 S.F. = 5,550 S.F.

REFERENCES:

50.00'

5,550 S.F.

0.0'W. X 0.2'S. OF P.

0.0'W. X 0.2'S. OF P.0

1.2'S. OF R

L=21.60'

R=25.00

50.00°

L=13.56' R=25.00'

37.09°

R = 51.00

UNDER REC NO. 20020725900001, DATED 2002.

TRACT A

TRACT (TRACT D

FRONT YARD SETBACK:

SEPTIC FIELD SETBACK:

STREET SIDE YARD SETBACK:

GARAGE SETBACK:

SIDE YARD SETBACK:

REAR SETBACK:

COMMUNITY RECREATION

COMMUNITY RECREATION

L.O.S.S. SEPTIC AND RECREATION

5 FEET

5 FEET

10 FEET

BSBL (TYP)

20' GARAGE-

BSBL (TYP

STREET

DEDICATION

BSBL (TYF

PRIVATE ACCESS

STORM DRAINAGE

TYPICAL BUILDING SETBACKS:

TRACTE

COMMUNITY RECREATION

7,446 S.F.

50.00

1=52.62°

R=51.00

, **23**

∷ 6,964 S.F.

N89'36'34"W 873.91'

N89'36'34"W 167.79'

R=51.00'

50.00°

5,781 S.F.

TRACT D

6.5'N. OF P

1. PLAT OF JEREMIAH W. BORST'S EXECUTORS FALL CITY ACREAGE TRACTS, RECORDED IN VOL. 8 OF PLATS. PG. 73, RECORDS OF KING COUNTY, WA.

8,694 S.F.

3. WASHINGTON STATE DEPARTMENT OF TRANSPORTATION, WSDOT, RIGHT OF WAY PLAN, "SR 202 FALL CITY TO

2. WASHINGTON STATE DEPARTMENT OF TRANSPORTATION, WSDOT, SR 202 R/W CENTERLINE ALIGNMENT, RECORDED

REDMOND KING COUNTY", DATED 1927. 4. RECORD OF SURVEY RECORDED UNDER REC NO. 8809159003, RECORDS OF KING COUNTY, WA.

5. RECORD OF SURVEY RECORDED UNDER REC NO. 8905039001, RECORDS OF KING COUNTY, WA.


6. RECORD OF SURVEY RECORDED UNDER REC NO. 9103259007, RECORDS OF KING COUNTY, WA.

7. RECORD OF SURVEY RECORDED UNDER REC NO. 9202119003, RECORDS OF KING COUNTY, WA.

8. KING COUNTY BOUNDARY LINE ADJUSTMENT NO. L93L0027 RECORDED UNDER RECORDING NUMBER 9304139001, RECORDS OF KING COUNTY, WA.

10. PLAT OF FALLBROOK, RECORDED UNDER VOL 84 OF PLATS PG 64, RECORDS OF KING COUNTY, WA.

9. KING COUNTY SHORT PLAT NO. S91S0155, RECORDED UNDER REC NO. 9410199002, RCORDS OF KING COUNTY, WA.






D.R. STRONG
CONSULTING ENGINEERS
ENGINEERS PLANNERS SURVEYORS
620 - 7th AVENUE KIRKLAND, WA 98033

620 - 7th AVENUE KIRKLAND, WA 98033 O 425.827.3063 F 425.827.2423

YENS 24 SUBDIVISION VCEPTUAL GRADING PLAN

32911 & 32919 REDMOND-FAL & 4055 332ND AVE FALL CITY, WA



APR

REVISION

DATE RI

DRAFTED BY: JSE

DESIGNED BY: JSE

PROJECT ENGINEER: MAJ

DRAWING: **C2** SHEET: **2** OF **4**


DATE: **10.03.22**

PROJECT NO.: **21081**

COPYRIGHT © 2022, D.R. STRONG CONSULTING ENGINEERS INC.

Call 2 Working Days Before You Dig

Utilities Underground Location Center (ID,MT,ND,OR,WA)






D.R. STRONG CONSULTING ENGINEERS 620 - 7th AVENUE KIRKLAND, WA 98033 O 425.827.3063 F 425.827.2423



DRAFTED BY: **JSE** DESIGNED BY: JSE PROJECT ENGINEER: MAJ DATE: 10.03.22 PROJECT NO.: **21081**

DRAWING: C3 SHEET: **3** OF **4**





D.R. STRONG CONSULTING ENGINEERS

620 - 7th AVENUE KIRKLAND, WA 98033 O 425.827.3063 F 425.827.2423

DRAFTED BY: **JSE** DESIGNED BY: **JSE** PROJECT ENGINEER: MAJ DATE: **10.03.22** PROJECT NO.: **21081**

DRAWING: C4 SHEET: 4 OF 4