

Tularemia

Public Health
Seattle & King County



Waa maxay? Tularemia waxa ay noqon kartaa jirro halis ah oo ay sababto bakteeriya. Waxay ku dul nooshahay cayayaanka iyo xayawaanada, sida bakaylaha iyo jiirka. Calaamadaha tularemia waxay bilaaban karaan 1-14 maalmood ka dib u bayla noqoshada cudurka. Astaamaha qaar ee cudurka waa:



Qandho lama filaan ah
iyo qarqaryo



Madax
xanuun



Boogo



Daciifnimo



Xanuunka murqaha iyo
kala-goysyada jirka

Sidee ayuu cudurka ku faafaa?




Qaniinyada
cayayaanka shilinta
ama tuqsiga



Taabashada
xayawaanada jirran
ama dhintay



Cunista ama
cabbista cunto ama
biyo wasakhaysan



Neefsashada
bakteeriyada

Sideen isaga ilaalin karaa in aan qaado cudurka?



Isticmaal galoofis marka aad
taabanayso xoolaha



Cuntada u kari si fiican



Dhaq gacmahaaga, gaar
ahaan kadib markaad taabato
xayawaanka



Ha salsalaaxin
xayawaanada dhintay



Xaqiiji in biyaha
ay nadiif yihiin



Isticmaal daawada cayayaanka la
isaga celiyo ee EPA ay ansixisay
si aad ugu isticmaasho maqaarka

*Daawooyinka cayayaanka la isaga celiyo ee EPA ay ansixisay ee loo isticmaalo maqaarka waxaa ka mid ah DEET, IR3535, picaridin, iyo saliidda liinta eucalyptus (OLE). Dharka u isticmaal permethrin.

Ogaanshaha cudurka iyo daaweynta



La hadal dhakhtarkaaga haddii aad u malaynayso inaad qabto tularemia. Dadka qaba tularemia waa in lagu daaweeyaa daawo sida ugu dhakhsaha badan ee suurtagalka ah. Cudurkaan wuxuu noqon karaa mid dilaa ah haddii aan la daaweyn.

Si aad wax badan uga ogaato booqo www.kingcounty.gov/cd

Somali
6/12/2024