

Ta in pokpok edep?

Pokpok edep, ej bar nae etan pertussis, ej walok jen kij ko rej ajeeded jen armej ñan armej ilo mejatoto. Jot kakōlle ej:



pokpok
ko relap



emmōj



ben
menono

Wōn emaroñ lukkun nañinmej?

Niññin ro remaroñ lukkun
nañinmej jen pokpok edep.
Ilo an jot niññin maroñ
pokpok, eloñ niññin ro
remaroñ jab pokpok ñan
jidik. Ijelakin, ebin aer
menono.

Pokpok eo edep emaroñ
tōl ñan deloñ ilowaan
aujpitol, penumonia,
joraan ilo kōmalij, ak
emaroñ bar mej.



Ta eo imaroñ kōmmane ñan kōjbarok io māke im ro jot?


Armej ro jen aolep yiiō remaroñ bōk wā ñan
kōjbarok ir māke im ro jot.



Niññin im ajiri ro
redik

Dtap (Wā in Kōjbarok jen
nañinmej in diphtheria,
tetanus, im pertussis)

2, 4, im 6 alloñ
15-18 alloñ
4-6 yiiō dettan



Ro mōkta jen aer
jodikdik

Tdap (Wā in Bōbrae jen
tetanus, diphtheria, im
pertussis)

11-12 yiiō dettan



RiBōrōro

Tdap (Wā in Bōbrae jen
tetanus, diphtheria, im
pertussis)

Alloñ ko jilu
eliktata ilo ien
baroro



Rūtto 19+

Tdap (Wā in Bōbrae jen
tetanus, diphtheria, im
pertussis)

Jabdewōt ien
ñan ro rejañin
de bōk e

Ewi waween an wā kōjbarok niññin ilo ien baroro?



Ñe kwoj bōk wā, enbwinnim ej kōman antibody ko rej etal ñan niññin eo nejum. Antibody ko rej kōjbarok niññin eo nejum ilo alloñ ko jinion ilo mour eo an.

Ñe kwoj baroro, bōk wā mokaj ilo alloñ ko jilu eliktata ilo ien am baroro. Ñe kwoj nañinmej kin juon pokpok, jab etal ippen niññin ak ribaroro ro.

Ia eo imaroñ loe elaplok melele?

Kōnaan ippen takto eo am kin bōk wā. Aikuj juon takto? Topar lak Community Health Access Program (Maroñ ikijen Būrookraam in Ejmour an Jukjukin Pād) ilo am kurluk 1-800-756-5437 ak email CHAP@kingcounty.gov.

Ñan katak elaplok kin pokpok eo edep, loe lak: bit.ly/kcpertussis

