



King County
 Permitting Division
 Department of Local Services
 35030 SE Douglas Street, Suite 210
 Snoqualmie, WA 98065-9266
 206-296-6600 TTY Relay: 711
www.kingcounty.gov

Notice of Application and SEPA Notice Optional DNS/MDNS Process

(TYPE 1)

File No.: GRDE18-0088 - Green	Date Applications Filed: January 10, 2019 (ecl) Date of Mailing: May 22, 202
Applicant: Jerry Green 16918 SE 149 th St Renton, WA 98059	Permitting Project Manager (Clear & Grade): Jon Pederson Phone No.: 206-477-0330 E-Mail: jon.pederson@kingcounty.gov
	Permitting Project Manager (SEPA): Kim Claussen Phone No.: 206-477-0329 E-mail: kimberly.claussen@kingcounty.gov
Project Location: The site is located between SE 184 th St and Lake Francis, east of Lake Francis Rd SE Renton Parcel No.: 342306-9070	
Project Description: Clearing & Grading permit to restore and resolve unpermitted clearing and grading of a portion of 9.34 acre parcel, zoned RA-5, including within critical area(s) and associated buffer(s). (ENFR16-0639)	
Permit requested in this application: Clearing & Grading Permit	
Environmental review is required and relevant environmental documents are available at the address below.	
Consistency with applicable County plans and regulations: This proposal will be reviewed for compliance with all applicable King County codes including Roads Standards, Surface Water Design Manual, Zoning, Grading and Critical Areas Codes.	
Other permits not included in this application, known at this time: NA	

The King County Department of Local Services, Permitting Division, will issue an Environmental Threshold Determination pursuant to the State Environmental Policy Act (SEPA) on this application following a 21-day public comment period which ends on **June 15, 2020**. The responsible official has a reasonable basis for expecting to issue a SEPA Determination of Non-Significance (DNS) on this project. As such, the optional DNS/MDNS notice process is being used pursuant to WAC 197-11-355. The project review process may incorporate or require mitigation measures regardless of whether an EIS is prepared.

This may be the only opportunity to comment on the environmental impacts of the proposal. Written comments on this application must be submitted to Permitting at the address below by the end of the comment period

Any person wishing additional information on this proposed project should contact the Permitting Division Project Manager at the telephone number or e-mail listed above. Please contact the Permitting Division Records Section (206-296-6600) to obtain copies of the application and any environmental documents or studies to review. Due to COVID-19, the Permitting Division Lobby is currently closed in our Snoqualmie office. NOTE: To request this information in alternative formats for people with disabilities please call 206-296-6600 or TTY Relay: 711.

**Permitting Division
 35030 SE Douglas Street, Suite 210
 Snoqualmie, WA 98065-9266**

If you wish to receive a copy of the SEPA Threshold Determination on this application, please complete and return this portion of the notice to the Permitting Division at the address listed.

File No.: **GRDE18-0088 - Green**
 (*Please print*)
 Name: _____
 Address: _____
 Telephone No.: _____ e-mail (optional): _____

You are receiving this notice because our records indicate that you own property within approximately 500 feet (KCC 20.20) or because you requested to receive notice.