<b>King County</b>	7	
Department of Local Services Permitting Division		MACHINE   6435
Residential Site Plan Template 11" x 17"		SO SO SO SO SO SO SO SO SO SO SO SO SO S
For Permitting Use  Received Date	FENCE SPRING	n 01 to 4 to 5 to
Max. Impervious Surface Allowed Max. Bldg. Height Allowed Min. Bldg. setback from Street Min. Garage setback from Street Min. Bldg. setback from Interior  Signature  Date	EX, MESTERN RED CEDAR  DEAD MESTERN HEMLOCK	AREAS MAP TY TON EL 082407-9064
Building Approval  Signature  Date  Engineering / Drainage Approval	PREVIOUS EDGE OF CANOPY WETLAND A CATEGORY III 60' BUFFER 15' BSBL	FIGURE 1. CRITICAL. ZHIGALOFF PROPER. 30333 SE 26TH ST. FALL CITY, WASHING KING COUNTY, PARCE
Signature Date		411
Critical Areas Approval Signature Date	EX. WESTERN RED CEDAR	sociates, LLC A04
Clearing / Grading Approval Signature Date	PLAN LEGEND  ———————————————————————————————————	Altmann Oliver Ass
Fire Approval		
Signature Date		
Permit Number ENFR22-0125 Parcel N	Number         O824079064         Applicant Name         Feras Arnaout, PE, AEONTK         Site Address         30333 SE 26th st, Fall City, WA, 98024         Engineering NTS Scale: 1" =	1

<b>King County</b>		3 (2/6)
Department of Local Services Permitting Division	COATE CONTECTION OF THE STATE O	DBAWN SCALE SCALE AS NOT DATE 5-14-23 REVISIO
Residential Site Plan Template 11" x 17"	TO WIDE GRAVEL-DRIVEWAY	-1 -1
For Permitting Use	FENCE SPRING	l
Received Date	EX. WESTERN RED-CEDAR DEAD WESTERN	
Max. Impervious Surface Allowed  Max. Bldg. Height Allowed	HEMLOCK .	N PLAN
Min. Bldg. setback from Street		o P
Min. Garage setback from Street		70 P
Min. Bldg. setback from Interior	POND TO BE FILLED TO RECREATE EMERGENT WETLAND	282 282
Signature	PREVIOUS EDGE OF CANOPY	PERTY PERTY ST. MNGTO
Date	WETLAND A CATEGORY III	4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Building Approval Signature Date	60' BUFFER IS' BSBL	FIGURE 2: 1 ZHIGALOFF 30333 SE 2 FALL CITY, KING COUNT
Engineering / Drainage Approval  Signature  Date	WETLAND RESTORATION - REMOVE FILL AND PLACE IN POND. THIS PLAN REFLECTS CONTOURS IN PLACE BEFORE THE POND WAS EXCAVATED AS THE TOPOGRAPHIC SURVEY WAS COMPLETED PRIOR TO THE WORK.  EX. WESTERN RED CEDAR	Associates, LLC AOA
Critical Areas Approval		iates.
	PLAN LEGEND	A5800
Signature Date	(IN FEET)  NOTES  NOTES	nn Oliver
Clearing / Grading Approval	DIEDINI PROVIDED BY ABONTK, ISBN 150 150 150 150 150 150 150 150 150 150	Altmar
Signature Date		
Fire Approval		
Signature Date		
Permit Number ENFR22-0125 Parcel N	Number Applicant Name Feras Arnaout, PE , AEONTK Site 30333 SE 26th st, Fall City, WA, 98024 Engineering NTS Sheet of	1

<b>King County</b>		PLANT LIST (SEE FIGURE 4 FOR SCHEDULE)	8 9/0
Department of Local Services Permitting Division		TREES  KEY SCIENTIFIC NAME COMMON NAME AM ACER MACROPHYLLUM BIG LEAF MAPLE	SOME AS NOT DATE 5-14-23 REWISED
Residential Site Plan Template 11" x 17"		CC CORYLUS CORNUTA WESTERN HAZELNUT FL FRAXINUS LATIFOLIA OREGON ASH PS PICEA SITCHENSIS SITKA SPRUCE	
For Permitting Use		PM PSEUDOTSUGA MENZIESII DOUGLAS FIR SL SALIX LASIANDRA PACIFIC WILLOW TP THUJA PLICATA WESTERN RED CEDAR	
Received Date		SHRUBS  KEY SCIENTIFIC NAME COMMON NAME	
Max. Impervious Surface Allowed  Max. Bldg. Height Allowed  Min. Bldg. setback from Street	• I PROPERTY OF THE PROPERTY O	C CORNUS SERICEA RED OSIER DOGMOOD HD HOLODISCUS DISCOLOR OCEAN SPRAY L LONICERA INVOLUCRATA BLACK THIN-BERRY	INS PLAN
Min. Garage setback from Street	THE PHOESE CONTRACTOR OF THE PROPERTY OF THE P	M MAHONIA AGUIFOLIUM TALL OREGON GRAPE PC PHYSOCARPUS CAPITATUS PACIFIC NINEBARK	'LANI
Min. Bldg. setback from Interior	FEFT THE FLOOR TANKET AND THE	R ROSA PISOCARPA CLUSTERED ROSE W SALIX SCOULERIANA SCOULER WILLOW X SALIX SITCHENSIS SITKA WILLOW	N
Signature Date	FLESTING TO THE TOTAL THE	S SYMPHORICARPOS ALBUS SNOWBERRY VE VIBURNUM EDULE HIGH-BUSH CRANBERRY GROUNDCOVER / EMERGENTS	RESTORAL F PROPERT 26TH ST. MASHINGI ITT, PARCE
Building Approval	THE PROPERTY OF THE PROPERTY O	KEY SCIENTIFIC NAME COMMON NAME  ATHYRIUM FILIX-FEMINA LADY FERN FESTUCA RUBRA RED FESCUE	[ 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전
Signature Date	THE PHOTOLOGY OF THE PH	SCIRPUS MICROCARPUS SMALL-FRUITED BULRUSH WOOLGRASS	SEX Z SEX Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z
Engineering / Drainage Approval	THE THE PARTY OF T	<b>\</b>	444
Signature Date	HOLD THE PHOTO T	GRAPHIC SCALE (IN FEET)	LLC AOA
Critical Areas Approval Signature	FI COMPANIE OF THE PROCESS OF THE PR	0 10 20 30 40 60 SCALE:11:20	Associates
Date	The state of the s	NOTES	Oliver
Clearing / Grading Approval Signature		I. BASE INFORMATION PROVIDED BY ABONTK, ISB73 NORTHUP WAY, BELLEVUE, WA 98008, 206,636,3707.	Altmann
Date			
Fire Approval			
Signature Date			
Permit Number ENFR22-0125 Parcel N	umber0824079064	st, Fall City, WA, 98024  Engineering NTS Scale: 1" = Sheet of	1

Address

Department of Local Services Permitting Division  Residential Site Plan Template 11" x 17"	PLANT SCHEDULE TREES KEY SCIENTIFIC NAME AM ACER MACROPHYLLUM CC CORYLUS CORNUTA FL FRAXINUS LATIFOLIA	COMMON NAME BIG LEAF MAPLE WESTERN HAZELNUT OREGON ASH	DENSITY POS. POS. POS.	QTY  B  a  a	SIZE (MIN.) 2 GAL. 2 GAL. 2 GAL.	NOTES SINGLE TRUNK MULTI-STEM (3 MIN.) SINGLE TRUNK			BOANN MOUNTED 6935 SOME AS NOTED DATE 5-14-23 (4/6)
For Permitting Use  Received Date	PS PICEA SITCHENSIS PM PSEUDOTSUGA MENZIESII SL SALIX LASIANDRA TP THUJA PLICATA +3 CUTTINGS PER SYMBOL	SITKA SPRUCE DOUGLAS FIR PACIFIC WILLOW WESTERN RED CEDAR	9 00 9 00 9 00 9 00	17 16 *84 31	2 GAL. 2 GAL. 4' CUTTING 2 GAL.	FULL 4 BUSHY FULL 4 BUSHY 1/2" DIA. MIN., BARK INTACT FULL 4 BUSHY			
Max. Impervious Surface Allowed  Max. Bldg. Height Allowed  Min. Bldg. setback from Street	SHRUBS  KEY SCIENTIFIC NAME C CORNUS SERICEA	COMMON NAME RED OSIER DOGWOOD	SPACING 3' O.C.	9TY 36	SIZE (MIN.) I GAL.	NOTES MULTI-STEM (3 MIN.)			4906-1
Min. Garage setback from Street  Min. Bldg. setback from Interior  Signature	HD HOLODISCUS DISCOLOR  L LONICERA INVOLUCRATA  M MAHONIA AQUIFOLIUM  PC PHYSOCARPUS CAPITATUS  R ROSA PISOCARPA	CLUSTERED ROSE	5' 0.6. 3' 0.6. 3' 0.6. 5' 0.6. 3' 0.6.	10 18 1 50	I GAL. I GAL. I GAL. I GAL. I GAL.	MULTI-STEM (3 MIN.) MULTI-STEM (3 MIN.) FULL & BUSHY MULTI-STEM (3 MIN.) MULTI-STEM (3 MIN.)			T SCHEDULE PERTY ST. HINGTON ARCEL 08240
Building Approval  Signature  Date	M SALIX SCOULERIANA  X SALIX SITCHENSIS  S SYMPHORICARPOS ALBUS  VE VIBURNUM EDULE  +3 CUTTINGS PER SYMBOL	SCOULER MILLOM SITKA MILLOM SNOWBERRY HIGH-BUSH CRANBERRY	3' 0.6. 3' 0.6. 3' 0.6. 5' 0.6.	*124 *216 88 10	4' CUTTING 4' CUTTING I GAL. I GAL.	I/2" DIA. MIN., BARK INTACT I/2" DIA. MIN., BARK INTACT MULTI-CANE (3 MIN.) MULTI-CANE (3 MIN.)			FIGURE 4: PLANT ZHIGALOFF PROF 30333 SE 26TH ( FALL CITT, MAST KING CONTY, PA
Engineering / Drainage Approval  Signature  Date	GROUNDCOVER / EMERG  KEY SCIENTIFIC NAME  ATHYRIUM FILIX-FEMINA FESTUCA RUBRA SCIRPUS MICROCARPUS SCIRPUS CYPERINUS	COMMON NAME  LADY FERN  RED FESCUE  SMALL-FRUITED BULRUSH  WOOLGRASS	5PACING 3' O.C. 18" O.C. 18" O.C.	01Y 120 800 800	SIZE (MIN.) 4" POT SEED PLUGS PLUGS	NOTES FULL & BUSHY FULL & BUSHY FULL & BUSHY			AOA
Critical Areas Approval  Signature  Date									Alimann Oliver Associates, LLC
Clearing / Grading Approval  Signature  Date									Alin
Fire Approval  Signature  Date									
Permit Number ENFR22-0125 Parcel N	Number 0824079064 Applicant Nam	Feras Arnaout, PE , AEC	NTK	Site Address		26th st, Fall City, WA, 98024	Engineering NTS Scale: 1" =	Sheet 1 of	1



### **Critical Areas Approval**


Signature \_\_\_\_\_ Date \_\_\_\_\_

### **Clearing / Grading Approval**


Signature \_\_\_\_\_ Date \_\_\_\_\_

## Fire Approval

Signature Date



# CONTAINER TREE/SHRUB PLANTING (TYP.)



GROUNDCOVER PLANTING (TYP.)



NOTES.

I. CUTTINGS SHALL BE SPECIES AS NOTED
IN THE PLANT SCHEPULE.

2. CUTTINGS SHALL BE AT LEAST 1/2" DIA, AND
4" (max.) IN LENGTH.

3. CUTTINGS MIST BE ALIVE MITH SIDE
BRANCHES CLEARLY REMOVED AND BARK
INTACT. CUTTINGS SHALL BE PLANTED MITHIN
24 HOURS OF CUTTING.

4. THE BUTT BIDS SHOULD BE CLEARLY CUT AT
AN ANGLE FOR EASY INSERTION INTO THE
SOIL. THE TOP SHOULD BE CUT SQUARE OR
BUILT.

5. CUTTINGS MIST BE FRESH AND KEPT HOIST
AFTER CUTTING. THEY SHOULD BE FRUNED
AND INSTALLED THE SAME DAY.

6. DIP BOTTOM OF CUTTING IN A PLANT
ROOTING HORMORE FRICK TO INSERTION INTO
THE SOIL.

CUTTING INSTALLATION (TYP.

5. PLANTING DETAILS OFF PROPERTY SE 26TH ST.

Permit Number \_\_\_\_ENFR22-0125 Feras Arnaout, PE, AEONTK 30333 SE 26th st, Fall City, WA, 98024 0824079064 Engineering NTS Sheet \_\_\_\_\_ of \_\_\_\_ Site Parcel Number Applicant Name Scale: 1" = \_ Address

For Permitting Use

Received Date \_\_\_\_\_

Max. Impervious Surface Allowed \_\_\_\_\_\_\_

Max. Bldg. Height Allowed \_\_\_\_\_\_

Min. Bldg. setback from Street \_\_\_\_\_\_\_Min. Garage setback from Street \_\_\_\_\_\_

Min. Bldg. setback from Interior \_\_\_\_\_

Signature \_\_\_\_\_\_\_

Date \_\_\_\_\_

#### **Building Approval**

Signature \_\_\_\_\_\_
Date \_\_\_\_\_

### **Engineering / Drainage Approval**

Signature \_\_\_\_\_\_\_

### **Critical Areas Approval**

Signature \_\_\_\_\_\_\_
Date \_\_\_\_\_

### Clearing / Grading Approval

Signature \_\_\_\_\_\_ Date \_\_\_\_\_

#### **Fire Approval**

Signature \_\_\_\_\_\_

#### SPECIFICATIONS

- SURVEYOR TO RESTAKE WETLAND AND BUFFER BOUNDARY PRIOR TO START OF WORK.
- GRADING TO OCCUR DURING THE DRY SEASON (JULY-SEPTEMBER) PRIOR TO START OF WORK, A PRE-CONSTRUCTION MEETING SHALL BE HELD WITH THE LANDSCAPE CONTRACTOR, AGA AND KING COUNTY TO VERIFY WORK SEQUENCING AND INSPECTION TIMING.
- PRIOR TO FLANTINS, ALL INVASIVE NON-NATIVE SPECIES (TOPS AND ROOTS) SHALL BE HAND-REMOVED FROM THE RESTORATION AREAS AND SOD SHALL BE STRIPPED.
- 4. AOA TO BE ONSITE DURING EXCAVATION WITHIN THE WETLAND RESTORATION AREAS, AOA TO VERIFY DEPTH OF FILL MATERIAL TO BE REMOVED BASED ON SOIL REVIEW OF THE TOPSOIL LAYER PRE-FILL THAT WAS EVIDENT IN THE SOIL SAMPLING DONE BY AOA, FILL TO BE RELOCATED IN POND. AOA TO REVIEW SUBGRADE PRIOR TO PLANTING, AOA TO DETERMINE IF ADDITIONAL TOPSOIL WILL BE REQUIRED AT THAT TIME.
- 5. ALL BARE GROUND SHALL BE MULCHED TO A DEPTH OF 3" WITH WOOD CHIP MULCH OR HOG-FUEL AFTER TOPSOIL PLACEMENT PRIOR TO THE END OF THE DRY SEASON.
- 6. IF POSSIBLE, ALL PLANTS SHOULD BE INSTALLED BETWEEN DECEMBER IST AND MARCH 15TH.
- 7. ALL PLANTS SHALL BE PIT-PLANTED IN PLANTING PITS EXCAVATED 2X THE DIAMETER OF THE PLANT, HAND-CLEAR MULCH FROM PLANTING LOCATIONS AND PLACE TO ONE SIDE OF EXCAVATED PLANTING HOLE. PITS SHALL BE BACKFILLED WITH A 30/10 MIX OF STEERCO TO NATIVE SOIL. PLANTS SHALL BE INSTALLED 2" HIGH PRIOR TO REPLACEMENT OF MULCH TO A DEPTH OF 3".
- 8. ALL TREES SHALL BE 3" HT, 2 GALLON SIZE. ALL SHRUBS SHALL BE THE SIZE SPECIFIED ON THE PLANTING SCHEDULE.
- ALL PLANTS SHALL BE NURSERY GROWN (IN W. WA OR OR.) FOR AT LEAST I YEAR FROM PURCHASE DATE, FREE FROM DISEASE OR PESTS, WELL-ROOTED, BUT NOT
  ROOT-BOUND AND TRUE TO SPECIES.
- TO, WEED REMOVAL SHALL BE REVIEWED BY AGA PRIOR TO PLANTING.
- II. PLANT LAYOUT SHALL BE APPROVED BY AGA PRIOR TO INSTALLATION AND APPROVED UPON COMPLETION OF PLANTING.
- 12. UPON COMPLETION OF PLANTING, ALL PLANTS SHALL BE THOROUGHLY WATERED.
- 13. UPON APPROVAL OF PLANTING INSTALLATION BY AGA, KING COUNTY WILL BE NOTIFIED TO CONDUCT A SITE REVIEW FOR FINAL APPROVAL OF CONSTRUCTION.
- 14. ALL PLANTS SHALL BE WATERED VIA A TEMPORARY IRRIGATION SYSTEM, WATERING SHOULD OCCUR THICE-WEEKLY JUNE 15-OCTOBER 15 THE FIRST YEAR AFTER PLANTING AND ONCE WEEKLY JULY I-SEPTEMBER 30 THE SECOND YEAR AFTER PLANTING. FLOW SHOULD OCCUR AT A RATE OF 1/2 OF WATER DURING EACH WATERING EVENT, ENSURING COMPLETE SATURATION OF THE ROOT ZONE.
- 15. MAINTENANCE AND MONITORING SHALL BE PERFORMED UPON CONSTRUCTION COMPLETION FOR A PERIOD OF AT LEAST 5 YEARS (UNLESS EARLY SIGN-OFF IS GRANTED BY KING COUNTY), SEE WETLAND AND BUFFER RESTORATION REPORT BY AGA DATED.

Address

- 16. MAINTENANCE SHALL BE IMPLEMENTED ON A REGULAR BASIS ACCORDING TO THE SCHEDULE BELOW.
- 17. AN AS-BUILT PLAN MUST BE SUBMITTED FOR COUNTY REVIEW AND ACCEPTANCE PRIOR TO PERFORMANCE BOND RELEASE AND COMMENCEMENT OF THE REQUIRED 5 TEAR MAINTENANCE AND MONITORING PERIOD.

#### ANNUAL MAINTENANCE SCHEDULE

MAINTENANCE ITEM	7	Ш	М	Α	М	J	7	Α	S	0	z	D
WEED CONTROL			Ι	_	1	1	_	_	_	_	_	
GENERAL MAINT.	_	_	ı	-	ı	ı	_	_	_	_	_	ı
WATERING - YEAR I						4	В	8	B	4		
WATERING - YEAR 2							4	4	4			

1-8 = NUMBER OF TIMES TASK SHALL BE PERFORMED PER MONTH.

SOME SOME AS NOTED DATE 5-14-23 (6/6 SEWSID

FIGURE 6: SPECIFICATIONS
ZHIGALOFF PROPERTY
30333 SE 26TH ST.
FALL CITY, WASHINGTON
CINS COUNTY, PARCEL 082407-9064