



**King County**  
**Permitting Division**  
 Department of Local Services  
 RTN-LS-0300  
 919 SW Grady Way, Suite 300  
 Renton, WA 98057  
 206-296-6600  
<https://kingcounty.gov/depts/local-services/permits>

# Notice of Application and SEPA Notice Optional DNS/MDNS Process

(Type 2)

<b>Project Name: Parker Pier</b>	<b>File No.: SHOR23-0007</b>
<b>Applicant: Evan Wehr, ecco design</b> 7413 Greenwood Ave. N Seattle WA 98103	<b>SEPA Permit Project Manager: Leah Davis</b> Phone No.: (206) 263-3118 E-mail: ledavis@kingcounty.gov
<b>Date Application Filed: February 22, 2023</b>	
<b>Date Determined Complete: February 22, 2023</b>	
<b>Date of Mailing: April 21, 2026</b>	
<b>Project Location:</b> 10209 SW Tillicum Ln., Vashon; STR: NE 18-22-3	
<b>Parcel No.</b> 0594000035	
<b>Project Description:</b> Proposing installation of a new pier, dock, and boat lift.	
<b>Permit requested in this application:</b> Shoreline Substantial Development	
Environmental review is required, and relevant environmental documents are available on-line at <a href="#">Public notices - King County, Washington</a>	
Consistency with applicable County plans and regulations: This proposal will be reviewed for compliance with all applicable King County codes including Shoreline Master Program, Surface Water Design Manual, Zoning, Grading and Critical Areas Codes.	
<b>Other permits not included in this application, known at this time:</b> building permit	

King County Code requires notification of property owners within at least 500 feet of the project proposed above, so they can obtain additional information about the proposal and comment if they wish (KCC 20.20).

The Department of Local Services, Permitting Division will issue an Environmental Threshold Determination pursuant to the State Environmental Policy Act (SEPA) on this application following a **30-day public comment period** which ends on **May 21, 2026**. The responsible official has a reasonable basis for expecting to issue a mitigated SEPA Determination of Non-Significance (MDNS) on this project. As such, the optional DNS/MDNS notice process is being used pursuant to WAC 197-11-355. The project review process may incorporate or require mitigation measures regardless of whether an EIS is prepared.

**This may be the only opportunity to comment on the environmental impacts of the proposal.** Written comments on this application must be submitted to Permitting Division at the address above by the end of the comment period.

Any person wanting additional information on this proposed project should contact the Permit Project Manager at the phone number or e-mail listed above. You may also review the application and any environmental documents or studies at [Public notices - King County, Washington](#)

NOTE: To request this information in alternative formats for people with disabilities please call 206-296-6600 or TTY Relay: 711.

If you wish to receive a copy of the SEPA Threshold Determination on this application, complete and return the portion below to the Permitting Division at the address above.

=====

Please send me notification of any official notices concerning this application. **(Please print)**

**File No.: SHOR23-0007**

Name: \_\_\_\_\_ Phone No.: \_\_\_\_\_

Email Address: \_\_\_\_\_

Mailing Address (optional): \_\_\_\_\_

*Note: Notifications will be sent via Email unless mail is requested*