



WASHINGTON STATE

Joint Aquatic Resources Permit Application (JARPA) Form^{1,2} [\[help\]](#)

USE BLACK OR BLUE INK TO ENTER ANSWERS IN THE WHITE SPACES BELOW.



US Army Corps
of Engineers®
Seattle District

AGENCY USE ONLY

Date received: _____

Agency reference #: _____

Tax Parcel #(s): _____

Part 1—Project Identification

1. Project Name (A name for your project that you create. Examples: Smith's Dock or Seabrook Lane Development) [\[help\]](#)

PLAUCHE-CARR Dock Replacement

Part 2—Applicant

The person and/or organization responsible for the project. [\[help\]](#)

2a. Name (Last, First, Middle)

Plauche, Billy and Carr, Amanda

2b. Organization (If applicable)

2c. Mailing Address (Street or PO Box)

9412 SW Harbor Dr

2d. City, State, Zip

Vashon, WA 98070

2e. Phone (1)

206-972-9982
(Billy)

2f. Phone (2)

206-465-9504
(Amanda)

2g. Fax

2h. E-mail

bill@plauchecarr.com ,
amanda@plauchercarr.com

¹Additional forms may be required for the following permits:

- If your project may qualify for Department of the Army authorization through a Regional General Permit (RGP), contact the U.S. Army Corps of Engineers for application information (206) 764-3495.
- Not all cities and counties accept the JARPA for their local Shoreline permits. If you need a Shoreline permit, contact the appropriate city or county government to make sure they accept the JARPA.

²To access an online JARPA form with [\[help\]](#) screens, go to

http://www.epermitting.wa.gov/site/alias_resourcecenter/jarpa_jarpa_form/9984/jarpa_form.aspx.

For other help, contact the Governor's Office for Regulatory Innovation and Assistance at (800) 917-0043 or help@oria.wa.gov.

Part 3—Authorized Agent or Contact

Person authorized to represent the applicant about the project. (Note: Authorized agent(s) must sign 11b of this application.) [\[help\]](#)

3a. Name (Last, First, Middle)			
Anderson, Rachel			
3b. Organization (If applicable)			
Marine Floats			
3c. Mailing Address (Street or PO Box)			
313 East F St			
3d. City, State, Zip			
Tacoma, WA 98421			
3e. Phone (1)	3f. Phone (2)	3g. Fax	3h. E-mail
253-383-2740 (Office)	253-203-6370 (Direct)		randerson@marinefloats.com

Part 4—Property Owner(s)

Contact information for people or organizations owning the property(ies) where the project will occur. Consider both **upland and aquatic** ownership because the upland owners may not own the adjacent aquatic land. [\[help\]](#)

- Same as applicant. (Skip to Part 5.)
- Repair or maintenance activities on existing rights-of-way or easements. (Skip to Part 5.)
- There are multiple upland property owners. Complete the section below and fill out [JARPA Attachment A](#) for each additional property owner.
- Your project is on Department of Natural Resources (DNR)-managed aquatic lands. If you don't know, contact the DNR at (360) 902-1100 to determine aquatic land ownership. If yes, complete [JARPA Attachment E](#) to apply for the Aquatic Use Authorization.

4a. Name (Last, First, Middle)			
4b. Organization (If applicable)			
4c. Mailing Address (Street or PO Box)			
4d. City, State, Zip			
4e. Phone (1)	4f. Phone (2)	4g. Fax	4h. E-mail

Part 5–Project Location(s)

Identifying information about the property or properties where the project will occur. [\[help\]](#)

- There are multiple project locations (e.g. linear projects). Complete the section below and use [JARPA Attachment B](#) for each additional project location.

5a. Indicate the type of ownership of the property. (Check all that apply.) [help]			
<input checked="" type="checkbox"/> Private <input type="checkbox"/> Federal <input type="checkbox"/> Publicly owned (state, county, city, special districts like schools, ports, etc.) <input type="checkbox"/> Tribal <input type="checkbox"/> Department of Natural Resources (DNR) – managed aquatic lands (Complete JARPA Attachment E)			
5b. Street Address (Cannot be a PO Box. If there is no address, provide other location information in 5p.) [help]			
9412 SW Harbor Dr			
5c. City, State, Zip (If the project is not in a city or town, provide the name of the nearest city or town.) [help]			
Vashon, WA 98070			
5d. County [help]			
King			
5e. Provide the section, township, and range for the project location. [help]			
¼ Section	Section	Township	Range
	17	22N	03E
5f. Provide the latitude and longitude of the project location. [help]			
<ul style="list-style-type: none"> Example: 47.03922 N lat. / -122.89142 W long. (Use decimal degrees - NAD 83) 			
47.39556, -122.454815			
5g. List the tax parcel number(s) for the project location. [help]			
<ul style="list-style-type: none"> The local county assessor's office can provide this information. 			
1269200047			
5h. Contact information for all adjoining property owners. (If you need more space, use JARPA Attachment C.) [help]			
Name	Mailing Address	Tax Parcel # (if known)	
PLAUCHE SAMUEL W IV+CARR AM	3615 BELLA VISTA AVE S	1269200046	
	SEATTLE WA 98144		
COLLEEN KAY PICKETT	P O BOX 2595	1269200045	
	VASHON WA 98070		
5i. List all wetlands on or adjacent to the project location. [help]			
Tidal Aquatic Bed			

5j. List all waterbodies (other than wetlands) on or adjacent to the project location. [help]
Quartermaster Harbor
5k. Is any part of the project area within a 100-year floodplain? [help]
<input checked="" type="checkbox"/> Yes- Zone VE (EL14) <input type="checkbox"/> No <input type="checkbox"/> Don't know
5l. Briefly describe the vegetation and habitat conditions on the property. [help]
There are several trees, shrubs, lawn, and ornamental vegetation on the upland property. On the tidelands there is naturally occurring beach substrate and aquatic vegetation.
5m. Describe how the property is currently used. [help]
Single-family residence with private beach access and dock.
5n. Describe how the adjacent properties are currently used. [help]
Single-family Residential area with private beach access.
5o. Describe the structures (above and below ground) on the property, including their purpose(s) and current condition. [help]
Residential home with existing concrete bulkhead and private dock. All are in good condition, except for the dock, which is in poor condition and is proposed to be replaced.
5p. Provide driving directions from the closest highway to the project location, and attach a map. [help]
<p>Start on I-5:</p> <p>From I-5, take the exit for the West Seattle Bridge.</p> <p>Follow the West Seattle Bridge, which turns into Fauntleroy Way SW, and head to the ferry terminal.</p> <p>Take the Fauntleroy–Vashon Island Ferry.</p> <p>On Vashon Island:</p> <p>Drive south on Vashon Hwy SW for about 5.5 miles.</p> <p>Turn left onto SW 240th St.</p> <p>Turn right onto SW Harbor Dr.</p> <p>Look for 9412 SW Harbor Dr on your left.</p>

Part 6–Project Description

6a. Briefly summarize the overall project. You can provide more detail in 6b. [help]
<p>Project proposes to remove an existing 4' X 66' (4' X 62' overwater) solid decked pier; 3' X 20' (3' X 8' overwater) solid decked ramp; and a 10' x 30' solid decked float; (10) 14" creosote piling and (1) 14" creosote stub pile to be removed.</p> <p>Install a 4' X 40' (4' X 36' overwater) aluminum pier and an aluminum ramp 3 X 38' (3' X 32' overwater) both with 100% fiberglass grated decking; an 8' X 30' float with 50% composite decking, 50% fiberglass grating, and 62% open area; (2) 8" galvanized steel pier piling, (4) 10" galvanized steel float piling, steel piling mounted float stops and (2) 3" steel stub piles to prevent grounding of the floats.</p> <p>The proposed replacement will maintain the existing footprint and the overwater coverage will be reduced.</p>

6b. Describe the purpose of the project and why you want or need to perform it. [\[help\]](#)

Existing dock system is outdated and in need of maintenance. Replacement is a common form of maintenance for docks. Replacing the dock will bring it up to today's environmental code and will benefit the aquatic environment, while also providing safe access to water-dependent activities.

6c. Indicate the project category. (Check all that apply) [\[help\]](#)

- Commercial Residential Institutional Transportation Recreational
 Maintenance Environmental Enhancement

6d. Indicate the major elements of your project. (Check all that apply) [\[help\]](#)

- | | | | |
|---|---|--|--|
| <input type="checkbox"/> Aquaculture | <input type="checkbox"/> Culvert | <input checked="" type="checkbox"/> Float | <input type="checkbox"/> Retaining Wall (upland) |
| <input type="checkbox"/> Bank Stabilization | <input type="checkbox"/> Dam / Weir | <input type="checkbox"/> Floating Home | <input type="checkbox"/> Road |
| <input type="checkbox"/> Boat House | <input type="checkbox"/> Dike / Levee / Jetty | <input type="checkbox"/> Geotechnical Survey | <input type="checkbox"/> Scientific Measurement Device |
| <input type="checkbox"/> Boat Launch | <input type="checkbox"/> Ditch | <input type="checkbox"/> Land Clearing | <input type="checkbox"/> Stairs |
| <input type="checkbox"/> Boat Lift | <input checked="" type="checkbox"/> Dock / Pier | <input type="checkbox"/> Marina / Moorage | <input type="checkbox"/> Stormwater facility |
| <input type="checkbox"/> Bridge | <input type="checkbox"/> Dredging | <input type="checkbox"/> Mining | <input type="checkbox"/> Swimming Pool |
| <input type="checkbox"/> Bulkhead | <input type="checkbox"/> Fence | <input type="checkbox"/> Outfall Structure | <input type="checkbox"/> Utility Line |
| <input type="checkbox"/> Buoy | <input type="checkbox"/> Ferry Terminal | <input checked="" type="checkbox"/> Piling/Dolphin | |
| <input type="checkbox"/> Channel Modification | <input type="checkbox"/> Fishway | <input type="checkbox"/> Raft | |

Other: Ramp

6e. Describe how you plan to construct each project element checked in 6d. Include specific construction methods and equipment to be used. [\[help\]](#)

- Identify where each element will occur in relation to the nearest waterbody.
- Indicate which activities are within the 100-year floodplain.

The dock project will be constructed over the marine waters of Quartermaster Harbor in Vashon Island, WA. FEMA has designated this area as a 100-year flood plain (Zone VE, EL14, Map #53053C0140E, Effective 3/7/2017).

Fabrication

Marine Floats will fabricate the dock system at their main facility in Tacoma, Washington. Once completed, the components will be loaded onto work barges along with all necessary construction equipment and towed over water to the installation site. All Best Management Practices (BMPs) will be followed throughout the construction process to minimize environmental impact.

Demolition

Removal, demolition, and disposal of the existing float and piling at an approved upland facility includes the following: Using a tugboat, barge, crane, pile driver, and associated work boats/skiffs, disconnect the existing float and place on a barge using a barge-mounted crane. Removal of the creosote-treated piling will be accomplished using a tugboat and barge equipped with a pile driver and extractor. The extracted piling will be placed on a deck barge with a containment system to prevent loss of treated wood chemicals and debris to the water column and sediments. Any shavings, sawdust, woody debris (splintered wood, fragments, loose piling) on the water or sediment surface will be retrieved and placed in the containment area. Likewise, any pile-associated sediment and adhered organisms will be collected daily, contained on-site, and ultimately disposed at an approved upland disposal site along with the extracted piling.

On-site Installation

The new dock system consisting of an aluminum framed pier, aluminum framed ramp, float, and piling will be installed.

(2) 8" galvanized steel pilings will support the pier and (4) 10" galvanized steel pilings will secure the float.

Floats are built using Polyethylene foam filled encapsulated drum flotation.

Once on site the following installation process occurs:

1. Piling will be driven using an impact hammer. A bubble curtain and 6" wood block will be used for sound attenuation, as well as a silt curtain will to reduce sediment disturbance in the water column. GCMs 6 for piling installation will be utilized while installing the piling (NOAA 2022).
2. The pre-constructed pier and/or float section will be put in place and attached to the piling manually with prefabricated pile hoops/boxes and hand tools.
3. Once the pier and float are in place, the ramp will be installed to connect the pier and float and be secured.
4. The construction barge nor float will not be permitted to ground out or anchor in SAV.

All construction equipment, tools and any unused materials will be towed from the site after installation and brought back to the Marine Floats facility in Tacoma.

All associated Project Design Criteria (PDC) 5 from the SSNP BO will be adhered to. GCMs 2, 11, and 12 will be implemented during installation of the project. These include adhering to in-water windows, barge use, and treated wood for uses other than piling (NOAA 2022).

If a marbled murrelet monitoring plan or marine mammal monitoring plan is requested by USFWS or NMFS one will be put in place.

Nearshore Mitigation Calculator will balance to cause no net loss to ecological function. The floats will not be permitted to ground out.

6f. What are the anticipated start and end dates for project construction? (Month/Year) [help]
<ul style="list-style-type: none"> If the project will be constructed in phases or stages, use JARPA Attachment D to list the start and end dates of each phase or stage.
Start Date: <u>2025</u> End Date: <u>2030</u> <input type="checkbox"/> See JARPA Attachment D
6g. Fair market value of the project, including materials, labor, machine rentals, etc. [help]
\$165,000
6h. Will any portion of the project receive federal funding? [help]
<ul style="list-style-type: none"> If yes, list each agency providing funds.
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Don't know

Part 7–Wetlands: Impacts and Mitigation

Check here if there are wetlands or wetland buffers on or adjacent to the project area.
(If there are none, skip to Part 8.) [\[help\]](#)

7a. Describe how the project has been designed to avoid and minimize adverse impacts to wetlands. [help]
<input checked="" type="checkbox"/> Not applicable
7b. Will the project impact wetlands? [help]
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Don't know
7c. Will the project impact wetland buffers? [help]
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Don't know
7d. Has a wetland delineation report been prepared? [help]
<ul style="list-style-type: none"> If Yes, submit the report, including data sheets, with the JARPA package.
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
7e. Have the wetlands been rated using the Western Washington or Eastern Washington Wetland Rating System? [help]
<ul style="list-style-type: none"> If Yes, submit the wetland rating forms and figures with the JARPA package.
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Don't know
7f. Have you prepared a mitigation plan to compensate for any adverse impacts to wetlands? [help]
<ul style="list-style-type: none"> If Yes, submit the plan with the JARPA package and answer 7g. If No, or Not applicable, explain below why a mitigation plan should not be required.
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Don't know
7g. Summarize what the mitigation plan is meant to accomplish, and describe how a watershed approach was used to design the plan. [help]
N/A
7h. Use the table below to list the type and rating of each wetland impacted, the extent and duration of the impact, and the type and amount of mitigation proposed. Or if you are submitting a mitigation plan with a similar table, you can state (below) where we can find this information in the plan. [help]

Activity (fill, drain, excavate, flood, etc.)	Wetland Name ¹	Wetland type and rating category ²	Impact area (sq. ft. or Acres)	Duration of impact ³	Proposed mitigation type ⁴	Wetland mitigation area (sq. ft. or acres)

¹ If no official name for the wetland exists, create a unique name (such as "Wetland 1"). The name should be consistent with other project documents, such as a wetland delineation report.

² Ecology wetland category based on current Western Washington or Eastern Washington Wetland Rating System. Provide the wetland rating forms with the JARPA package.

³ Indicate the days, months or years the wetland will be measurably impacted by the activity. Enter "permanent" if applicable.

⁴ Creation (C), Re-establishment/Rehabilitation (R), Enhancement (E), Preservation (P), Mitigation Bank/In-lieu fee (B)

Page number(s) for similar information in the mitigation plan, if available: _____

7i. For all filling activities identified in 7h, describe the source and nature of the fill material, the amount in cubic yards that will be used, and how and where it will be placed into the wetland. [\[help\]](#)

N/A

7j. For all excavating activities identified in 7h, describe the excavation method, type and amount of material in cubic yards you will remove, and where the material will be disposed. [\[help\]](#)

N/A

Part 8–Waterbodies (other than wetlands): Impacts and Mitigation

In Part 8, "waterbodies" refers to non-wetland waterbodies. (See Part 7 for information related to wetlands.) [\[help\]](#)

Check here if there are waterbodies on or adjacent to the project area. (If there are none, skip to Part 9.)

8a. Describe how the project is designed to avoid and minimize adverse impacts to the aquatic environment. [\[help\]](#)

Not applicable

The design complies with regulatory agency criteria.

The pier and ramp are composed of 100% fiberglass grating. Float will utilize 50% grated surfaces. Increased light penetration will benefit the aquatic environment.

Replacement dock system will reduce overwater coverage by 86 square feet.

Piling are galvanized steel and will not degrade into harmful chemicals over time.

Removal of the existing creosote piling, solid decked dock system, grounded float, and unencapsulated floatation will be beneficial to the aquatic environment.

Replacement float will utilize stub piling so that the float is always at least 12" above the beach substrate at low tide. Pier will be lifted at least 6' above the tidal bed at the most landward end.

Piling will be driven with an impact hammer utilizing a bubble curtain and wooden block for sound attenuation. SSNP GCMs will be followed as required by NMFS and USFWS.

The construction barge will not ground out or anchor in SAV.

Care will be taken to contain all construction debris. All removed material will be disposed of at a approved upland facility.

All BMPS will be exercised.

Regulatory in-water work windows will be followed.

8b. Will your project impact a waterbody or the area around a waterbody? [\[help\]](#)

Yes – Inner Quartermaster harbor No

8c. Have you prepared a mitigation plan to compensate for the project’s adverse impacts to non-wetland waterbodies? [\[help\]](#)

- If Yes, submit the plan with the JARPA package and answer 8d.
- If No, or Not applicable, explain below why a mitigation plan should not be required.

Yes No Don’t know

The mitigation plan is attached.

8d. Summarize what the mitigation plan is meant to accomplish. Describe how a watershed approach was used to design the plan.

- If you already completed 7g you do not need to restate your answer here. [\[help\]](#)

No net loss of ecological function.

8e. Summarize impact(s) to each waterbody in the table below. [\[help\]](#)

Activity (clear, dredge, fill, pile drive, etc.)	Waterbody name ¹	Impact location ²	Duration of impact ³	Amount of material (cubic yards) to be placed in or removed from waterbody	Area (sq. ft. or linear ft.) of waterbody directly affected
Solid Timber Pier (removal)	Quartermaster Harbor	USZ/LSZ	Permanent	4’X66’ (4’X62’ overwater-OW)	248 Sq Ft
Solid Timber Ramp (Removal)	Quartermaster Harbor	LSZ	Permanent	3’X20’ (3’x8’ OW)	24 Sq Ft
Solid Timber Float (removal)	Quartermaster Harbor	LSZ	Permanent	10’X30’ (10’X30’OW)	300 Sq Ft
Piling (removal)	Quartermaster Harbor	USZ/LSZ	Permanent	(10) 14” (1) 14” – Stub	(10) 14” (1) 14” – Stub
Grated Pier (install)	Quartermaster Harbor	USZ/LSZ	Permanent	4’X40’ (4’X36’ OW)	144 Sq Ft
Grated Ramp (install)	Quartermaster Harbor	LSZ	Permanent	3’X38’ (3’x32’ OW)	96 Sq Ft
Grated Float (install)	Quartermaster Harbor	LSZ	Permanent	8’X30’	240 Sq Ft
Piling (install)	Quartermaster Harbor	USZ/LSZ	Permanent	(2) 8” (4) 10” (2) 3”	(2) 8” (4) 10” (2) 3”

¹ If no official name for the waterbody exists, create a unique name (such as “Stream 1”) The name should be consistent with other documents provided.

² Indicate whether the impact will occur in or adjacent to the waterbody. If adjacent, provide the distance between the impact and the waterbody and indicate whether the impact will occur within the 100-year flood plain.

³ Indicate the days, months or years the waterbody will be measurably impacted by the work. Enter “permanent” if applicable.

8f. For all activities identified in 8e, describe the source and nature of the fill material, amount (in cubic yards) you will use, and how and where it will be placed into the waterbody. [\[help\]](#)

N/A No fill

8g. For all excavating or dredging activities identified in 8e, describe the method for excavating or dredging, type and amount of material you will remove, and where the material will be disposed. [\[help\]](#)

N/A No dredging

Part 9—Additional Information

Any additional information you can provide helps the reviewer(s) understand your project. Complete as much of this section as you can. It is ok if you cannot answer a question.

9a. If you have already worked with any government agencies on this project, list them below. [\[help\]](#)

Agency Name	Contact Name	Phone	Most Recent Date of Contact
USACE	Stephen Moore	Stephen.A.Moore2@usace.army.mil	February, 2025
King County			
WDFW			

9b. Are any of the wetlands or waterbodies identified in Part 7 or Part 8 of this JARPA on the Washington Department of Ecology's 303(d) List? [\[help\]](#)

- If **Yes**, list the parameter(s) below.
- If you don't know, use Washington Department of Ecology's Water Quality Assessment tools at: <https://ecology.wa.gov/Water-Shorelines/Water-quality/Water-improvement/Assessment-of-state-waters-303d>.

Yes No

19c. What U.S. Geological Survey Hydrological Unit Code (HUC) is the project in? [\[help\]](#)

- Go to <http://cfpub.epa.gov/surf/locate/index.cfm> to help identify the HUC.

1711001904

9d. What Water Resource Inventory Area Number (WRIA #) is the project in? [\[help\]](#)

- Go to <https://ecology.wa.gov/Water-Shorelines/Water-supply/Water-availability/Watershed-look-up> to find the WRIA #.

15- Kitsap

9e. Will the in-water construction work comply with the State of Washington water quality standards for turbidity? [\[help\]](#)

- Go to <https://ecology.wa.gov/Water-Shorelines/Water-quality/Freshwater/Surface-water-quality-standards/Criteria> for the standards.

Yes No Not applicable

9f. If the project is within the jurisdiction of the Shoreline Management Act, what is the local shoreline environment designation? [\[help\]](#)

- If you don't know, contact the local planning department.
- For more information, go to: <https://ecology.wa.gov/Water-Shorelines/Shoreline-coastal-management/Shoreline-coastal-planning/Shoreline-laws-rules-and-cases>.

Urban Natural Aquatic Conservancy Other: Natura Shoreline

9g. What is the Washington Department of Natural Resources Water Type? [\[help\]](#)

- Go to <http://www.dnr.wa.gov/forest-practices-water-typing> for the Forest Practices Water Typing System.

Shoreline Fish Non-Fish Perennial Non-Fish Seasonal

9h. Will this project be designed to meet the Washington Department of Ecology’s most current stormwater manual? [\[help\]](#)

- **If No**, provide the name of the manual your project is designed to meet.

Yes No

Name of manual: _____

9i. Does the project site have known contaminated sediment? [\[help\]](#)

- **If Yes**, please describe below.

Yes No

9j. If you know what the property was used for in the past, describe below. [\[help\]](#)

Unknown

9k. Has a cultural resource (archaeological) survey been performed on the project area? [\[help\]](#)

- **If Yes**, attach it to your JARPA package.


Yes No- One to be provided upon request. Inadvertent discovery plan to be followed.


9l. Name each species listed under the federal Endangered Species Act that occurs in the vicinity of the project area or might be affected by the proposed work. [\[help\]](#)

Puget Sound (PS) Chinook salmon (*Oncorhynchus tshawytscha*), Hood Canal summer-run (HCSR) chum (*O. keta*), PS steelhead (*O. mykiss*), Puget Sound/Georgia Basin (PSGB) yelloweye rockfish (*Sebastes ruberrimus*), PSGB bocaccio (*S. paucispinis*), Southern Resident killer whales (SRKW) (*Orcinus orca*), Central America or Mexico humpback whales (*Megaptera novaeangliae*), the southern DPS of green sturgeon (*Acipenser medirostris*), the southern distinct population segment (DPS) of eulachon (*Thaleichthys pacificus*), marbled murrelet (*Brachyramphus marmoratus*) and bull trout (*Salvelinus confluentus*) Critical habitat: Chinook Salmon, Bocaccio, and Southern Resident Killer Whale.

9m. Name each species or habitat on the Washington Department of Fish and Wildlife’s Priority Habitats and Species List that might be affected by the proposed work. [\[help\]](#)

Pacific Herring
Biodiversity Areas And Corridor
Estuarine Zone
Estuarine and Marine Wetland

 Priority Habitats and Species on the Web



Buffer radius: 500 Feet
Report Date: 09/23/2024

Part 10–SEPA Compliance and Permits

Use the resources and checklist below to identify the permits you are applying for.

- Online Project Questionnaire at <http://apps.oria.wa.gov/opas/>.
- Governor’s Office for Regulatory Innovation and Assistance at (800) 917-0043 or help@oria.wa.gov.
- For a list of addresses to send your JARPA to, click on [agency addresses for completed JARPA](#).

<p>10a. Compliance with the State Environmental Policy Act (SEPA). (Check all that apply.) [help]</p> <ul style="list-style-type: none"> • For more information about SEPA, go to https://ecology.wa.gov/regulations-permits/SEPA-environmental-review. <p><input type="checkbox"/> A copy of the SEPA determination or letter of exemption is included with this application.</p> <p><input checked="" type="checkbox"/> A SEPA determination is pending with <u>King County</u> (lead agency). The expected decision date is <u>2025</u>.</p> <p><input type="checkbox"/> I am applying for a Fish Habitat Enhancement Exemption. (Check the box below in 10b.) [help]</p> <p><input type="checkbox"/> This project is exempt (choose type of exemption below).</p> <p><input type="checkbox"/> Categorical Exemption. Under what section of the SEPA administrative code (WAC) is it exempt? _____</p> <p><input type="checkbox"/> Other: _____</p> <p><input type="checkbox"/> SEPA is pre-empted by federal law.</p>
<p>10b. Indicate the permits you are applying for. (Check all that apply.) [help]</p> <p style="text-align: center;">LOCAL GOVERNMENT</p> <p>Local Government Shoreline permits:</p> <p><input type="checkbox"/> Substantial Development <input type="checkbox"/> Conditional Use <input type="checkbox"/> Variance</p> <p><input checked="" type="checkbox"/> Shoreline Exemption Type (explain): WAC 173-27-040 (2)(b) Normal maintenance or repair of existing structures or developments, including damage by accident, fire or elements. "Normal maintenance" includes those usual acts to prevent a decline, lapse, or cessation from a lawfully established condition. "Normal repair" means to restore a development to a state comparable to its original condition, including but not limited to its size, shape, configuration, location and external appearance, within a reasonable period after decay or partial destruction, except where repair causes substantial adverse effects to shoreline resource or environment. Replacement of a structure or development may be authorized as repair where such replacement is the common method of repair for the type of structure or development and the replacement structure or development is comparable to the original structure or development including but not limited to its size, shape, configuration, location and external appearance and the replacement does not cause substantial adverse effects to shoreline resources or environment;</p> <p>Other City/County permits:</p> <p><input type="checkbox"/> Floodplain Development Permit <input type="checkbox"/> Critical Areas Ordinance</p> <p style="text-align: center;">STATE GOVERNMENT</p> <p>Washington Department of Fish and Wildlife:</p> <p><input checked="" type="checkbox"/> Hydraulic Project Approval (HPA) <input type="checkbox"/> Fish Habitat Enhancement Exemption – Attach Exemption Form</p>

Washington Department of Natural Resources:

Aquatic Use Authorization

Complete [JARPA Attachment E](#) and submit a check for \$25 payable to the Washington Department of Natural Resources.
Do not send cash.

Washington Department of Ecology:

Section 401 Water Quality Certification

Authorization to impact waters of the state, including wetlands (Check this box if the proposed impacts are to waters not subject to the federal Clean Water Act)

FEDERAL AND TRIBAL GOVERNMENT

United States Department of the Army (U.S. Army Corps of Engineers):

Section 404 (discharges into waters of the U.S.) Section 10 (work in navigable waters)

United States Coast Guard:

For projects or bridges over waters of the United States, contact the U.S. Coast Guard at:

Bridge Permit: D13-SMB-D13-BRIDGES@uscg.mil

Private Aids to Navigation (or other non-bridge permits): D13-SMB-D13-PATON@uscg.mil

United States Environmental Protection Agency:

Section 401 Water Quality Certification (discharges into waters of the U.S.) on tribal lands where tribes do not have treatment as a state (TAS)

Tribal Permits: (Check with the tribe to see if there are other tribal permits, e.g., Tribal Environmental Protection Act, Shoreline Permits, Hydraulic Project Permits, or other in addition to CWA Section 401 WQC)

Section 401 Water Quality Certification (discharges into waters of the U.S.) where the tribe has treatment as a state (TAS).

Part 11—Authorizing Signatures

Signatures are required before submitting the JARPA package. The JARPA package includes the JARPA form, project plans, photos, etc.

11a. Applicant Signature (required)

I certify that to the best of my knowledge and belief, the information provided in this application is true, complete, and accurate. I also certify that I have the authority to carry out the proposed activities, and I agree to start work only after I have received all necessary permits.

I hereby authorize the agent named in Part 3 of this application to act on my behalf in matters related to this application. X SWP (initial)

By initialing here, I state that I have the authority to grant access to the property. I also give my consent to the permitting agencies entering the property where the project is located to inspect the project site or any work related to the project. X SWP (initial)

X Samuel W. Plavche'
Applicant Printed Name

Samuel W. Plavche'
Applicant Signature

8/18/2024
Date

11b. Authorized Agent Signature

I certify that to the best of my knowledge and belief, the information provided in this application is true, complete, and accurate. I also certify that I have the authority to carry out the proposed activities and I agree to start work only after all necessary permits have been issued.

Rachel Anderson
Authorized Agent Printed Name

Rachel Anderson
Authorized Agent Signature

8/9/2024
Date

11c. Property Owner Signature (if not applicant)

Not required if project is on existing rights-of-way or easements (provide copy of easement with JARPA).

I consent to the permitting agencies entering the property where the project is located to inspect the project site or any work. These inspections shall occur at reasonable times and, if practical, with prior notice to the landowner.

X Samuel W. Plavche'
Property Owner Printed Name

Samuel W. Plavche'
Property Owner Signature

8/19/2024
Date

18 U.S.C. §1001 provides that: Whoever, in any manner within the jurisdiction of any department or agency of the United States knowingly falsifies, conceals, or covers up by any trick, scheme, or device a material fact or makes any false, fictitious, or fraudulent statements or representations or makes or uses any false writing or document knowing same to contain any false, fictitious, or fraudulent statement or entry, shall be fined not more than \$10,000 or imprisoned not more than 5 years or both.

If you require this document in another format, contact the Governor's Office for Regulatory Innovation and Assistance (ORIA) at (800) 917-0043. People with hearing loss can call 711 for Washington Relay Service. People with a speech disability can call (877) 833-6341. ORIA publication number: ORIA-16-011 rev. 09/2018