

APPENDIX G

Well Reports

TABLE G-1: WELL REPORTS

Well #	DOE Well Report ID	Tag No.	Completion Date	Well Owner	Ground Elev.	Case Depth	Drill Depth	Well Depth	Screen/Perf. Depths	Well Comp. Type	Bedrock	Static Water	Completion Interval
W-1	88016		1/25/1980	ANN ALEXANDER	812	79	79	79	-	E	NE	62	Above/At Tp
W-2	88054		11/7/1979	ARLYN SONSTANG	814	74	74	74	-	E	NE	60	Above/At Tp
W-3	88585		2/15/1979	BOB GUNDERSON	810	60	60	60	-	E	60	41	Above/At Tp
W-3	99172	AAE801	10/8/1994	BOB GUNDERSON	810	73	175	170	125-165	OL	60	60	In Tp
W-4	88929		7/2/1979	BRUCE LAIER	811	66	300	300	260-300	OL	63	80	In Tp
W-5	89132		6/7/1993	CAROL OVERTURF	809	115	119	119	109-115	P	115	73	Above/At Tp
W-6	89599		10/17/1977	CLIFFORD HARMON	884	110	115	110	-	E	NE	92	Above/At Tp
W-7	89792		4/12/1978	DAN EHLERS	858	89	89	89	-	E	NE	42	Above/At Tp
W-8	90547		2/2/1989	DON WALKER #1	814	54	54	54	-	E	NE	35	Above/At Tp
W-9	91613		2/14/1983	GARY BARQUIST	893	128	128	128	-	E	NE	90	Above/At Tp
W-10	91829		5/5/1977	GEORGE HOUSER	811	99	99	99	75-84	P	84	72	Above/At Tp
W-11	91880		5/31/1989	GEORGE WALKER #2	808	100	103	100	80-86	P	95	80	Above/At Tp
W-12	91881		10/4/1996	GEORGE WALKER #3	809	110	200	200	-	O	104	200	In Tp
W-13	91882		9/10/1984	GEORGE WALKER #1	808	114	303	300	240-300	OL	104	76	In Tp
W-14	92118		5/17/1985	GREG ELMENDORF	796	80	80	80	-	E	NE	50	Above/At Tp
W-15	94520		3/20/1992	LARRY VANCE	835	73	420	420	250-410	OL	73	60	In Tp
W-16	94821		10/26/1978	LOUIE ADCOCK	849	240	240	240	-	E	45	80	In Tp
W-17	95428		12/23/1987	MIKE CUNNINGHAM	803	95	96	95	-	E	95	82	Above/At Tp
W-18	96142		3/31/1987	PAUL O-FERRY	815	70	360	360	320-360	OL	64	51	In Tp
W-19	96396		11/27/1983	R.L. ROGERS	796	80	82	80	-	E	NE	48	Above/At Tp
W-20	96594		12/6/1984	RIC THIELE	817	72	273	72	-	O	72	55	In Tp
W-21	97032		2/3/1988	ROBERT ROSS	920	32	160	160	140-160	OL	31	21	In Tp
W-22	97599		5/15/1975	SCOTT PAPER COMPANY	839	100	125	125	77-83	P	82	76	Above/At Tp
W-23	97931		5/2/1989	STEVE NORMAN	812	100	100	100	-	E	NE	68	Above/At Tp
W-24	98091		7/19/1981	TED & LORENE KRAHN	881	120	120	120	-	E	NE	87	Above/At Tp
W-25	98214		6/26/1979	THEODORE FEHR	814	80	80	80	-	E	40	43	In Tp
W-26	98844	AFJ213	2/11/1981	WASH. STATE PARKS & REC. COMM	735	47	58	58	45-58	S	NE	13	Above/At Tp
W-27	98886		10/8/1979	WAYNE MOORE	824	60	340	340	320-340	OL	56	55	In Tp
W-28	99041		10/5/1979	WILLIAM NORSTROM	796	108	108	108	78-105	P	105	77	Above/At Tp
W-29	100086	ACG875	9/30/1996	MATTHEW HAWLEY	889	76	185	175	76-175	OL	73	100	In Tp
W-30	190348	AEJ489	5/27/1999	JOHN AND MARLENE BARNES	872	25	122	120	100-120	OL	19	85	In Tp
W-31	286216		10/17/1986	JERRY CARSTENS	809	94	94	94	-	E	NE	78	Above/At Tp
W-32	304307	AFJ814	1/15/2001	RICHARD LYONS	805	120	103	120	-	E	103	70	Above/At Tp
W-33	371450	AHG930	11/12/2003	DAVID WILLIAMS	890	156	157	157	-	E	NE	62.5	Above/At Tp
W-34	423135	AKJ155	5/13/2005	GUY HERNDON	813	76	298	298	258-298	OL	64	58	In Tp
W-35	430282	AKF957	1/12/2006	RANDY CARROLL	796	116	120	116	-	E	116	98	Above/At Tp
W-36	432847	AKF986	2/9/2006	TINA AND CARY MCDONOUGH	805	89	93	89	-	E	NE	69	Above/At Tp
W-37	452891	APR401	8/11/2006	WICKLUND CONSTRUCTION	804	89	96	89	-	E	91	65	Above/At Tp
W-38	459057	ALK896	8/15/2006	BOB MCGEE	810	89	95	94	-	E	95	56	Above/At Tp

TABLE G-1: WELL REPORTS

Well #	DOE Well Report ID	Tag No.	Completion Date	Well Owner	Ground Elev.	Case Depth	Drill Depth	Well Depth	Screen/Perf. Depths	Well Comp. Type	Bedrock	Static Water	Completion Interval
W-39	478666	ALK998	1/15/2007	SEVAN AND SON CONST	848	45	227	227	202-227	OL	19	67	In Tp
W-40	483011	APR499	5/18/2007	JERRY BROWN now Ritter	805	60	270	270	180-260	OL	55	60	In Tp
W-41	493371	ALM329	8/21/2007	LOUIS MARIN	1436	36	600	500	480-500	OL	0	238	In Tp
W-42	501883	BAC234	9/26/2007	LEDICO BUILDER LLC	815	75	340	340	300-340	OL	59	60	In Tp
W-43	501884	BAC235	9/29/2007	LEDICO BUILDER LLC	842	77	82	77	-	E	79	58	Above/At Tp
W-44	505363	APR464	12/4/2007	ED LARSON	805	20	220	220	130-220	OL	15	20	In Tp
W-45	505365	AKF986	12/7/2007	STEVE SMITH	808	143	143	143	-	E	143	89	Above/At Tp
W-46	581462	AFG843	4/13/2009	GLC CONSTRUCTION	804	64	309	308	270-305	OL	64	65	In Tp
W-47	620891	AKF957	9/4/2009	JESSE YATES	790	118	290	286	230-280	OL	116	110	In Tp
W-48	803902		6/22/2012	PSE Golder Associates	844	-	45	-	-	AB	NE	45	Above/At Tp
W-49	895104	AFJ597	11/27/2013	GLEN WALKER	843	76	85	76	-	E	NE	50	Above/At Tp
W-50	1911789	BME160	7/9/2019	ARIC DITEMAN	812	76	462	462	405-462	OL	78	85	In Tp
W-51	93028		10/16/1986	JERRY FOG	875	30	240	240	220-240	OL	25	50	In Tp
W-52	96154		5/27/1992	PAUL SCHMIDT	1028	40	380	380	360-380	OL	33	72	In Tp
W-53	96723		12/16/1986	RICHARD PAYETTE	868	80	80	80	-	E	NE	55	Above/At Tp
W-54	97463		8/1/1995	RUSTY JOHNSON	934	18	160	160	140-160	OL	11	33	In Tp
W-55	99809	ABV254	5/17/1990	WAREN MC MASTERS	1242	26	375	325	307-325	OL	26	208	In Tp
W-56	304296	AFJ823	3/12/2001	JEFFREY SCHWETER	1243	20	400	370	240-370	OL	14	140	In Tp
W-57	314608	AGT209	10/5/2001	IRENE SZCZERBA	993	34	301	301	241-301	OL	29	74	In Tp
W-58	497717	APR465	8/21/2007	ALAN BRADLEY	1321	37	290	270	150-250	OL	33	150	In Tp

Ground Elevation approximate. DOE: Department of Ecology. NE: not encountered. UNK: Unknown/Not Reported. Tp: Puget Group Bedrock Well Open Type. AB: Abandoned Boring/Resource Protection Well, E: Open End, O: Open Hole (No Liner), OL: Open Hole with Perforated/Slotted Liner, P: Perforated Casing, S: Screen

File Original and First Copy with Department of Ecology
Second Copy - Owner's Copy
Third Copy - Driller's Copy

WATER WELL REPORT

W-2

STATE OF WASHINGTON

Arlyn Sonstang

(1) OWNER: Name *Arlyn Sonstang* Address *35525 - 30*
 (2) LOCATION OF WELL: County *Franklin* *N 1/2 of - SE 1/4 NE 1/4 Sec 29* T. *21 N.* R. *7 E.* W.M.
 Bearing and distance from section or subdivision corner

(3) PROPOSED USE: Domestic Industrial Municipal
 Irrigation Test Well Other
 (4) TYPE OF WORK: Owner's number of well (if more than one)
 New well Method: Dug Bored
 Deepened Cable Driven
 Reconditioned Rotary Jetted

(5) DIMENSIONS: Diameter of well *6* inches.
 Drilled *14* ft. Depth of completed well *74* ft.

(6) CONSTRUCTION DETAILS:
 Casing installed: *6*" Diam. from *0* ft. to *14* ft.
 Threaded " Diam. from ft. to ft.
 Welded " Diam. from ft. to ft.

Perforations: Yes No
 Type of perforator used.....
 SIZE of perforations in. by in.
 perforations from ft. to ft.
 perforations from ft. to ft.
 perforations from ft. to ft.

Screens: Yes No
 Manufacturer's Name
 Type..... Model No.....
 Diam. Slot size from ft. to ft.
 Diam. Slot size from ft. to ft.

Gravel packed: Yes No Size of gravel:
 Gravel placed from ft. to ft.

Surface seal: Yes No To what depth? *18* ft.
 Material used in seal *Portland Cement*
 Did any strata contain unusable water? Yes No
 Type of water?..... Depth of strata.....
 Method of sealing strata off

(7) PUMP: Manufacturer's Name
 Type: H.P.

(8) WATER LEVELS: Land-surface elevation ft.
 Static level *60* ft. below top of well Date *11/7/77*
 Artesian pressure lbs. per square inch Date.....
 Artesian water is controlled by..... (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom?

Yield:	gal./min. with	ft. drawdown after	hrs.
"	"	"	"
"	"	"	"

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level
.....

Date of test.....
 Baller test *12* gal./min. with *7* ft. drawdown after *3 1/2* hrs.
 Artesian flow..... g.p.m. Date.....
 Temperature of water..... Was a chemical analysis made? Yes No

(10) WELL LOG:
 Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
<i>Surface</i>	<i>0</i>	<i>3</i>
<i>Brown hardpan</i>	<i>3</i>	<i>24</i>
<i>Brown gravel</i>	<i>24</i>	<i>59</i>
<i>Brown water gravel</i>	<i>59</i>	<i>74</i>

Work started *11/5* 19 *77* Completed *11/7* 19 *77*

WELL DRILLER'S STATEMENT:
 This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME *Johnson Drilling Co, Inc*
 (Person, firm, or corporation) (Type or print)

Address *19415 - 105th Ave NE Renton WA 98055*

[Signed] *Brad Johnson*
 (Well Driller)

License No. *02233* Date *11/7* 19 *77*

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

File Original and First Copy with Department of Ecology
Second Copy - Owner's Copy
Third Copy - Driller's Copy

WATER WELL REPORT

STATE OF WASHINGTON

Water Right Permits no. _____

W-3

217/294

(1) OWNER: Name Bob Gunderson Address PO Box 716, Black Diamond, WA

(2) LOCATION OF WELL: County King SE 1/4 NE 1/4 Sec. 29 T. 21 N. R. 7 E W.M.

(2a) STREET ADDRESS OF WELL (or nearest address) 35901 SE 300th, Cumberland

(3) PROPOSED USE: Domestic Industrial Municipal
 Irrigation Test Well Other
 DeWater

(4) TYPE OF WORK: Owner's number of well (if more than one) _____
Abandoned New well Method: Dug Bored
Deepened Cable Driven
Reconditioned Rotary Jetted

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 115 feet. Depth of completed well 170 ft.

(6) CONSTRUCTION DETAILS:
Casing installed: 6 Diam from 60 ft. to 73 ft.
Welded PVC 4 Diam. from -2 ft. to 170 ft.
Liner installed Threaded Diam. from _____ ft. to _____ ft.

Perforations: Yes No
Type of perforator used saw
SIZE of perforations 1 1/8 in. by 3 in.
800 perforations from 125 ft. to 165 ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

Screens: Yes No
Manufacturer's Name _____ Model No. _____
Type _____
Diam. _____ Slot size _____ from _____ ft. to _____ ft.
Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel packed: Yes No Size of gravel _____
Gravel placed from _____ ft. to _____ ft.

Surface seal: Yes No To what depth? 18 ft.
Material used in seal Bentonite
Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(7) PUMP: Manufacturer's Name _____ H.P. _____
Type: _____

(8) WATER LEVELS: Land-surface elevation above mean sea level _____
Static level 60 ft. below top of well Date 10-8-94
Artesian pressure _____ lbs per square inch Date _____
Artesian water is controlled by _____ (Cap. valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
Time Water Level Time Water Level Time Water Level

Date of test _____
Boiler test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Arrest 5 gal./min. with stem set at 160 ft. for 1 1/2 hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water _____ Was a chemical analysis made? Yes No

(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

MATERIAL	FROM	TO
Gray gravel	00	67
Gray rock - shale	67	150
Gray rock - water	150	160
Gray rock	160	173
Coal	173	175

Bentonite placed 170'-175'

RECEIVED

OCT 11 1994

DEPT. OF ECOLOGY

Work Started 10-6, 19. Completed 10-8, 1994

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME Johnson Drilling Co., Inc. (PERSON, FIRM, OR CORPORATION) (TYPE OR PRINT) 98055

Address 19415 108th Ave SE, Renton

(Signed) R. Johnson License No. 0233
(WELL DRILLER)

Contractor's Registration No. JOHNSDC2026m Date 10-8, 1994

(USE ADDITIONAL SHEETS IF NECESSARY)

File Original and First Copy with
Department of Ecology
Second Copy - Owner's Copy
Third Copy - Driller's Copy

WATER WELL REPORT

STATE OF WASHINGTON

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

(1) **OWNER:** Name Bruce Lafer Address 1921 S.W. 164th Seattle, Wa. 98166
(2) **LOCATION OF WELL:** County King SE 1/4 NE 1/4 Sec 29 T 21 N. R 7E W.M
Bearing and distance from section or subdivision corner

(3) **PROPOSED USE:** Domestic Industrial Municipal
Irrigation Test Well Other

(4) **TYPE OF WORK:** Owner's number of well (if more than one) 1
New well Method: Dug Bored
Deepened Cable Driven
Reconditioned Rotary Jetted

(5) **DIMENSIONS:** Diameter of well 6 inches
Drilled 300 ft Depth of completed well 300 ft

(6) **CONSTRUCTION DETAILS:**
Casing installed: 6 " Diam. from 0 ft. to 66 ft.
Threaded 4 " Diam. from 66 ft. to 260 ft.
Welded " Diam. from _____ ft. to _____ ft.

Perforations: Yes No
Type of perforator used _____
SIZE of perforations _____ in. by _____ in.
perforations from 260 ft. to 300 ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.

Screens: Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ from _____ ft. to _____ ft.
Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel packed: Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

Surface seal: Yes No To what depth? 20 ft.
Material used in seal Bentonite
Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(7) **PUMP:** Manufacturer's Name Industrial Pumps
Type: HP

(8) **WATER LEVELS:** Land-surface elevation above mean sea level _____ ft.
Static level 80 ft. below top of well Date 7-2-79
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (Cap, valve, etc.)

(9) **WELL TESTS:** Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level


Date of test _____
Bailey test 60 gal./min. with 50 ft. drawdown after 1 hrs.
Artesian flow _____ g.p.m. Date 7-2-79
Temperature of water _____ Was a chemical analysis made? Yes No

(10) **WELL LOG:**
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Black shale	0	20
Gravel & brown clay	20	32
Gravel & red clay	32	36
Gravel & boulders	36	40
Gravel & red clay	40	60
Red shale	60	63
Sandstone	63	64
Red shale	64	71
White sand & stone	71	118
Coal	118	130
White shale	130	134
Black shale	134	180
Sand, clay binder & coal	180	193
White shale	193	200
Black shale & coal	200	255
Black shale & gray clay	255	260
White sand stone & gray clay	260	272
Black basalt basalt	272	300

RECEIVED

AUG 23 1979



Work started 7-2, 1979 Completed 7-2, 1979

WELL DRILLER'S STATEMENT:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Richardson Well Drilling Co.
(Person, firm, or corporation) (Type or print)

Address P.O. Box 44408 Tacoma, Wa. 98444

[Signed] Richardson
(Well Driller)

License No. 223-02-6500 Date 8-15, 1979

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

W-5

WATER WELL REPORT
STATE OF WASHINGTON

(1) OWNER: Name OVERTURF, CAROL Address 16724 NE 44 WAY REDMOND, WA 98052-

(2) LOCATION OF WELL: County KING - SE 1/4 SE 1/4 Sec 20 T 21 N., R 7 W

(2a) STREET ADDRESS OF WELL (or nearest address) 30305 SE 352

(3) PROPOSED USE: DOMESTIC

(10) WELL LOG

(4) TYPE OF WORK: Owner's Number of well (If more than one)
NEW WELL Method: ROTARY

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change in formation.

(5) DIMENSIONS: Diameter of well 6 inches
Drilled 119 ft. Depth of completed well 119 ft.

MATERIAL	FROM	TO
TOPSOIL	0	1
BROWN CEMENTED SAND & GRAVEL	1	57
BROWN SAND W/OCC GRAVEL	57	80
WATER BEARING SAND & GRAVEL	80	115
SANDSTONE	115	119

(6) CONSTRUCTION DETAILS:
Casing installed: 6 " Dia. from 0 ft. to 115 ft.
WELDED " Dia. from ft. to ft.
" Dia. from ft. to ft.

Perforations: YES
Type of perforator used ROTARY STAR
SIZE of perforations 3/16 in. by 1 in.
120 perforations from 109 ft. to 115 ft.
perforations from ft. to ft.
perforations from ft. to ft.

Screens: NO
Manufacturer's Name
Type Model No.
Diam. slot size from ft. to ft.
Diam. slot size from ft. to ft.

Gravel packed: NO Size of gravel
Gravel placed from ft. to ft.

Surface seal: YES To what depth? 18 ft.
Material used in seal BENTONITE CLAY
Did any strata contain unusable water? NO
Type of water? Depth of strata ft.
Method of sealing strata off N/A

(7) PUMP: Manufacturer's Name
Type N/A H.P.

(8) WATER LEVELS: Land-surface elevation
above mean sea level ... ft.
Static level 73 ft. below top of well Date 06/07/93
Artesian Pressure lbs. per square inch Date
Artesian water controlled by N/A

Work started 06/07/93 Completed 06/07/93

(9) WELL TESTS: Drawdown is amount water level is lowered below static level.

WELL CONSTRUCTOR CERTIFICATION:
I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Was a pump test made? NO If yes, by whom?
Yield: gal./min with ft. drawdown after hrs.

Recovery data
Time Water Level Time Water Level Time Water Level

NAME NORTHWEST PUMP & DRILLING
(Person, firm, or corporation) (Type or print)

Date of test / /
Bailer test gal/min. ft. drawdown after hrs.
Air test 20 gal/min. w/ stem set at 115 ft. for 1 hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? NO

ADDRESS 3245 ASPURN WAY SOUTH
[SIGNED] *[Signature]* License No. 0097

Contractor's
Registration No. NORTHDP137PQ Date 06/09/93

WATER WELL REPORT

STATE OF WASHINGTON

W-7

21107-282

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

(1) **OWNER:** Name Dan Ehlers Address P.O. Box 132, Black Diamond, WA
 (2) **LOCATION OF WELL:** County King N 1/4 S 4, Sec 28 T 21 N, R 7 W.M.
 Bearing and distance from section or subdivision corner

(3) **PROPOSED USE:** Domestic Industrial Municipal
 Irrigation Test Well Other

(4) **TYPE OF WORK:** (Owner's number of well (if more than one).....)
 New well Method: Dug Bored
 Deepened Cable Driven
 Reconditioned Rotary Jetted

(5) **DIMENSIONS:** Diameter of well 6 inches.
 Drilled 89 ft. Depth of completed well 89 ft.

(6) **CONSTRUCTION DETAILS:**
Casing installed: 6" Diam. from 0 ft. to 89 ft.
 Threaded " Diam. from .. ft. to .. ft.
 Welded " Diam. from .. ft. to .. ft.

Perforations: Yes No
 Type of perforator used.....
 SIZE of perforations in. by in.
 .. perforations from ft. to ft.
 .. perforations from ft. to ft.
 .. perforations from ft. to ft.

Screens: Yes No
 Manufacturer's Name.....
 Type Model No.....
 Diam. Slot size from ft. to ft.
 Diam. Slot size from ft. to ft.

Gravel packed: Yes No Size of gravel:.....
 Gravel placed from ft. to ft.

Surface seal: Yes No To what depth? 18 ft.
 Material used in seal bentonite & cement
 Did any strata contain unusable water? Yes No
 Type of water? Depth of strata.....
 Method of sealing strata off.....

(7) **PUMP:** Manufacturer's Name.....
 Type: H.P.....

(8) **WATER LEVELS:** Land-surface elevation above mean sea level..... ft.
 Static level 42 ft. below top of well Date 4/13/78
 Artesian pressure lbs. per square inch Date.....
 Artesian water is controlled by..... (Cap, valve, etc.)

(9) **WELL TESTS:** Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom?.....
 Yield: gal./min. with ft. drawdown after hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test 80
 Bailer test 80 gal./min. with 20 ft. drawdown after 1 hrs.
 Artesian flow g.p.m. Date.....
 Temperature of water Was a chemical analysis made? Yes No

(10) WELL LOG:

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
top soil	0	2
brown sand & gravel	2	16
water bearing sand & gravel		
30 GPM	16	19
blue till	19	80
water bearing sand & gravel	80	89

Work started 4/11/78 Completed 4/12/78 19..

WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME NORTHWEST PUMP & DRILLING CO.
 (Person, firm, or corporation) (Type or print)

Address 3245 Auburn Way South, Auburn, WA

(Signed) R. B. DeRemite
 (Well Driller)

License No. 0097 Date 4/13/78, 19..

The Dep. The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

21/07 - 29A

W-8

File Original and First Copy with Department of Ecology
Second Copy—Owner's Copy
Third Copy—Driller's Copy

WATER WELL REPORT

STATE OF WASHINGTON

Water Right Permit No.

(1) OWNER: Name Doug & Laurie Walker Address 330 Hwy 410 South, Enumclaw 98026

(2) LOCATION OF WELL: County King NE 1/4 NE 1/4 Sec 29 T. 1 N. R. 7 W.M.

(2a) STREET ADDRESS OF WELL (or nearest address) approx 2092X SE 256th Cumberland

(3) PROPOSED USE: Domestic Irrigation Industrial Municipal
 DeWater Test Well Other

(4) TYPE OF WORK: Owner's number of well (if more than one) _____
Abandoned New well Deepened Reconditioned
Method: Dug Bored Cable Driven Rotary Jetted

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 54 feet. Depth of completed well 54 ft.

(6) CONSTRUCTION DETAILS:
Casing installed: 6 Diam. from 0 ft. to 54 ft.
Welded Liner Installed Threaded
Perforations: Yes No
Type of perforator used _____
SIZE of perforations _____ in. by _____ in.
Screens: Yes No
Manufacturer's Name _____ Type _____ Model No. _____
Diam. _____ Slot size _____ from _____ ft. to _____ ft.
Gravel packed: Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.
Surface seal: Yes No To what depth? 18 ft.
Material used in seal puddling clay
Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(7) PUMP: Manufacturer's Name _____ Type _____ H.P. _____

(8) WATER LEVELS: Land-surface elevation above mean sea level _____ ft.
Static level 35 ft. below top of well Date 2-2-89
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
Time Water Level Time Water Level Time Water Level

Date of test _____
Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Artest 12 gal./min. with stem set at 50 ft. for 2 1/2 hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water _____ Was a chemical analysis made? Yes No

(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

MATERIAL	FROM	TO
Brown sandy clay	0	15
Gray sandy clay	15	45
Brown sandy gravel-water	45	54

RECEIVED
FEB 14 1989

DEPARTMENT OF ECOLOGY
NORTHWEST REGION

Work started 2-2 , 1989 Completed 2-2 , 1989

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME Johnson Drilling Co, Inc
(PERSON, FIRM, OR CORPORATION) (TYPE OR PRINT)
Address 19415 108th Ave SE Renton 98055

(Signed) Bruce Johnson license No. 0233
(WELL DRILLER)
Contractor's Registration No. JDAHS00206M Date 2-2 , 19 89

(USE ADDITIONAL SHEETS IF NECESSARY)



WELL LOG CHANGE FORM

Instructions: Record any change made to the well log record on this form. Then always append this form to the well log image. File with the original.

WCL Log ID (Required) 90547 Well Log ID _____

Regional Office: CRO ERO NWRO SWRO

Type of Well: Water Resource

Notice of Intent: 014602 Ecology Well ID Tag No. _____

Property (Well) Owner's Name Don Walker

Well Street Address 30727 SE 355th St

City Enumclaw County King Zip Code _____

Location: NE 1/4-1/4 NE 1/4 Sec 29 Twn 21N R 7 E or W (Circle One)

Lat./Long: (Required) Lat. Deg. _____ Lat. Min/Sec _____

Long. Deg. _____ Long. Min/Sec _____

Horizontal Collection Method Code _____

Tax Parcel No _____

Type of Work: New Well Reconditioned Deepened

Well Log Received Date 2/14/89

Well Diameter 6 (in inches) Well Depth 54 (in feet) Well Completed Date 2/2/89

Driller's Ecology License No. 0233

Trainee's Ecology License No. _____

Reason/Source of Change (Required)

Per Email attached from Pattie VanWinkle,
Well property owner name should have been Don Walker
and well site address should have been
30727 SE 355th St Enumclaw at time of drilling

Signature of Well Log Tracker (Required) Arlene Harris Date 4/9/89

ECY-WR-WLCF Rev. 10/02/02

Harris, Arlene (ECY)

From: Pattie VANWINKLE [pattievanwinkle@msn.com]
Sent: Wednesday, April 08, 2009 4:41 PM
To: Harris, Arlene (ECY)
Subject: RE: correct well log

Follow Up Flag: Follow up
Flag Status: Flagged

Hi, Yes, Don Walker should be on the well log. Cumberland is the town but this area is considered an unincorporated part of Enumclaw so the address lists it as Enumclaw. thanks

Patricia J. VanWinkle

Subject: RE: correct well log
Date: Wed, 8 Apr 2009 12:21:15 -0700
From: arha461@ECY.WA.GOV
To: pattievanwinkle@msn.com

So the well report should only be in Don Walker's name and with a Well site address of 30727 SE 355th ST. I checked on a map and it looks like this should be Cumberland rather than Enumclaw. Is that correct?

Arlene

From: Pattie VANWINKLE [mailto:pattievanwinkle@msn.com]
Sent: Tuesday, April 07, 2009 6:54 PM
To: Harris, Arlene (ECY)
Subject: RE: correct well log

Hi, Don Walker had the well dug at 30727 SE 355th st. Enumclaw WA. At that time the lot was recently short platted and had no address. The parcel number is:2921079035. Lori Walker is his daughter in law. I know, it's confusing. She doesn't know how her name ended up on the well log. He ended up quick claim deeding it to his son and daughter in law years later. Thanks.

Patricia J. VanWinkle

Subject: FW: correct well log
Date: Tue, 7 Apr 2009 16:55:26 -0700
From: arha461@ECY.WA.GOV
To: pattievanwinkle@msn.com

Hello Ms. VanWinkle,

What is the correct name and address? What is listed below is on the well report. I am not sure what needs changing.

Please let me know and I will add the correction sheet.

Arlene Harris
Water Resources Program
Northwest Regional Office
Department of Ecology
Phone 425-649-7020
Fax 425-649-7098

From: Bruner, Marian (ECY)
Sent: Wednesday, March 18, 2009 12:42 PM
To: Harris, Arlene (ECY)
Subject: FW: correct well log

Hi Arlene – Can you please make corrections? This one's in your region.

Thank you,

Marian

From: Pattie VANWINKLE [mailto:pattievanwinkle@msn.com]
Sent: Tuesday, March 17, 2009 5:03 PM
To: Bruner, Marian (ECY)
Subject: RE: correct well log

Thanks for responding so quickly. Attached is the incorrect well log as well as an email from the lady that had the well dug. Let me know if you have any questions. Thanks.

Patricia J. VanWinkle

Re: well log
From: **Error! Filename not specified.llw4959@aol.com**
Sent: Sun 3/15/09 7:16 PM
To: pattievanwinkle@msn.com
March 16, 2009

To whom it may concern:

I am the Lori Walker who hired Johnson Drilling to drill a well on the property that we owned in Cumberland. We lived at 330 Hiway 410 South Enumclaw, Wa. 98022 at the time we owned that property. The address of the property is incorrect on the Well Report.

Any Questions call Lori Walker @ 360 886 9449
Lori Walker

Hi Laurie, hey we won our appeal! We will be allowed to use the well after all. I was wondering if you can send an email to me once again letting whom ever is concerned, that you are the Laurie Walker on the well log and that the address is not correct. We need to have that changed once and for all. Thanks so much. Hope all is well with you. Take care.

Patricia J. VanWinkle

-----Original Message-----

From: Pattie VANWINKLE <pattievanwinkle@msn.com>
To: laurie walker <llw4959@aol.com>
Sent: Sun, 15 Mar 2009 6:18 pm
Subject: well log

Subject: RE: correct well log
Date: Mon, 16 Mar 2009 08:16:07 -0700
From: mbru461@ECY.WA.GOV
To: pattievanwinkle@msn.com

Hello – The well report is considered a legal document. The original well report CANNOT be changed because of the signature of the well driller on the bottom of the report. We CAN attach any changes/updates/corrections as a second page to the original well report. Please send your information as an attachment to this e-mail and our regional staff will append the original well report. After the changes have been attached, when you print the well report it should then have TWO PAGES showing that the original well report has an attachment.

Thank you,

Marian Bruner
Well Drilling Licensing Coordinator
Water Resources Program
360-407-6650
mbru461@ecy.wa.gov

From: Pattie VANWINKLE [mailto:pattievanwinkle@msn.com]
Sent: Sunday, March 15, 2009 6:38 PM
To: Bruner, Marian (ECY)
Subject: correct well log

Hello, we purchased some land in Cumberland a couple years ago and ran into a couple of roadblocks regarding the well. We ended up having to appeal a Health Dept. denial regarding the well and our land size. Anyway, we found what is the well log for our well but the recorded names are not correct. The well driller's son put the wrong names and address on the log. The former owner who had the well dug wrote an email to the county stating that that was her well and put the correct names for the well and the correct address. The review panel accepted this information and now we need to have the well log corrected so that the address and parcel match the log. What do we need and how can we do this. We are submitting our building permit soon. Thanks for your feedback.

Patricia J. VanWinkle

Hotmail® is up to 70% faster. Now good news travels really fast. [Find out more.](#)

Windows Live™ Groups: Create an online spot for your favorite groups to meet. [Check it out.](#)

Rediscover Hotmail®: Get quick friend updates right in your inbox. [Check it out.](#)



WELL LOG CHANGE FORM

Instructions: Record any change made to the well log record on this form. Then always append this form to the well log image. File with the original.

WCL Log ID (Required) 91829 Well Log ID

Regional Office: CRO ERO NWRD SWRO

Type of Well: Water Resource

Notice of Intent: Ecology Well ID Tag No.

Property (Well) Owner's Name George D. Houser

Well Street Address 29650 SE 370th ST. Enumclaw

City County Zip Code

Location: SW 1/4-1/4 SW 1/4 Sec 29 Twn 21 R 7 E or W (Circle One)

Lat./Long: (Required) Lat. Deg. Lat. Min/Sec

Long. Deg. Long. Min/Sec

Horizontal Collection Method Code

Tax Parcel No

Type of Work: New Well Reconditioned Deepened

Well Log Received Date 1/1

Well Diameter (in inches) Well Depth (in feet) Well Completed Date 1/1

Driller's Ecology License No.

Trainee's Ecology License No.

Reason/Source of Change (Required)

Jim from Valley Pump called & said he confirmed this legal description on the report had the wrong section & requested it be corrected. He added the site address also.

Signature of Well Log Tracker (Required) Melisa Snoelinger Date 11/3/03

WATER WELL REPORT

Start
Water

(1) OWNER: Name **WALKER, GEORGE** Address **30305 SE 352 BUNOCLAW, WA 98022-**

(2) LOCATION OF WELL: County **KING** - **SW 1/4 SE 1/4 Sec 20 T 81 N., R 9 W**

(2a) STREET ADDRESS OF WELL (or nearest address) **30305 SE 352**

(3) PROPOSED USE: **DOMESTIC** (10) WELL LOG

(4) TYPE OF WORK: Owner's Number of well (If more than one) **NEW WELL** Method: **ROTARY**
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change in formation.

(5) DIMENSIONS: Diameter of well **6** inches
Drilled **100** ft. Depth of completed well **100** ft.

(6) CONSTRUCTION DETAILS:
Casing installed: **6** " Dia. from **0** ft. to **100** ft.
WELDED " Dia. from ft. to ft.
" Dia. from ft. to ft.
MATERIAL FROM TO
TOPSOIL 0 1
BROWN GLACIAL TILL 1 37
BROWN CEMENTED SAND & GRAVEL 37 86
BLUE GLACIAL TILL 86 95
GRAY SANDSTONE 95 97
COAL 97 103

Perforations: **YES**
Type of perforator used **ROTARY STAR**
SIZE of perforations **3/16** in. by **1** in.
140 perforations from **80** ft. to **86** ft.
perforations from ft. to ft.
perforations from ft. to ft.

Screens: **NO**
Manufacturer's Name
Type Model No.
Diam. slot size from ft. to ft.
Diam. slot size from ft. to ft.

Gravel packed: **NO** Size of gravel
Gravel placed from ft. to ft.

Surface seal: **YES** To what depth? **18** ft.
Material used in seal **BENTONITE CLAY**
Did any strata contain unusable water? **NO**
Type of water? Depth of strata ft.
Method of sealing strata off **N/A**

(7) PUMP: Manufacturer's Name
Type **N/A** H.P.

(8) WATER LEVELS: Land-surface elevation
above mean sea level ... ft.
Static level **80** ft. below top of well Date **05/31/89**
Artesian Pressure lbs. per square inch Date
Artesian water controlled by **N/A**

Work started **05/26/89** Completed **05/31/89**

(9) WELL TESTS: Drawdown is amount water level is lowered below static level.
Was a pump test made? **NO** If yes, by whom?
Yield: gal./min with ft. drawdown after hrs.

WELL CONSTRUCTOR CERTIFICATION:
I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME **NORTHWEST PUMP & DRILLING**
(Person, firm, or corporation) (Type or print)

ADDRESS **3245 KIRKMAN WAY SOUTH**
[SIGMRD] *R.B. DeLeon* License No. **0097**

Contractor's
Registration No. **NORTHWPD137PQ** Date **06/06/89**

Recovery data
Time Water Level Time Water Level Time Water Level
Date of test / /
Bailer test gal./min. ft. drawdown after hrs.
Air test .2 gal./min. w/ stem set at **85** ft. for **1** hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? **NO**

JUN 20 1989

Line Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

ENTERED

WELL REPORT

W-12

STATE OF WASHINGTON

Water Right Permit No.

(1) OWNER: Name **WALKER, GEORGE** Address **30305 SE 352 ST BUNCLAW, WA 98022-21-7-20 P**

(2) LOCATION OF WELL: County **KING** - SE 1/4 SW 1/4 Sec 20 T 21 N., R 7 W

(2a) STREET ADDRESS OF WELL (or nearest address) **30305SE 352 ST, BUNCLAW**

(3) PROPOSED USE: **DOMESTIC**

(10) WELL LOG

(4) TYPE OF WORK: Owner's Number of well (If more than one) **3**
NEW WELL Method: **ROTARY**

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change in formation.

(5) DIMENSIONS: Diameter of well **6** inches
 Drilled **200** ft. Depth of completed well **200** ft.

MATERIAL	FROM	TO
BROWN CEMENTED SAND & GRAVEL	0	100
BLUE GLACIAL TILL	100	104
COAL	104	111
GRAY SANDSTONE w/ COAL	111	200

(6) CONSTRUCTION DETAILS:
 Casing installed: **6** " Dia. from **0** ft. to **110** ft.
WELDED " Dia. from **ft.** to **ft.**
 " Dia. from **ft.** to **ft.**

Perforations: **NO**
 Type of perforator used
 Size of perforations in. by in.
 perforations from ft. to ft.
 perforations from ft. to ft.
 perforations from ft. to ft.

Screens: **NO**
 Manufacturer's Name
 Type Model No.
 Diam. slot size from ft. to ft.
 Diam. slot size from ft. to ft.

Gravel packed: **NO** Size of gravel
 Gravel placed from ft. to ft.

Surface seal: **YES** To what depth? **18** ft.
 Material used in seal **BENTONITE CLAY**
 Did any strata contain unusable water? **NO**
 Type of water? Depth of strata ft.
 Method of sealing strata off **N/A**

(7) PUMP: Manufacturer's Name
 Type **N/A** H.P.

(8) WATER LEVELS: Land-surface elevation
 above mean sea level ... ft.
 Static level **200** ft. below top of well Date **10/04/96**
 Artesian Pressure lbs. per square inch Date
 Artesian water controlled by **N/A**

Work started **10/04/96** Completed **10/04/96**

(9) WELL TESTS: Drawdown is amount water level is lowered below static level.
 Was a pump test made? **NO** If yes, by whom?
 Yield: gal./min with ft. drawdown after hrs.

WELL CONSTRUCTOR CERTIFICATION:
 I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Recovery data
 Time Water Level Time Water Level Time Water Level

NAME **NORTHWEST PUMP & DRILLING**
 (Person, firm, or corporation) (Type or print)

Date of test **1/1**
 Bailer test **0** gal./min. **200** ft. drawdown after **0** hrs.
 Air test **0** gal./min. w/ stem set at **200** ft. for **0** hrs.
 Artesian flow g.p.m. Date
 Temperature of water Was a chemical analysis made? **NO**

ADDRESS **3245 ALBION WAY SOUTH**
 [SIGNED] *[Signature]* License No. **0097**

Contractor's
 Registration No. **NORTHDPD137PO** Date **10/04/96**

RECEIVED
 JAN 21 1997
 DEPT. OF ECOLOGY

WATER WELL REPORT STATE OF WASHINGTON

W-16

(1) OWNER: Name Louie Adcock Address 35914 Cumberland Way, Bellingham, WA (2) LOCATION OF WELL: County King SE 1/4 NW 1/4 Sec 28 T. 21 N. R. 7 W.M.

(3) PROPOSED USE: Domestic [X] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

(4) TYPE OF WORK: Owner's number of well (if more than one) New well [X] Method: Dug [] Bored [] Deepened [] Cable [] Driven [] Reconditioned [] Rotary [X] Jetted []

(5) DIMENSIONS: Diameter of well 6 inches. Drilled 240 ft. Depth of completed well 240 ft.

(6) CONSTRUCTION DETAILS: Casing installed: 6" Diam. from 0 ft. to 240 ft. Threaded [] Welded [X]

Perforations: Yes [] No [X] Type of perforator used... SIZE of perforations... perforations from... ft. to... ft.

Screens: Yes [] No [X] Manufacturer's Name... Type... Model No... Diam. Slot size from ft. to ft.

Gravel packed: Yes [] No [X] Size of gravel... Gravel placed from... ft. to... ft.

Surface seal: Yes [X] No [] To what depth? 18 ft. Material used in seal bentonite & cement.

(7) PUMP: Manufacturer's Name... Type... HP...

(8) WATER LEVELS: Land-surface elevation above mean sea level... Static level 70 ft. below top of well Date... Artesian pressure... lbs. per square inch Date... Artesian water is controlled by... (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Yes [] No [] If yes, by whom? Yield: gal./min. with ft. drawdown after hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level) Table with columns: Time, Water Level, Time, Water Level, Time, Water Level

Date of test... Bailer test 5 gal./min. with 100 ft. drawdown after 1 hrs. Artesian flow... g.p.m. Date... Temperature of water... Was a chemical analysis made? Yes [] No []

(10) WELL LOG: Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns: MATERIAL, FROM, TO. Entries: gray sandstone (45-112), coal (112-115), gray sandstone (115-140), coal (140-154), gray sandstone (154-240), making water at 195-240

Work started 10/25/78 Completed 10/26/78

WELL DRILLER'S STATEMENT: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Northwest Pump & Drilling Co. (Person, firm, or corporation) (Type or print)

Address 3245 Auburn Way South, Auburn, WA

[Signed] R.B. [Signature] (Well Driller)

License No. 0097 Date 10/26/78

Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

WATER WELL REPORT
STATE OF WASHINGTON

21/07-200
W-17

(1) **OWNER:** Name Mike Cunningham Address 30329 SE 3rd, Enumclaw
(2) **LOCATION OF WELL:** County King - S 1/4 SE 1/4 Sec. 20 T. 2 N. R. 7 W M
Bearing and distance from section or subdivision corner

(3) **PROPOSED USE:** Domestic Industrial Municipal
Irrigation Test Well Other

(4) **TYPE OF WORK:** Owner's number of well (if more than one)
New well Method: Dug Bored
Deepened Cable Driven
Reconditioned Rotary Jetted

(5) **DIMENSIONS:** Diameter of well 6 inches.
Drilled 96 ft. Depth of completed well 95 ft.

(6) **CONSTRUCTION DETAILS:**
Casing installed: 6" Diam. from 0 ft. to 95 ft.
Threaded " Diam. from _____ ft. to _____ ft.
Welded " Diam. from _____ ft. to _____ ft.

Perforations: Yes No
Type of perforator used: _____
SIZE of perforations _____ in. by _____ in.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.

Screens: Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ from _____ ft. to _____ ft.
Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel packed: Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

Surface seal: Yes No To what depth? 18 ft.
Material used in seal puddling clay
Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(7) **PUMP:** Manufacturer's Name Star-Rite
Type: submersible HP 3/4

(8) **WATER LEVELS:** Land-surface elevation _____ ft.
Static level 82 ft. below top of well Date 12-23-87
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (Cap. valve, etc.)

(9) **WELL TESTS:** Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
" 4 " 6 " 2 1/2 "
" Sub. pump " "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test _____
Bailer test: _____ gal./min. with _____ ft. drawdown after _____ hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water _____ Was a chemical analysis made? Yes No

(10) **WELL LOG:**
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Brown sand & gravel	0	12
Tan gravel - sand	12	57
Gray gravel	57	63
Tan sand & gravel	63	87
Brown gravel - sand	87	92
Brown gravel - sand - siltstone	92	95
Gray rock	95	96

RECEIVED
JAN 5 1988

DEPARTMENT OF ECOLOGY
NORTHWEST REGION

Work started 12-3-87 Completed 12-23-87

WELL DRILLER'S STATEMENT:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Johnson Drilling Co., Inc.
(Person, firm, or corporation) (Type or print)

Address 19415 108th Ave SE Renton 98055

[Signed] Brian Johnson
(Well Driller)

License No. 0233 Date 12-23-87

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

WATER WELL REPORT
STATE OF WASHINGTON

21/07-294
W-18

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

(1) **OWNER:** Name Paul O-Ferry Address 3435 Auburn Way South # 40
 (2) **LOCATION OF WELL:** County King SE ¼ NE ¼ Sec. 29 T. 21 N. R. 7 W.M.
 Bearing and distance from section or subdivision corner

(3) **PROPOSED USE:** Domestic Industrial Municipal
 Irrigation Test Well Other

(4) **TYPE OF WORK:** Owner's number of well (if more than one).....
 New well Method: Dug Bored
 Deepened Cable Driven
 Reconditioned Rotary Jetted

(5) **DIMENSIONS:** Diameter of well 6 inches.
 Drilled 360 ft. Depth of completed well 360 ft.

(6) **CONSTRUCTION DETAILS:**
 Casing installed: 6" Diam. from 0 ft. to 70 ft.
 Threaded 4 PVC Diam. from 60 ft. to 360 ft.
 Welded " Diam. from " ft. to " ft.

Perforations: Yes No
 Type of perforator used Saw
 SIZE of perforations 1/8 in. by 3 in.
40 perforations from 320 ft. to 360 ft.
 perforations from " ft. to " ft.
 perforations from " ft. to " ft.

Screens: Yes No
 Manufacturer's Name.....
 Type..... Model No.....
 Diam. Slot size from ft. to ft.
 Diam. Slot size from ft. to ft.

Gravel packed: Yes No Size of gravel:
 Gravel placed from " ft. to " ft.

Surface seal: Yes No To what depth? 18 ft.
 Material used in seal Bentonite
 Did any strata contain unusable water? Yes No
 Type of water?..... Depth of strata.....
 Method of sealing strata off.....

(7) **PUMP:** Manufacturer's Name.....
 Type:..... H.P.....

(8) **WATER LEVELS:** Land-surface elevation above mean sea level..... ft.
 Static level 51 ft. below top of well Date 3-31-87
 Artesian pressure..... lbs. per square inch Date.....
 Artesian water is controlled by..... (Cap. valve, etc.)

(9) **WELL TESTS:** Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom?.....
 Yield: gal./min. with " ft. drawdown after " hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test.....
 Bailor test 20 gal./min. with " ft. drawdown after 1 hrs.
 Artesian flow..... g.p.m. Date.....
 Temperature of water..... Was a chemical analysis made? Yes No

(10) WELL LOG:

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Topsoil	0	3
Br. S. & G. & Cobbles	3	12
Br. Cemented S&G	12	37
Bl. Till	37	64
Gr. S.S.	64	120
Coal	120	126
Gr. S.S.	126	187
White S.S.	187	226
Br. S.S.	226	231
White S.S.	231	241
Coal	241	250
Gr. S.S.	250	279
Gr. Siltstone	279	295
Coal-Shale	295	305
Gr. S.S.	305	360

Work started 3-30-87 19..... Completed 3-31-87 19.....

WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Northwest Pump & Drilling Co.
 (Person, firm, or corporation) (Type or print)

Address 3245 Auburn Way S., Auburn

[Signed] [Signature]
 (Well Driller)

License No. 0097 Date 4-1-87 19.....

21107-29A

WATER WELL REPORT STATE OF WASHINGTON

W-19

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

(1) OWNER: Name R.L. Rogers Address 35407-308th SE Enumclaw, Wa. 98022
(2) LOCATION OF WELL: County King NE 1/4 NE 1/4 Sec. 29 T. 21 N. R. 7E W.M
Bearing and distance from section or subdivision corner

(3) PROPOSED USE: Domestic [] Industrial [X] Municipal [] Irrigation [] Test Well [] Other []

(4) TYPE OF WORK: (owner's number of well (if more than one) 1
New well [X] Method: Dug [] Bored [] Deepened [] Cable [] Driven [] Reconditioned [] Rotary [X] Jetted []

(5) DIMENSIONS: Diameter of well 6 inches. Drilled 82 ft. Depth of completed well 80 ft.

(6) CONSTRUCTION DETAILS: Casing installed: 6 " Diam. from 0 ft. to 80 ft. Threaded [] " Diam. from ft. to ft. Welded [X] " Diam. from ft. to ft.

Perforations: Yes [] No [X] Type of perforator used... SIZE of perforations ... in. by ... in. perforations from ft. to ft. perforations from ft. to ft. perforations from ft. to ft.

Screens: Yes [] No [X] Manufacturer's Name ... Type ... Model No ... Diam. Slot size from ft. to ft. Diam. Slot size from ft. to ft.

Gravel packed: Yes [] No [X] Size of gravel: ... Gravel placed from ft. to ft.

Surface seal: Yes [X] No [] To what depth? 18 ft. Material used in seal Bentonite Did any strata contain unusable water? Yes [] No [X] Type of water? Depth of strata. Method of sealing strata off.

(10) WELL LOG: Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns: MATERIAL, FROM, TO. Rows include: Top soil & gravel (0-1), Clay & gravel (1-7), Hardpan & boulders (7-36), Boulder (36-38), Hardpan (38-56), Dirty sand & seepage (56-61), Reddish sand & clay (61-74), Reddish sand & water (74-76), Water, gravel & sand (76-82).

Work started 11-15 18 83 Completed 11-27 19 83

WELL DRILLER'S STATEMENT: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Richardson Well Drilling Co. (Person, firm, or corporation) (Type or print) Address P.O. Box 44427 Tacoma, Wa. 98444 (Signed) [Signature] (Well Driller) License No. 0419 Date 12-9 19 83

(7) PUMP: Manufacturer's Name ... Type ... H.P.

(8) WATER LEVELS: Land-surface elevation above mean sea level ... ft. Static level 48 ft. below top of well Date 11-27-83 Artesian pressure ... lbs. per square inch Date ... Artesian water is controlled by (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Yes [] No [X] If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level) Time Water Level Time Water Level Time Water Level Date of test Baller test 20 gal./min. with 10 ft. drawdown after 1 hrs. Artesian flow ... g.p.m. Date 11-27-83 Temperature of water ... Was a chemical analysis made? Yes [] No [X]

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

WATER WELL REPORT
STATE OF WASHINGTON

21107-21A
W-20

(1) OWNER: Name Ric. G. Thiele Address P.O. Box 31 Black Diamond, wa. 98010
(2) LOCATION OF WELL: County King - NE 1/4 NE 1/4 Sec. 29 T. 21 N. R. 7E W.M.
Bearing and distance from section or subdivision corner

(3) PROPOSED USE: Domestic Industrial Municipal
Irrigation Test Well Other

(4) TYPE OF WORK: Owner's number of well (if more than one) _____
New well Method: Dug Bored
Deepened Cable Driven
Reconditioned Rotary Jetted

(5) DIMENSIONS: Diameter of well _____ inches
Drilled 2.73 ft. Depth of completed well _____ ft.

(6) CONSTRUCTION DETAILS:
Casing installed: 6 " Diam. from 0 ft. to 72 ft.
Threaded " Diam. from _____ ft. to _____ ft.
Welded " Diam. from _____ ft. to _____ ft.

Perforations: Yes No
Type of perforator used _____
SIZE of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

Screens: Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ from _____ ft. to _____ ft.
Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel packed: Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

Surface seal: Yes No To what depth? 18 ft.
Material used in seal Bentonite
Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(7) PUMP: Manufacturer's Name _____
Type: _____ H.P. _____

(8) WATER LEVELS: Land-surface elevation _____ ft.
above mean sea level _____ ft.
Static level 55 ft. below top of well Date 12/5/89
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test _____
Ballor test 1 gal./min. with 2.05 ft. drawdown after 4 hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water 49 Was a chemical analysis made? Yes No

(10) WELL LOG:
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
<u>Sandy Topsoil</u>	<u>0</u>	<u>2</u>
<u>Gravel</u>	<u>2</u>	<u>50</u>
<u>Grey Till</u>	<u>50</u>	<u>72</u>
<u>Grey Sandstone Gray</u>	<u>72</u>	<u>240</u>
<u>Grey Sandstone water</u>	<u>240</u>	<u>273</u>

JAN 22 1990

Work started 10/15 1989 Completed 12/6 1989

WELL DRILLER'S STATEMENT:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME Morris Drilling Co. (Person, firm, or corporation) (Type or print)
Address 7215-122-Ave-S.E. Renton, wa. 98056
[Signed] Thomas J. Morris (Well Driller)
License No. 0327 Date 12/25 1989

WATER WELL REPORT
STATE OF WASHINGTON

1107-28L
W-21

The Department of Ecology does NOT Warrant the Data and/or the Information on this Well Report.

(1) OWNER: Name Robert Ross Address 20511 S E 424th Enumclaw

(2) LOCATION OF WELL: County King NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 28 T. 21 N. R. 7 W.M.

Bearing and distance from section or subdivision corner

(3) PROPOSED USE: Domestic Industrial Municipal
Irrigation Test Well Other

(4) TYPE OF WORK: Owner's number of well (if more than one)
New well Method: Dug Bored
Deepened Cable Driven
Reconditioned Rotary Jetted

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 160 ft. Depth of completed well 160 ft.

(6) CONSTRUCTION DETAILS:

Casing installed: 6 " Diam. from 8 ft. to 32 ft.
Threaded 4 " PVC Diam. from 28 ft. to 160 ft.
Welded " Diam. from ft. to ft.

Perforations: Yes No
Type of perforator used Saw
SIZE of perforations 1/8 in. by 3 in.
50 perforations from 140 ft. to 160 ft.
..... perforations from ft. to ft.
..... perforations from ft. to ft.

Screens: Yes No
Manufacturer's Name.....
Type..... Model No.....
Diam. Slot size from ft. to ft.
Diam. Slot size from ft. to ft.

Gravel packed: Yes No Size of gravel:
Gravel placed from ft. to ft.

Surface seal: Yes No To what depth? 18 ft.
Material used in seal Bentonite
Did any strata contain unusable water? Yes No
Type of water? Depth of strata.....
Method of sealing strata off.....

(7) PUMP: Manufacturer's Name.....
Type: H.P.

(8) WATER LEVELS: Land-surface elevation above mean sea level..... ft.
Static level 21 ft. below top of well Date 2-3-88
Artesian pressure lbs. per square inch Date.....
Artesian water is controlled by..... (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?.....
Yield: gal./min. with ft. drawdown after hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
Time Water Level Time Water Level Time Water Level
.....
Date of test
Bailer test 12 gal./min. with 50 ft. drawdown after 1 hrs.
Artesian flow g.p.m. Date.....
Temperature of water Was a chemical analysis made? Yes No

(10) WELL LOG:

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Brown Till	0	9
Blue Till	9	30
Brown Till	30	31
Gray Sandstone	31	160

RECEIVED

FEB 11 1988

DEPARTMENT OF ECOLOGY
NORTHWEST REGION

Work started 1-27-88 19..... Completed 2-3-88 19.....

WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Northwest Pump and Drilling Co.
(Person, firm, or corporation) (Type or print)

Address 3245 Auburn Way South

[Signed] R.B. Delmonico
(Well Driller)

License No. 0097 Date 2-3-88 19.....

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

(1) OWNER: Name Scott Paper Company Address Northwest One

(2) LOCATION OF WELL: County King NW 1/4 SW 1/4 Sec 21 T 21 N, R 7E W.M.

Bearing and distance from section or subdivision corner

(3) PROPOSED USE: Domestic [] Industrial [x] Municipal [] Irrigation [] Test Well [] Other []

(4) TYPE OF WORK: Owner's number of well (if more than one) New well [x] Method: Dug [] Bored [] Deepened [] Cable [] Driven [] Reconditioned [] Rotary [x] Jetted []

(5) DIMENSIONS: Diameter of well 6 inches. Drilled 125 ft. Depth of completed well 125 ft.

(6) CONSTRUCTION DETAILS:

Casing installed: 6" Diam. from 0 ft. to 100 ft. Threaded [] " Diam. from " ft. to " ft. Welded [x] " Diam. from " ft. to " ft.

Perforations: Yes [] No [x] Type of perforator used Mills Knife SIZE of perforations 3/8" in. by 2 1/4 in. 4 perforations from 77 ft. to 83 ft.

Screens: Yes [] No [x] Manufacturer's Name Type Model No Diam. Slot size from ft. to ft.

Gravel packed: Yes [] No [x] Size of gravel: Gravel placed from ft. to ft.

Surface seal: Yes [x] No [] To what depth? 20 ft. Material used in seal Bentonite Did any strata contain unusable water? Yes [] No [x]

(7) PUMP: Manufacturer's Name Jacuzzi Bros. type Submersible 534B H.P. 1/2

(8) WATER LEVELS: Land-surface elevation above mean sea level Static level 76 ft. below top of well Date 5/15/75 Artesian pressure lbs. per square inch Date Artesian water is controlled by (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Yes [] No [x] If yes, by whom? Yield: gal./min. with ft. drawdown after hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level) Table with columns: Time, Water Level, Time, Water Level, Time, Water Level

Date of test Bailer test 8 gal./min. with 7 ft. drawdown after 1 hrs. Artesian flow g.p.m. Date 5/15/75 Temperature of water Was a chemical analysis made? Yes [] No [x]

(10) WELL LOG:

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns: MATERIAL, FROM, TO. Rows: Gravel & large rock (0-40), Gravel & boulders (40-79), Gravel & sand, some water (79-82), Sandstone (82-125)

Work started 5/15/75 Completed 5/15/75

WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Richardson Well Drilling Company (Person, firm, or corporation) (Type or print)

Address P.O. Box 44408, Tacoma, Wa. 98444

[Signed] [Signature] (Well Driller)

License No. 223-02-6500 Date September 22, 1975

WATER WELL REPORT
STATE OF WASHINGTON

Start
Water

W-23

(1) OWNER: Name **NORMAN, STEVE** Address **21309 119 ST E SUMNER, WA 98390-**

(2) LOCATION OF WELL: County **KING** - SE 1/4 SE 1/4 Sec 20 T 21 N., R 7E WM

(2a) STREET ADDRESS OF WELL (or nearest address) **21309 119 ST E**

(3) PROPOSED USE: **DOMESTIC**

(4) TYPE OF WORK: Owner's Number of well (If more than one) Method: **ROTARY**
NEW WELL

(5) DIMENSIONS: Diameter of well **6** inches
Drilled **100** ft. Depth of completed well **100** ft.

(6) CONSTRUCTION DETAILS:
Casing installed: **6** Dia. from **0** ft. to **100** ft.
WELDED Dia. from ft. to ft.
Dia. from ft. to ft.

Perforations: **NO**
Type of perforator used
SIZE of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

Screens: **NO**
Manufacturer's Name
Type Model No.
Diam. slot size from ft. to ft.
Diam. slot size from ft. to ft.

Gravel packed: **NO** Size of gravel
Gravel placed from ft. to ft.

Surface seal: **YES** To what depth? **18** ft.
Material used in seal **BENTONITE CLAY**
Did any strata contain unusable water? **NO**
Type of water? Depth of strata ft.
Method of sealing strata off **N/A**

(7) PUMP: Manufacturer's Name Type **N/A** H.P.

(8) WATER LEVELS: Land-surface elevation above mean sea level ... ft.
Static level **88** ft. below top of well Date **05/02/89**
Artesian Pressure lbs. per square inch Date
Artesian water controlled by **N/A**

(9) WELL TESTS: Drawdown is amount water level is lowered below static level.
Was a pump test made? **NO** If yes, by whom?
Yield: gal./min with ft. drawdown after hrs.

Recovery data
Time Water Level Time Water Level Time Water Level

Date of test / /
Bailer test gal./min. ft. drawdown after hrs.
Air test **30** gal./min. w/ stem set at **100** ft. for **1** hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? **NO**

(10) WELL LOG
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change in formation.

MATERIAL	FROM	TO
BROWN CEMENTED SAND & GRAVEL	0	78
WATER BEARING SAND & GRAVEL	78	100

Work started **05/01/89** Completed **05/02/89**

WELL CONSTRUCTOR CERTIFICATION:
I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME **NORTHWEST PUMP & DRILLING**
(Person, firm, or corporation) (Type or print)

ADDRESS **3248 ALBURN WAY SOUTH**

[SIGNED] *R. B. DeRamus* License No. **0097**

Contractor's Registration No. **NORTHWP137PQ** Date **05/05/89**

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

JUN 20 1989

WATER WELL REPORT

STATE OF WASHINGTON

W-24

21507-2816

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

(1) OWNER: Name Ted & Lorene Krahn Address 36531 312th SEEnumclaw 90022

(2) LOCATION OF WELL: County King S 315' N 840' SW 1/4 SW 1/4 Sec 28 T. 21 N. R. 7E W.M.
Bearing and distance from section or subdivision corner

(3) PROPOSED USE: Domestic Industrial Municipal
Irrigation Test Well Other

(4) TYPE OF WORK: Owner's number of well (if more than one) _____
New well Method: Dug Bored
Deepened Cable Driven
Reconditioned Rotary Jetted

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 120 ft. Depth of completed well 120 ft.

(6) CONSTRUCTION DETAILS:
Casing installed: 6" Diam. from 0 ft. to 120 ft.
Threaded " Diam. from _____ ft. to _____ ft.
Welded " Diam. from _____ ft. to _____ ft.

Perforations: Yes No
Type of perforator used _____
SIZE of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

Screens: Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ from _____ ft. to _____ ft.
Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel packed: Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

Surface seal: Yes No To what depth? 18 ft.
Material used in seal puddling clay
Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(7) PUMP: Manufacturer's Name _____
Type _____ HP _____

(8) WATER LEVELS: Land-surface elevation _____ ft.
Static level 87 ft. below top of well Date 7/17/91
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
" " " " " " " "
" " " " " " " "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)					
Time	Water Level	Time	Water Level	Time	Water Level

Date of test _____
Baller test 30 gal./min. with 18 ft. drawdown after 1 1/2 hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water _____ Was a chemical analysis made? Yes No

(10) WELL LOG:

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Surface	0	3
Brown sandy loam	3	18
Brown hardpan	18	36
Coal	36	39
Gray hardpan	39	90
Gray hardpan gravel	90	100
Gray water sand & gravel	100	120

AUG 24 1981
DEPT. OF ECOL. & ENV. DIV.

Work started 7/17 1991 Completed 7/19 1991

WELL DRILLER'S STATEMENT:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Johnson Drilling Co., Inc. (Person, firm, or corporation) (Type or print)
Address 19415 109th Ave SE Renton 98055

[Signed] Bruce Johnson (Well Driller)
License No. 0233 Date 7/19 1991

21107-29H

File Original and First Copy with Department of Ecology
Second Copy - Owner's Copy
Third Copy - Driller's Copy

WATER WELL REPORT

STATE OF WASHINGTON

W-25

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

(1) **OWNER:** Name Theodore W. Fehr Address 30520 S.E. 35th Enumclaw, Wa. 98022
(2) **LOCATION OF WELL:** County King SE 1/4 NE 1/4 Sec 29 T. 21 N. R. 7E W.M.
Bearing and distance from section or subdivision corner

(3) **PROPOSED USE:** Domestic Industrial Municipal
Irrigation Test Well Other

(4) **TYPE OF WORK:** Owner's number of well (if more than one) 1
New well Method: Dug Bored
Deepened Cable Driven
Reconditioned Rotary Jetted

(5) **DIMENSIONS:** Diameter of well 6 inches.
Drilled 80 ft Depth of completed well 80 ft.

(6) **CONSTRUCTION DETAILS:**
Casing installed: 6 " Diam. from 0 ft. to 80 ft.
Threaded " Diam. from _____ ft. to _____ ft.
Welded " Diam. from _____ ft. to _____ ft.

Perforations: Yes No
Type of perforator used _____
SIZE of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

Screens: Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ from _____ ft. to _____ ft.
Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel packed: Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

Surface seal: Yes No To what depth? 20 ft.
Material used in seal Bentonite
Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(7) **PUMP:** Manufacturer's Name Jacuzzi Bros.
Type: 1s4c HP 1

(8) **WATER LEVELS:** Land-surface elevation above mean sea level _____ ft.
Static level 43 ft. below top of well Date 6-26-79
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (Cap, valve, etc.)

(9) **WELL TESTS:** Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test _____
Boiler test 20 gal./min. with 5 ft. drawdown after 1 hrs.
Artesian flow _____ g.p.m. Date 6-26-79
Temperature of water _____ Was a chemical analysis made? Yes No

(10) **WELL LOG:**
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Sand & gravel	0	20
Gravel & brown clay	20	43
Hardpan & boulders	43	56
Sand & gravel	56	60
White sand stone	60	80

Work started 6-26 1979 Completed 6-26 1979

WELL DRILLER'S STATEMENT:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Richardson Well Drilling Co.
(Person, firm, or corporation) (Type or print)

Address P.O. Box 44408 Tacoma, Wa. 98444

[Signature] _____
(Well Driller)

License No. 223-02-6500 Date 7-2 1979

WATER WELL REPORT
STATE OF WASHINGTON

W-26

21/17-102

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

(1) **OWNER:** Name Wash. State Parks & Rec. Comm. Address P. O. Box 487; Burlington, WA 98233

(2) **LOCATION OF WELL:** County King SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 10 T.21 N. R.7E W.M.

Bearing and distance from section or subdivision corner

(3) **PROPOSED USE:** Domestic Industrial Municipal
Irrigation Test Well Other

(10) WELL LOG:

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

(4) **TYPE OF WORK:** Owner's number of well (if more than one) 2
New well Method: Dug Bored
Deepened Cable Driven
Reconditioned Rotary Jetted

MATERIAL	FROM	TO
Sandy loam	0	2
Brown clay & sand	2	10
Brown sand & gravel	10	17
Brown sand - W. B.	17	58

(5) **DIMENSIONS:** Diameter of well 6 inches.
Drilled 58 ft. Depth of completed well 58 ft.

(6) CONSTRUCTION DETAILS:

Casing installed: 6" Diam. from +1 ft. to 47 ft.
Threaded " Diam. from " ft. to " ft.
Welded " Diam. from " ft. to " ft.

Perforations: Yes No
Type of perforator used _____
SIZE of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

Screens: Yes No Manufacturer's Name Johnson
Type Welded wire Model No. _____
Diam. 6" Slot size 040 from 48 ft. to 58 ft.
Diam. 5" Riser pipe from 45 ft. to 48 ft.

Gravel packed: Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

Surface seal: Yes No To what depth? 18 ft.
Material used in seal Bentonite
Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(7) **PUMP:** Manufacturer's Name _____
Type: _____ HP.

(8) **WATER LEVELS:** Land-surface elevation above mean sea level _____ ft.
Static level 13 ft. below top of well Date _____
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (Cap, valve, etc.)

(9) **WELL TESTS:** Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? O.W.D.
Yield: 35 gal./min. with 8" drawdown after 12 hrs.
" "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level
0:01	13'				

Date of test 3/3/81
Baller test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water _____ Was a chemical analysis made? Yes No

Work started 2/9, 1981 Completed 2/11, 1981

WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Olympic West Drilling, Inc.
(Person, firm, or corporation) (Type or print)

Address 9512 State Hwy 16 NW; Gig Harbor, WA

[Signed] M. N. Rabstoff
(Well Driller)

License No. 0851 Date 3/5, 1981

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

WATER WELL REPORT

STATE OF WASHINGTON

W-27

(1) **OWNER:** Name Wayne E. Moore Address 30718-SE 358th Enumclaw, Wa. 98022
(2) **LOCATION OF WELL:** County King SE 1/4, NE 1/4, Sec. 29 T. 21 N. R. 7E W.M.
Bearing and distance from section or subdivision corner

(3) **PROPOSED USE:** Domestic Industrial Municipal
Irrigation Test Well Other

(4) **TYPE OF WORK:** Owner's number of well (if more than one) 1
New well Method: Dug Bored
Deepened Cable Driven
Reconditioned Rotary Jetted

(5) **DIMENSIONS:** Diameter of well 4 & 6 inches.
Drilled 340 ft. Depth of completed well 340 ft.

(6) **CONSTRUCTION DETAILS:**
Casing installed: 6 " Diam. from 0 ft. to 60 ft.
Threaded 4 " Diam. from 60 ft. to 340 ft.
Welded " Diam. from " ft. to " ft.
Perforations: Yes No
Type of perforator used _____
SIZE of perforations _____ in. by _____ in.
perforations from 320 ft. to 340 ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.

Screens: Yes No
Manufacturer's Name _____
Type _____ Model No _____
Diam. _____ Slot size _____ from _____ ft. to _____ ft.
Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel packed: Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

Surface seal: Yes No To what depth? 20 ft.
Material used in seal Bentonite
Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(7) **PUMP:** Manufacturer's Name Jacuzzi Bros.
Type 15s4b HP 1 1/2

(8) **WATER LEVELS:** Land-surface elevation above mean sea level _____ ft.
Static level 55 ft. below top of well Date 10-8-79
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (Cap, valve, etc.)

(9) **WELL TESTS:** Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? _____
Yield: gal./min. with _____ ft. drawdown after _____ hrs.
" " " " " "
" " " " " "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test _____
Bailer test 10 gal./min. with 150 ft. drawdown after 1 hrs.
Artesian flow _____ g.p.m. Date 10-8-79
Temperature of water _____ Was a chemical analysis made? Yes No

(10) **WELL LOG:**
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Sand & a little gravel	0	20
Sand & gravel (dry)	20	22
Gravel & brown clay	22	56
Black coal	56	63
Coal & sand stone	63	68
Sand stone	68	100
Black shale	100	120
Sand stone	120	190
Black shale	190	220
Basalt	220	250
Shale stone	250	263
Black coal	263	276
Black coal & gray clay	276	289
Shale stone	289	340

RECEIVED
NOV 20 1979
DEPARTMENT OF ECOLOGY
SOUTHWEST REGIONAL OFFICE
NOV 20 1979
DEPT. OF ECOLOGY

Work started 6-27 1979. Completed 10-8 1979.

WELL DRILLER'S STATEMENT:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME Richardson Well Drilling Co.
(Person, firm, or corporation) (Type or print)
Address P.O. Box 44408 Tacoma, Wash. 98444
[Signature] _____ (Well Driller)
License No. 223-02-6500 Date 11-19 1979

File Original and First Copy with Department of Ecology
Second Copy - Owner's Copy
Third Copy - Driller's Copy

WATER WELL REPORT
STATE OF WASHINGTON

W-28

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

(1) OWNER: Name William Norstrom Address 2011 "M" St. NE Auburn, Wa. 98002
(2) LOCATION OF WELL: County King NW 1/4 NE 1/4 Sec. 29 T. 21 N. R. 7E W.M
Bearing and distance from section or subdivision corner

(3) PROPOSED USE: Domestic [X] Industrial [] Municipal []
Irrigation [] Test Well [] Other []
(4) TYPE OF WORK: Owner's number of well (if more than one) 1
New well [X] Method: Dug [] Bored []
Deepened [] Cable [] Driven []
Reconditioned [] Rotary [X] Jetted []

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 108 ft. Depth of completed well 108 ft.

(6) CONSTRUCTION DETAILS:
Casing installed: 6" Diam. from 0 ft. to 108 ft.
Threaded [] " Diam. from ft. to ft.
Welded [X] " Diam. from ft. to ft.

Perforations: Yes [X] No []
Type of perforator used Saw
SIZE of perforations 1x1/4 in. by in.
per round 1 perforations from 78 ft. to 82 ft.
at 1' intervals perforations from 82 ft. to 105 ft.
perforations from ft. to ft.

Screens: Yes [] No [X]
Manufacturer's Name
Type Model No.
Diam Slot size from ft. to ft.
Diam Slot size from ft. to ft.

Gravel packed: Yes [] No [X] Size of gravel:
Gravel placed from ft. to ft.

Surface seal: Yes [X] No [] To what depth? 20 ft.
Material used in seal Bentonite
Did any strata contain unusable water? Yes [] No [X]
Type of water? Depth of strata
Method of sealing strata off.

(7) PUMP: Manufacturer's Name Jacuzzi Bros.
Type 5s4b HP 1/2

(8) WATER LEVELS: Land-surface elevation above mean sea level ft.
Static level 77 ft. below top of well Date 10-5-83
Artesian pressure lbs. per square inch Date
Artesian water is controlled by (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes [X] No [] If yes, by whom? Driller
Yield: 5 gal./min. with 16 ft. drawdown after 4 hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
Time Water Level Time Water Level Time Water Level
Date of test 10-5-83
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? Yes [] No [X]

(10) WELL LOG:

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with 3 columns: MATERIAL, FROM, TO. Rows include Red soil & gravel, Hardpan & boulders, Black sand, Loose sand, gravel-dry, Sand-gravel-wet, Sand-gravel-boulders, Sandstone.

RECEIVED
SEP 23 1983

DEPARTMENT OF ECOLOGY
NORTHWEST REGION

Work started 8-27-79, 1983 Completed 10-5-79, 19

WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Richardson Well Drilling Co. (Person, firm, or corporation) (Type or print)

Address P.O. Box 44427 Tacoma, Wa. 98444

[Signed] (Well Driller)

License No. 0419 Date 9-22, 19 83

08429

ENTERED

W-29 7/5

File Original and First Copy with Department of Ecology Second Copy - Owner's Copy Third Copy - Driller's Copy

WATER WELL REPORT

STATE OF WASHINGTON

Water Right Permit no. 21 14 14 15

(1) OWNER: Name Matthew Hawley Address 22409 SE 304th Pl, Kent 98042

(2) LOCATION OF WELL: County King SE 1/4 SE 1/4 Sec 10 T. 21 N. R. 7E W.M.

(2a) STREET ADDRESS OF WELL (or nearest address) 31919 Cumberland-Kanasket Rd SE, Palmer

(3) PROPOSED USE: Domestic Irrigation DeWater Industrial Test Well Municipal Other

(4) TYPE OF WORK: Abandoned New well Deepened Reconditioned Method: Dug Cable Rotary Bored Driven Jetted

(5) DIMENSIONS: Diameter of well 6 inches. Drilled 185 feet. Depth of completed well 175 ft.

(6) CONSTRUCTION DETAILS: Casing installed: Welded Liner installed: Threaded Diam. from 0 ft. to 76 ft. Diam. from -2 ft. to 175 ft.

Perforations: Yes No Saw Type of perforator used SIZE of perforations 1 1/8 in. by 3 in. 80 perforations from 150 ft. to 170 ft.

Screens: Yes No Manufacturer's Name Type Model No. Diam. Slot size from ft. to ft.

Gravel packed: Yes No Size of gravel Gravel placed from ft. to ft.

Surface seal: Yes No To what depth? 18 ft. Material used in seal bentonite Did any strata contain unusable water? Yes No Type of water? Depth of strata Method of sealing strata off

(7) PUMP: Manufacturer's Name Type: H.P.

(8) WATER LEVELS: Land-surface elevation above mean sea level 100 ft. below top of well Date 9-30-96 Artesian pressure lbs. per square inch Artesian water is controlled by (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Yes No Yield: gal./min. with ft. drawdown after hrs.

Table with 6 columns: Time, Water Level, Time, Water Level, Time, Water Level. Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Date of test Bailor test gal./min. with ft. drawdown after hrs. Airtest 10-14 gal./min. with stem set at 100 ft. for 2 1/2 Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? Yes No

(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

Table with 3 columns: MATERIAL, FROM, TO. Surface 0 3 Brown sand-gravel 3 6 Brown hardpan 6 9 Gray hardpan-rocks 9 26 Brown sand-gravel 26 68 Gray hardpan 68 73 Gray sandstone 73 110 Dark gray shale 110 133 Gray sandstone 133 160 Gray sandstone-water 160 167 Gray sandstone 167 180 Coal 180 185

Hole backfilled Bentonite 175 185

RECEIVED OCT 07 1996 DEPT. OF ECOLOGY

Work Started 9-26 19 Completed 9-30 19 96

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME Johnson Drilling Co., Inc (PERSON, FIRM, OR CORPORATION) (TYPE OR PRINT) 98055 Address 19415 108th Ave SE Renton (Signed) Brad Johnson License No. 0233 (WELL DRILLER)

Contractor's Registration No. JOHNSOC2076 Date 9-30 19 96

(USE ADDITIONAL SHEETS IF NECESSARY)

Ecology is an Equal Opportunity and Affirmative Action employer. For special accommodation needs, contact the Water Resources Program at (206) 407-6600. The TDD number is (206) 407-6006.

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

73239

W-30

File Original and First Copy with Department of Ecology
Second Copy — Owner's Copy
Third Copy — Driller's Copy

WATER WELL REPORT

STATE OF WASHINGTON

Water Right Permit No.

21-TE-15D

(1) OWNER: Name Burnes Marlene Address 3899 W Lake Sammamish Rte 9002

(2) LOCATION OF WELL: County King NW 1/4 NW 1/4 Sec 15 T. 21 N. R. 7E WM.

(2a) STREET ADDRESS OF WELL (or nearest address) 31625 Cumberland Knasikat Rd. SE.

(3) PROPOSED USE: Domestic Industrial Municipal
 Irrigation Test Well Other
 OnWater

(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

MATERIAL	FROM	TO
Top soil	0	2
Brown silty Gravel	2	19
Bed Rock	19	122

(4) TYPE OF WORK: Owner's number of well (if more than one)
Abandoned New well Deepened Reconditioned
Method: Dug Cable Rotary
Bored Driven Jolted

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 120 feet. Depth of completed well 120 ft.

(6) CONSTRUCTION DETAILS:
Casing installed: 6 Diam. from 0 ft. to 25 ft.
Welded 4.5 Diam. from 9 ft. to 120 ft.
Liner installed Threaded

Perforations: Yes No
Type of perforator used Skill Saw
SIZE of perforations 35 in. by 8 in.
30 perforations from 100 ft. to 120 ft.

Screens: Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ from _____ ft. to _____ ft.
Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel packed: Yes No Size of gravel _____
Gravel placed from _____ ft. to _____ ft.

Surface seal: Yes No To what depth? 18 ft.
Material used in seal Benzoite Chips
Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(7) PUMP: Manufacturer's Name _____ H.P. _____

(8) WATER LEVELS: Land surface elevation above mean sea level _____ ft.
Static level 82 ft below top of well Date 5-27-98
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? _____
Yield _____ gal./min. with _____ ft. drawdown after _____ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
Time Water Level Time Water Level Time Water Level

Date of test _____
Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Airtest 105 gal./min with stem set at 115 ft for 1 hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water _____ Was a chemical analysis made? Yes No

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME Holt Drilling Inc
(PERSON, FIRM OR CORPORATION) (TYPE OR PRINT)
Address P.O. 1890 Melton WA 98354
(Signed) [Signature] License No. 2358
(WELL DRILLER)

Contractor's Registration No. 13606 Date 6-1-99, 19__

(USE ADDITIONAL SHEETS IF NECESSARY)

Ecology is an Equal Opportunity and Affirmative Action employer. For special accommodation needs, contact the Water Resources Program at (206) 407-6600. The TDD number is (206) 407-6008.

WATER WELL REPORT
STATE OF WASHINGTON

File Original and First Copy with
Department of Ecology
Second Copy - Owner's Copy
Third Copy - Driller's Copy

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

(1) OWNER: Name Jerry Carstens Address 30605-SE 354th, Enumclaw, Wa 98022
(2) LOCATION OF WELL: County King Buy. at NE corner 1/4 Sec. 29 T. 21 N., R. 7 W.M.
Bearing and distance from section or subdivision corner See attached

(3) PROPOSED USE: Domestic Industrial Municipal
Irrigation Test Well Other

(4) TYPE OF WORK: Owner's number of well (if more than one) _____
New well Method: Dug Bored
Deepened Cable Driven
Reconditioned Rotary Jetted

(5) DIMENSIONS: Diameter of well 6 inches.
Drilled 94 ft. Depth of completed well 94 ft.

(6) CONSTRUCTION DETAILS:
Casing installed: 6" Diam. from 0 ft. to 94 ft.
Threaded " Diam. from _____ ft. to _____ ft.
Welded " Diam. from _____ ft. to _____ ft.
Perforations: Yes No
Type of perforator used _____
SIZE of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

Screens: Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ from _____ ft. to _____ ft.
Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel packed: Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

Surface seal: Yes No To what depth? 18 ft.
Material used in seal puddling clay
Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata _____
Method of sealing strata off

(7) PUMP: Manufacturer's Name _____
Type: _____ HP _____

(8) WATER LEVELS: Land-surface elevation _____ ft.
Static level 78 ft. below top of well Date 10-17-86
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
" 8 " 6 " 2 1/2 "
" " " ALL SET "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
Time Water Level Time Water Level Time Water Level

Date of test _____
Baller test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water _____ Was a chemical analysis made? Yes No

(10) WELL LOG:
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
surface	0	3
Red brown clay	3	7
Brown clay	7	12
Grey clay	12	21
Brown gravel-clay	21	68
Grey gravel water-clay	68	94

RECEIVED

Work started 10-15 19 86 Completed 10-17 19 86

WELL DRILLER'S STATEMENT:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME Johnson Drilling Co., Inc.
(Person, firm, or corporation) (Type or print)
Address 1945 108th Ave SE Renton 98055
[Signed] Bruce Johnson
(Well Driller)
License No. 0233 Date 10-17 19 86

Lot Six (6), of Short Plat No. 1277020 recorded under Auditor's File No. 7811160962; being a portion of

Beginning at the Northeast corner of Section 29, Township 21 North, Range 7 East, W.M., in King County, Washington; thence South $00^{\circ}24'07''$ West, along the East Section Line a distance of 985.36 feet; thence South $89^{\circ}43'50''$ West, a distance of 982.64 feet; thence North $27^{\circ}11'37''$ East, a distance of 548.27 feet; thence North $25^{\circ}22'27''$ West, a distance of 189.00 feet; thence North $38^{\circ}41'35''$ West, a distance of 410.00 feet; thence North $89^{\circ}23'15''$ East, along the North Section Line a distance of 1076.35 feet to the point of beginning, except that portion dedicated to King County by Auditor's File No. 3021625.

89384

WATER WELL REPORT

STATE OF WASHINGTON

Notic
UNK

W-32

Water Right Permit No

101

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

(1) OWNER Name Quinnett/Lyons Public Water Address 38207 48th Ave S, Auburn, WA

(2) LOCATION OF WELL County King SW 1/4 SE 1/4 Sec 20 T 21 N R 7E WM

(2a) STREET ADDRESS OF WELL (or nearest address) 306th Ave SE, SE 352nd St, Cumberland
TAX PARCEL NO 202107-9021 21-7E-20Q

(3) PROPOSED USE Domestic Industrial Municipal
 Irrigation Test Well Other
 DeWater

(4) TYPE OF WORK Owner's number of well (if more than one) _____
 New Well Method Dug Bored
 Deepened Cable Driven
 Reconditioned Rotary Jetted
 Decommission

(5) DIMENSIONS Diameter of well 6 inches
Drilled 120 feet Depth of completed well 120 ft

(6) CONSTRUCTION DETAILS
Casing Installed
 Welded 6" Diam from 0 ft to 103 ft
 Liner installed _____ Diam from _____ ft to _____ ft
 Threaded _____ Diam from _____ ft to _____ ft

Perforations Yes No
Type of perforator used _____
SIZE of perforations _____ in by _____ in
_____ perforations from _____ ft to _____ ft

Screens Yes No K Pac Location _____
Manufacturer's Name _____
Type _____ Model No _____
Diam _____ Slot Size _____ from _____ ft to _____ ft
Diam _____ Slot Size _____ from _____ ft to _____ ft

Gravel/Filter packed Yes No Size of gravel/sand _____
Material placed from _____ ft to _____ ft

Surface seal Yes No To what depth? 18 ft
Material used in seal bentonite
Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(7) PUMP Manufacturer's Name _____
Type _____ HP _____

(8) WATER LEVELS Land-surface elevation above mean sea level _____ ft
Static level 70 ft below top of well Date 1-16-2001
Artesian pressure _____ lbs per square inch Date _____
Artesian water is controlled by _____ (Cap, valve, etc)

(9) WELL TESTS Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? _____
Yield _____ gal/min with _____ ft drawdown after _____ hrs
Yield _____ gal/min with _____ ft drawdown after _____ hrs
Yield _____ gal/min with _____ ft drawdown after _____ hrs
Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
Time Water Level Time Water Level Time Water Level

Date of test _____
Bailer test _____ gal/min with _____ ft drawdown after _____ hrs
Airtest 12 gal/min with 15 ft drawdown after 2 1/2 hrs
Artesian flow _____ gpm Date _____
Temperature of water _____ Was a chemical analysis made? Yes No

(10) WELL LOG or DECOMMISSIONING PROCEDURE DESCRIPTION
Formation Describe by color character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information. Indicate all water encountered

MATERIAL	FROM	TO
Sand-gravel-brown	0	8
Clay-tan	8	90
gravel-clay-gray	90	96
Sand-gravel-gray	96	103
Water		
Sandstone tan	103	120

RECEIVED

JAN 29 2001

DEPT. OF ECOLOGY

Work Started 1-12-2001 Completed 1-15-2001

WELL CONSTRUCTION CERTIFICATION

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief

Type or Print Name Brad Johnson License No 0233
(Licensed Driller/Engineer)

Trainee Name _____ License No _____

Drilling Company Johnson Drilling Co, LLC
(Signed) Brad Johnson License No 0233
(Licensed Driller/Engineer)

Address 19415 108th Ave SE, Renton, WA

Contractor's Registration No JOHNSDC2070EM Date 1-15-2001

(USE ADDITIONAL SHEETS IF NECESSARY)

Ecology is an Equal Opportunity and Affirmative Action employer. For special accommodation needs, contact the Water Resources Program at (360) 407-6600. The TOD number is (360) 407-6006.

89384

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

W-34

184357

(1) OWNER NAME: **GUY HERNDON**
 (2) LOCATION OF WELL: County **KING**
 (2a) STREET ADDRESS OF WELL (or nearest address): **36225 307TH AVE. S.E. ENUMCLAW**

ADDRESS: **22600 S.E. 268TH ST. MAP1**
NE 1/4 SE 1/4 SEC 29 TWP 21N R 7E

(3) PROPOSED USE: **DOMESTIC**
 (4) TYPE OF WORK: **NEW WELL**
 METHOD: **ROTARY**

(10) WELL LOG OR DECOMMISSIONING PROCEDURE DESCRIPTION

(5) DIMENSIONS: Diameter of well **6"** inches
 Drilled **298** feet Depth of completed well **298** ft.

MATERIAL	FROM	TO
BROWN SILT W/GRAVELS	0	18
BROWN SAND, GRAVELS, COBBLES	18	46
GREY SAND, GRAVELS	46	64
SANDSTONE	64	126
COAL	126	135
SANDSTONE	135	270
COAL, WATER	270	275
SANDSTONE	275	280
COAL	280	290
SANDSTONE	290	298

(6) CONSTRUCTION DETAILS
 Casing instd: **6** " Diam. From **+1** ft. to **76'3"** ft.
 Welded " Diam. From ft. to ft.
 Liner **4.5** " Diam. From **5** ft. to **298** ft.
 Threaded

Perforations: Yes No
 Type of perforator used **SAW**
 Size of perforations **1/4** in. by **5** in.
 120 perforations from **258** ft. to **298'** in.
 perforations from ft. to in.
 perforations from ft. to in.

Screens: Yes No
 Manufacturer's Name:
 Type Model No.
 Diam Slot size from ft. to ft.
 Diam Slot size from ft. to ft.

Gravel packed Yes No Size of gravel?
 Gravel packed from ft. to ft.

Surface seal: Yes No To what depth? **18** ft.
 Material used in seal **BENTONITE CHIPS**
 Did any strata contain unusable water? Yes No
 Type of water? Depth of Strata ft.
 Method of sealing strata off

(7) PUMP: Manufacturer's Name
 Type **H. P.**

(8) WATER LEVELS: Surface elev above mean sea level ft.
 Static level **58** below top of well Date **05/13/05**
 Artesian pressure lbs. Per sq. in. Date
 Artesian pressure is controlled by

(9) WELL TESTS: Pump test made? By Whom
 Yield gal./min with ft. drawdown after hrs.
 Yield gal./min with ft. drawdown after hrs.
 Yield gal./min with ft. drawdown after hrs.
 Recovery data:
 Time Wtr Lvl. Time Wtr Lvl. Time Wtr Lvl.

Work Started **05/10/05** Completed: **05/13/05**

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Date of test:
 Bailer test gal./min with ft. drawdown after hrs.
 Airtest **4** gal/min stem set at **298** ft. for **1** hrs.
 Artesian flow gal/min Date
 Temperature of water Was chemical analysis made? **NO**

Name: **RICHARDSON WELL DRILLING COMPANY INC.**
 Address: **P. O. BOX 44427 TACOMA WA 98444**

(Signed)  Lic No. **2623**
 (Well Driller)
 Contractor's Registration No. **RICHAW*3210B** DATE **5/23/05**

RECEIVED
NOV 10 2005
 Washington State
 Department of Ecology

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

189574

Please print, sign and return to the Department of Ecology

W-35



Water Well Report

Original - Ecology, 1st copy - owner, 2nd copy - driller

Construction/Decommission

Construction
 Decommission ORIGINAL INSTALLATION Notice of Intent Number _____

PROPOSED USE: Domestic Industrial Municipal
 DeWater Irrigation Test Well Other

TYPE OF WORK: Owner's number of well (if more than one) _____
 New well Reconditioned Method: Dug Bored Driven
 Deepened Cable Rotary Jetted

DIMENSIONS: Diameter of well 6 inches, drilled 120 ft.
 Depth of completed well 116 ft.

CONSTRUCTION DETAILS
 Casing Welded 6" Diam. from 0 ft. to 116 ft.
 Installed: Liner installed _____ Diam. from _____ ft. to _____ ft.
 Threaded _____ " Diam. from _____ ft. to _____ ft.

Perforations: Yes No
 Type of perforator used _____
 SIZE of perfs _____ in. by _____ in. and no. of perfs _____ from _____ ft. to _____ ft.

Screens: Yes No K-Pac Location _____
 Manufacturer's Name _____
 Type _____ Model No. _____
 Diam. _____ Slot size _____ from _____ ft. to _____ ft.
 Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel/Filter packed: Yes No Size of gravel/sand _____
 Materials placed from _____ ft. to _____ ft.

Surface Seal: Yes No To what depth? 18 ft.
 Material used in seal bentonite
 Did any strata contain unusable water? Yes No
 Type of water? _____ Depth of strata _____
 Method of sealing strata off _____

PUMP: Manufacturer's Name _____
 Type: _____ H.P. _____

WATER LEVELS: Land-surface elevation above mean sea level _____ ft.
 Static level 98 ft. below top of well Date 1-12-06
 Artesian pressure _____ lbs. per square inch Date _____
 Artesian water is controlled by _____ (cap, valve, etc.)

WELL TESTS: Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom? _____
 Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
 Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
 Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level
_____	_____	_____	_____
_____	_____	_____	_____

Date of test _____
 Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
 Airtest 12 gal./min. with stem set at 113 ft. for 2 hrs.
 Artesian flow _____ g.p.m. Date _____
 Temperature of water _____ Was a chemical analysis made? Yes No

Current Notice of Intent No. W239252

Unique Ecology Well ID Tag No. AKF-957

Water Right Permit No. _____

Property Owner Name Randy Carnall

Well Street Address 3008X^{SE}352ND ST

City Enumclaw County KING

Location NW/4-1/4NE/4 Sec 29 Twn 21 R 7 EWM or WWM circle one

Lat/Long (s, t, r) Lat Deg _____ Lat Min/Sec _____

still REQUIRED) Long Deg _____ Long Min/Sec _____

Tax Parcel No. 292107-9074

CONSTRUCTION OR DECOMMISSION PROCEDURE

Formation: Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information indicate all water encountered. (USE ADDITIONAL SHEETS IF NECESSARY.)

MATERIAL	FROM	TO
Surface	0	3
Handpaw gravel-brown	3	90
Basalt	90	94
Handpaw-gravel-brown	94	111
Sand-gravel-water-brown	111	116
Sandstone-gray	116	120

RECEIVED
 JAN 30 2006
 DEPT OF ECOLOGY

Start Date 1-6-06 Completed Date 1-12-06

WELL CONSTRUCTION CERTIFICATION: I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Driller/Engineer/Trainee Name (Print) Brad Johnson
 Driller/Engineer/Trainee Signature [Signature]
 Driller or trainee License No. 0233

Drilling Company Johnson Drilling Co., Inc
 Address 19415 108th Ave SE
 City, State, Zip Renton, WA 98055

IF TRAINEE,
 Driller's Licensed No. _____
 Driller's Signature _____

Contractor's Registration No. JOHNSDC207QM Date 1-12-06

Ecology is an Equal Opportunity Employer. ECY 050-1-20 (Rev 2/03)

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.



WATER WELL REPORT

Original & 1st copy - Ecology, 2nd copy - owner, 3rd copy - driller

Construction/Decommission ("x" in circle) 204825

Construction
 Decommission ORIGINAL INSTALLATION Notice of Intent Number _____

CURRENT

Notice of Intent No. W

W-37

Unique Ecology Well ID Tag No. MRK-401

Water Right Permit No. _____

Property Owner Name Wicklund Construction

Well Street Address 30157 SE 355th ST

City Enumclow County King

Location NE1/4-1/4NW1/4 Sec 29 Twn 21 R 7 EW or WWM circle one

Lat/Long (s, t, r) Lat Deg _____ Lat Min/Sec _____

Still **REQUIRED** Long Deg _____ Long Min/Sec _____

Tax Parcel No. 292107-9071

PROPOSED USE: Domestic Industrial Municipal
 DeWater Irrigation Test Well Other _____

TYPE OF WORK: Owner's number of well (if more than one) _____
 New well Reconditioned Method: Dug Bored Driven
 Deepened Cable Rotary Jetted

DIMENSIONS: Diameter of well 6 inches, drilled 96 ft
Depth of completed well 89 ft

CONSTRUCTION DETAILS
Casing Welded 6" Diam. from 0 ft. to 89 ft.
Installed: Liner installed _____" Diam. from _____ ft. to _____ ft.
 Threaded _____" Diam. from _____ ft. to _____ ft.

Perforations: Yes No
Type of perforator used _____
SIZE of perfs _____ in. by _____ in. and no of perfs from _____ ft. to _____ ft.

Screens: Yes No K-Pac Location _____
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ from _____ ft. to _____ ft.
Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel/Filter packed: Yes No Size of gravel/sand _____ ft.
Materials placed from _____ ft. to _____ ft.

Surface Seal: Yes No To what depth? 18 ft.
Material used in seal beentonite

Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

PUMP: Manufacturer's Name _____
Type: _____ H.P. _____

WATER LEVELS: Land-surface elevation above mean sea level _____ ft.
Static level 65 ft. below top of well Date 8-11-06
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (cap, valve, etc.)

WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
Time Water Level Time Water Level Time Water Level

Date of test _____
Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Airstest 5-6 gal./min. with stem set at 89 ft. for 2 hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water _____ Was a chemical analysis made? Yes No

CONSTRUCTION OR DECOMMISSION PROCEDURE
Formation: Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information. (USE ADDITIONAL SHEETS IF NECESSARY.)

MATERIAL	FROM	TO
Surface	0	3
Handpan - brown	3	39
Handpan - tan	39	81
Sand/gravel - water - tan	81	89
Handpan - gray	89	91
Sandstone - gray	91	96

RECEIVED

AUG 28 2006

DEPT. OF ECOLOGY

Start Date 8-10-06 Completed Date 8-11-06

WELL CONSTRUCTION CERTIFICATION: I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Driller Engineer Trainee Name (Print) Brad Johnson
Driller/Engineer/Trainee Signature [Signature]
Driller or trainee License No. 0233

Drilling Company Johnson Drilling Co., LLC
Address 19415 108th Ave SE
City, State, Zip Renton, WA 98055

If TRAINEE, Driller's Licensed No. _____
Driller's Signature _____

Contractor's JOHNSDC207QM Date 8-11-06
Registration No. _____

Ecology is an Equal Opportunity Employer.

W-38

(1) OWNER NAME: **BOB MCGEE** *208807*
 (2) LOCATION OF WELL: County **KING**
 (2a) STREET ADDRESS OF WELL (or nearest address): **35858 301ST PL. S.E. ENUMCLAW**

ADDRESS: **9305 229TH AVE. E. BU**
NW 1/4 NE 1/4 SEC 29 TWP 21N R 7E

(3) PROPOSED USE: **DOMESTIC**
 (4) TYPE OF WORK: **NEW WELL**
 METHOD: **ROTARY**

(10) WELL LOG OR DECOMMISSIONING PROCEDURE DESCRIPTION

(5) DIMENSIONS: Diameter of well **6"** inches.
 Drilled **95 feet.** Depth of completed well **94 ft.**

MATERIAL	FROM	TO
BROWN SILTY SAND, GRAVELS	0	7
BROWN SILTY SAND, GRAVELS, COBBLES	7	39
BOULDER	39	42
BROWN SILTY SAND, GRAVELS, COBBLES	42	60
BOULDER	60	63
BROWN SILTY SAND, GRAVELS, COBBLES	63	72
BOULDER	72	73
BROWN SAND, GRAVELS, COBBLES, WATER	73	95
GREY BEDROCK	95	

(6) CONSTRUCTION DETAILS
 Casing instld: **6 "** Diam. From **+1 ft.** to **88'11"** ft.
 Welded " Diam. From ft. to ft.
 Liner " Diam. From ft. to ft.
 Threaded

Perforations: Yes No
 Type of perforator used
 Size of perforations in. by in.
 perforations from ft. to in.
 perforations from ft. to in.
 perforations from ft. to in.

Screens: Yes No
 Manufacturer's Name: **JOHNSON**
 Type **STAINLESS** Model No.
 Diam **6 Slot size 14 from 89.0 ft. to 94.0 ft.**
 Diam Slot size from ft. to ft.

Gravel packed: Yes No Size of gravel?
 Gravel packed from ft. to ft.

Surface seal: Yes No To what depth? **18 ft.**
 Material used in seal **BENTONITE CHIPS**
 Did any strata contain unusable water? Yes No
 Type of water? Depth of Strata ft.
 Method of sealing strata off

(7) PUMP: Manufacturer's Name
 Type **H. P.**


(8) WATER LEVELS: Surface elev above mean sea level ft.
 Static level **55'9"** below top of well Date **08/15/06**
 Artesian pressure lbs. Per sq. in. Date
 Artesian pressure is controlled by

(9) WELL TESTS: Pump test made? By Whom
 Yield gal./min with ft. drawdown after hrs.
 Yield gal./min with ft. drawdown after hrs.
 Yield gal./min with ft. drawdown after hrs.
 Recovery data:
 Time Wtr Lvl. Time Wtr Lvl. Time Wtr Lvl.

Date of test:
 Bailer test gal./min with ft. drawdown after hrs.
 Airtest **40 gal./min stem set at 86 ft. for 1 hrs.**
 Artesian flow gal./min Date
 Temperature of water Was chemical analysis made? **NO**

Work Started **08/14/06** Completed: **08/15/06**

WELL CONSTRUCTOR CERTIFICATION:
 I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Name: **RICHARDSON WELL DRILLING COMPANY INC.**
 Address: **P. O. BOX 44427 TACOMA, WA 98444**
 (Signed)  Lic No. **AL44006 2246**
 Contractor's Registration No. **RICHAW*3210B** DATE **8/30/06**

RECEIVED
NOV 15 2006
 Washington State
 Department of Ecology

259920

(1) OWNER NAME: **SEVON AND SON CONSTRUCTION**
 (2) LOCATION OF WELL: County **KING**
 (2a) STREET ADDRESS OF WELL (or nearest address): **NEXT TO 30015 352ND ST. PARCEL#2921079073**

ADDRESS: **28114 432ND ENUMCIPAL RD**
NE 1/4 NW 1/4 SEC 29 TWP 21N R 7E

(3) PROPOSED USE: **DOMESTIC**
 (4) TYPE OF WORK: **NEW WELL**
 METHOD: **ROTARY**

(5) DIMENSIONS: Diameter of well **6"** inches.
 Drilled **227** feet. Depth of completed well **227** ft.

(6) CONSTRUCTION DETAILS
 Casing instld: **6** * Diam. From **+1** ft. to **44'8"** ft.
 Welded * Diam. From _____ ft. to _____ ft.
 Liner **4** * Diam. From **11** ft. to **227'** ft.
 Threaded

Perforations: Yes No
 Type of perforator used **SAW**
 Size of perforations _____ in. by _____ in.
 75 perforations from **202'** ft. to **227'** ft.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.

Screens: Yes No
 Manufacturer's Name: _____
 Type _____ Model No. _____
 Diam _____ Slot size _____ from _____ ft. to _____ ft.
 Diam _____ Slot size _____ from _____ ft. to _____ ft.

Gravel packed Yes No Size of gravel? _____
 Gravel packed from _____ ft. to _____ ft.

Surface seal: Yes No To what depth? **18** ft.
 Material used in seal **BENTONITE CHIPS**
 Did any strata contain unusable water? Yes No
 Type of water? _____ Depth of Strata _____ ft.
 Method of sealing strata off _____

(7) PUMP: Manufacturer's Name _____
 Type **H. P.**

(8) WATER LEVELS: Surface elev above mean sea level _____ ft.
 Static level **67'** below top of well Date **01/15/07**
 Artesian pressure _____ lbs. Per sq. in. Date _____
 Artesian pressure is controlled by _____

(10) WELL LOG OR DECOMMISSIONING PROCEDURE DESCRIPTION


MATERIAL	FROM	TO
BROWN SANDY CLAY, GRAVELS, COBBLES	0	14
GREY SANDY CLAY, GRAVELS, COBBLES	14	16
LIGHT BROWN SILTY SAND, GRAVELS, COBBLES	16	19
BROWN SHALE, SOFT	19	23
BROWN SHALE W/GRAVELS, SOFT	23	27
BROWN SHALE, SOFT	27	31
BLACK COAL	31	37
BROWN SHALE SOFT	37	41
WHITE SANDSTONE	41	75
BLACK SHALE	75	90
BLACK COAL	90	96
BROWN SANDSTONE	96	105
WHITE SANDSTONE	105	135
BROWN SHALE, FRACTURED	135	146
BLACK AND WHITE SHALE	146	159
BLACK COAL	159	163
WHITE SANDSTONE	163	202
WHITE SANDSTONE, FRACTURED	202	206
WHITE SANDSTONE	206	208
BLACK SHALE	208	220
GREY SHALE	220	227

RECEIVED
 MAY 14 2007
 Washington State
 Department of Ecology

(9) WELL TESTS: Pump test made? _____ By Whom _____
 Yield _____ gal./min with _____ ft. drawdown after _____ hrs.
 Yield _____ gal./min with _____ ft. drawdown after _____ hrs.
 Yield _____ gal./min with _____ ft. drawdown after _____ hrs.
 Recovery data:
 Time Wtr Lvl. Time Wtr Lvl. Time Wtr Lvl.
 Date of test: _____
 Bailor test _____ gal./min with _____ ft. drawdown after _____ hrs.
 Airstest **10 +** gal./min stem set at **225** ft. for **1** hrs.
 Artesian flow _____ gal./min Date _____
 Temperature of water _____ Was chemical analysis made? **NO**

Work Started **01/10/07** Completed: **01/15/07**

WELL CONSTRUCTOR CERTIFICATION:
 I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Name: **RICHARDSON WELL DRILLING COMPANY INC.**
 Address: **P. O. BOX 44427 TACOMA, WA 98444**
 (Signed)  Lic No. **2081**
 (Well Driller)
 Contractor's Registration No. **RICHAW*3210B** DATE **2/5/07**

The Department of Ecology does NOT warranty the Data and/or the Information on this Well Report.



WATER WELL REPORT

Original & 1st copy - Ecology, 2nd copy - owner, 3rd copy - driller

Construction/Decommission ("x" in circle) 263454

- Construction
- Decommission ORIGINAL INSTALLATION Notice of Intent Number _____

CURRENT Notice of Intent No. W

W-40

Unique Ecology Well ID Tag No. NRK-477

Water Right Permit No. _____

Property Owner Name Jerry Brown

Well Street Address 30011 SE 358th

City Enumclaw County King

Location NE 1/4-1/4 NW 1/4 Sec 29 Twn 21 R 7 EWM circle one
or WWM

Lat/Long (s, t, r) Lat Deg _____ Lat Min/Sec _____

Still **REQUIRED** Long Deg _____ Long Min/Sec _____

Tax Parcel No. 292107-9079

PROPOSED USE: Domestic Industrial Municipal
 DeWater Irrigation Test Well Other _____

TYPE OF WORK: Owner's number of well (if more than one) _____
 New well Reconditioned *Method:* Dug Bored Driven
 Deepened Cable Rotary Jetted

DIMENSIONS: Diameter of well 6 inches, drilled 270 ft.
Depth of completed well 270 ft.

CONSTRUCTION DETAILS
Casing Welded 6 " Diam. from 0 ft. to 60 ft.
Installed: Liner installed PK4 " Diam. from -1 ft. to 270 ft.
 Threaded _____ " Diam. from _____ ft. to _____ ft.

Perforations: Yes No
Type of perforator used saw
SIZE of perfs 1/8 in by 3 in. and no. of perfs 100 from 180 ft. to 260 ft.

Screens: Yes No K-Pac Location _____
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ from _____ ft. to _____ ft.
Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel/Filter packed: Yes No Size of gravel/sand _____ ft.
Materials placed from _____ ft. to _____ ft.

Surface Seal: Yes No To what depth? 18 ft.
Material used in seal beutovite
Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

PUMP: Manufacturer's Name _____
Type: _____ H.P. _____

WATER LEVELS: Land-surface elevation above mean sea level _____ ft.
Static level 60 ft. below top of well Date 5-18-07
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (cap, valve, etc.)

WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
Time Water Level Time Water Level Time Water Level

Date of test _____
Barler test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Airtest 2 gal./min. with stem set at 245 ft. for 2 hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water _____ Was a chemical analysis made? Yes No

CONSTRUCTION OR DECOMMISSION PROCEDURE

Formation: Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information. (USE ADDITIONAL SHEETS IF NECESSARY.)

MATERIAL	FROM	TO
Surface	0	3
Hardpan-gravel-brown	3	14
Hardpan-tan	14	55
Decayed rock-gray	55	60
Sandstone-gray	60	150
Sandstone-decayed rock	150	190
Sandstone-decayed siltstone	190	210
Sandstone-gray	210	270

RECEIVED

MAY 20 2007

DEPT. OF ECOLOGY

Start Date 5-14-07 Completed Date 5-18-07

WELL CONSTRUCTION CERTIFICATION: I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Driller Engineer Trainee Name (Print) Bruce Johnson
Driller/Engineer/Trainee Signature Bruce Johnson
Driller or trainee License No 0233

Drilling Company Johnson Drilling Co., Inc
Address 19415 108th Ave SE
City, State, Zip Renton, WA 98055
Contractor's Registration No. JOHNSDC207QM Date 5-18-07

IF TRAINEE,
Driller's Licensed No. _____
Driller's Signature _____

Ecology is an Equal Opportunity Employer.

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

271391

21-73 200
W-41



WATER WELL REPORT

Original & 1st copy - Ecology, 2nd copy - owner, 3rd copy - driller

Construction/Decommission ("x" in circle)

Construction

Decommission-ORIGINAL INSTALLATION-Notice of Intent Number _____

CURRENT

Notice of Intent No. WE07182

Unique Ecology Well ID Tag No. ALM-329

Water Right Permit No. _____

Property Owner Name Louis Marin

Well Street Address SE 323rd Street & 320th Avenue SE

City Cumberland County King

Location NE 1/4-1/4 NW 1/4 Sec 28 Twn 21 R 7

EWM or WWM circle one

Lat/Long (s, t, r) Lat Deg _____ Lat Min/Sec _____

Still **REQUIRED** Long Deg _____ Long Min/Sec _____

Tax Parcel No. 2821079103

PROPOSED USE: Domestic Industrial Municipal
 De Water Irrigation Test Well Other

TYPE OF WORK: Owner's number of well (if more than one) _____
 New well Reconditioned Method: Dug Bored Driven
 Deepened Cable Rotary Jetted

DIMENSIONS: Diameter of well 6 inches, drilled 500 ft.
 Depth of completed well 500 ft.

CONSTRUCTION DETAILS

Casing Welded 6 " Diam. from +1.5 ft. to 35.5 ft.
 Installed: Liner installed 4.5 " Diam. from 23 ft. to 500 ft.
 Threaded " Diam. from _____ ft. to _____ ft.

Perforations: Yes No

Type of perforator used _____
 SIZE of perfs _____ in. by _____ in. and no. of perfs _____ from _____ ft. to _____ ft.

Screens: Yes No K-Pac Location _____

Manufacturer's Name Custom slotted P.V.C.
 Type _____ Model No. _____
 Diam. 4.5 Slot size 30 from 480 ft. to 500 ft.
 Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel/Filter packed: Yes No Size of gravel/sand _____
 Materials placed from _____ ft. to _____ ft.

Surface Seal: Yes No To what depth? 18 ft.

Material used in seal Bentonite Chips
 Did any strata contain unusable water? Yes No
 Type of water? _____ Depth of strata _____

Method of sealing strata off _____

PUMP: Manufacturer's Name _____
 Type: _____ H.P. _____

WATER LEVELS: Land-surface elevation above mean sea level _____ ft.

Static level 238 ft. below top of well Date 8/21/07

Artesian pressure _____ lbs. per square inch Date _____
 Artesian water is controlled by _____ (cap, valve, etc.)

WELL TESTS: Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?
 Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
 Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
 Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Date of test _____

Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.

Airtest 3/4 _____ gal./min. with stem set at 500 ft. for 2 hrs.

Artesian flow _____ g.p.m. Date _____

Temperature of water _____ Was a chemical analysis made? Yes No

CONSTRUCTION OR DECOMMISSION PROCEDURE

Formation: Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information. (USE ADDITIONAL SHEETS IF NECESSARY.)

MATERIAL	FROM	TO
Light brown weathered sandstone.	0	202
Dark gray siltstone with thin coal seams.	202	301
Grayish-brown sandstone.	301	348
Grayish-brown sandstone, light grayish-brown siltstone.	348	359
Light brown & gray sandstone.	359	390
Coal.	390	425
Gray siltstone.	425	447
Gray sandstone interbedded with thin gray siltstone layers.	447	500
1/4 gpm	@	260
1/2 gpm	@	380
3/4 gpm	@	500
Job 07-1610-07		
Start Date 08/17/2007	Completed Date 08/21/2007	

WELL CONSTRUCTION CERTIFICATION: I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Driller Engineer Trainee Name (Print) Matt Call
 Driller/Engineer/Trainee Signature *[Signature]*
 Driller or trainee License No. 2571

Drilling Company Tacoma Pump & Drilling Co., Inc.
 Address 30316 Mountain Highway
 City, State, Zip Graham, WA 98338

If TRAINEE,
 Driller's Licensed No. _____
 Driller's Signature _____

Contractor's
 Registration No. TACOMPD203PF Date 08/22/2007
 Ecology is an Equal Opportunity Employer.

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

FILE: ORIG. & FIRST COPY - DEPT. OF ECOLOGY
 SECOND COPY - OWNER; THIRD COPY - DRILLER

WATER WELL REPORT
 STATE OF WASHINGTON

21-7E-29 h
W-42

274957

(1) OWNER NAME: LEDICO BUILDERS, LLC
 (2) LOCATION OF WELL: County KING
 (2a) STREET ADDRESS OF WELL (or nearest address): 36137 307TH AVE SE

ADDRESS: P.O. BOX 516 HOE
 SE 1/4 NE 1/4 SEC 29 TWP 21N R 7E
 PARCEL # 2921079098

(3) PROPOSED USE: DOMESTIC
 (4) TYPE OF WORK: NEW WELL
 METHOD: ROTARY

(10) WELL LOG OR DECOMMISSIONING PROCEDURE DESCRIPTION

(5) DIMENSIONS: Diameter of well 6" inches.
 Drilled 340 feet. Depth of completed well 340 ft.

MATERIAL	FROM	TO
BROWN SANDY SILT, SOME SMALL GRAVEL	0	7
BROWN SILTY SAND, GRAVEL COBBLES BOULDERS	7	29
BROWN MEDIUM SAND, TRACE SILT & GRAVEL	29	37
DARK BROWN SANDY CLAY	37	40
BROWN SAND CLAY, BOULDER	40	45
BROWN SANDY CLAY, GRAVEL, COBBLES, BOULDER	45	50
GREY CLAYEY SILT GRAVEL COBBLES	50	54
GERY SANDY SILT & GRAVEL	54	57
LIGHT BROWN SANDY SILT & GRAVEL	57	59
DARK GREY SHALE	59	70
COAL	70	73
GREY COMPITENT SANDSTONE	73	94
BROWN COMPITENT SHALE VERY FRACTURED	94	95
COAL	95	137
BROWN SHALE-COMPITENT 4 COAL SEAMS	137	199
GREY SANDSTONE W/SHALE SEAMS, COMPITENT	199	328
SOME FRACTURES		
BROWN WEATHERED SHALE (WB)	328	331
GREY SANDSTONE-COPITENT, SOLID	331	340

(6) CONSTRUCTION DETAILS
 Casing instld: 6" Diam. From +1 ft. to 75 ft.
 Welded Diam. From ft. to ft.
 Liner 4" Diam. From 20 ft. to 340 ft.
 Threaded

Perforations: Yes No
 Type of perforator used SAW CUT
 Size of perforations in. by in.
 perforations from 300 ft. to 340FT in.
 perforations from ft. to in.
 perforations from ft. to in.

Screens: Yes No
 Manufacturer's Name:
 Type Model No.
 Diam Slot size from ft. to ft.
 Diam Slot size from ft. to ft.

Gravel packed Yes No Size of gravel? ft. to ft.
 Gravel packed from ft. to ft.

Surface seal: Yes No To what depth? 18 ft.
 Material used in seal BENTONITE CHIPS
 Did any strata contain unusable water? Yes No
 Type of water? Depth of Strata ft.
 Method of sealing strata off

(7) PUMP: Manufacturer's Name Type H. P.

(8) WATER LEVELS: Surface elev above mean sea level ft.
 Static level 60 below top of well Date 09/26/07
 Artesian pressure lbs. Per sq. in. Date
 Artesian pressure is controlled by

(9) WELL TESTS: Pump test made? By Whom
 Yield gal./min with ft. drawdown after hrs.
 Yield gal./min with ft. drawdown after hrs.
 Yield gal./min with ft. drawdown after hrs.
 Recovery data:
 Time Wtr Lvl. Time Wtr Lvl. Time Wtr Lvl.

Date of test: 9/26/2009
 Bailor test gal./min with ft. drawdown after hrs.
 Airtest 5 gal./min stem set at 330 ft. for 1 hrs.
 Artesion flow gal./min. Date
 Temperature of water Was chemical analysis made? NO

Work Started 09/24/07 Completed: 09/26/07

RECEIVED
 OCT 18 2007
 Washington State
 Department of Ecology

WELL CONSTRUCTOR CERTIFICATION:
 I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Name: RICHARDSON WELL DRILLING COMPANY INC.
 Address: P. O. BOX 44427 TACOMA, WA 98444
 (Signed)  License No. 2081
 Contractor's Registration No. RICHAW*3210B DATE 10/2/07

The Department of Ecology does NOT warrant the Data and/or the Information on this Well Report.

FILE: ORIG. & FIRST COPY - DEPT. OF ECOLOGY
 SECOND COPY - OWNER; THIRD COPY - DRILLER

WATER WELL REPORT
 STATE OF WASHINGTON

21-78000h
W-43

274958

(1) OWNER NAME: LEDICO BUILDERS, LLC
 (2) LOCATION OF WELL: County **KING**
 (2a) STREET ADDRESS OF WELL (or nearest address): **36118 307TH AVE SE**

ADDRESS: **P.O. BOX 516 HOB**
SE 1/4 NE 1/4 SEC 29 TWP 21N R 7E
 PARCEL # **2921079094**

(3) PROPOSED USE: **DOMESTIC**
 (4) TYPE OF WORK: **NEW WELL**
 METHOD: **ROTARY**

(10) WELL LOG OR DECOMMISSIONING PROCEDURE DESCRIPTION

(5) DIMENSIONS: Diameter of well **6"** inches.
 Drilled **82 feet.** Depth of completed well **77 ft.**

MATERIAL	FROM	TO
BROWN SANDY SILT, GRAVEL, COBBLES, BOULDER	0	6
BROWN SILTY SAND, GRAVEL COBBLES BOULDERS	6	30
BROWN SANDY SILT GRAVEL COBBLES	30	45
BROWN VERY SILTY SAND GRAVEL COBBLES	45	55
DARK BROWN SANDY SILT GRAVEL COBBLES	55	59
BROWN SANDY CLAY & GRAVEL	59	72
GREY SANDY SILT GRAVEL COBBLES (WB)	72	79
DARK GREY WEATHERED SHALE	79	82

(6) CONSTRUCTION DETAILS
 Casing instld: **6** * Diam. From **+1** ft. to **77** ft.
 Welded * Diam. From ft. to ft.
 Liner * Diam. From ft. to ft.
 Threaded

Perforations: Yes No
 Type of perforator used
 Size of perforations in. by in.
 perforations from ft. to in.
 perforations from ft. to in.
 perforations from ft. to in.

Screens: Yes No
 Manufacturer's Name:
 Type Model No.
 Diam Slot size from ft. to ft.
 Diam Slot size from ft. to ft.

Gravel packed Yes No Size of gravel?
 Gravel packed from ft. to ft.

Surface seal: Yes No To what depth? **18** ft.
 Material used in seal **BENTONITE CHIPS**
 Did any strata contain unusable water? Yes No
 Type of water? Depth of Strata ft.
 Method of sealing strata off

(7) PUMP: Manufacturer's Name
 Type **H. P.**

(8) WATER LEVELS: Surface elev above mean sea level ft.
 Static level **58** below top of well Date **09/29/07**
 Artesian pressure lbs. Per sq. in. Date
 Artesian pressure is controlled by

(9) WELL TESTS: Pump test made? By Whom
 Yield gal./min with ft. drawdown after hrs.
 Yield gal./min with ft. drawdown after hrs.
 Yield gal./min with ft. drawdown after hrs.
 Recovery data:
 Time Wtr Lvl. Time Wtr Lvl. Time Wtr Lvl.

Date of test: **9/29/2007**
 Bailer test gal./min with ft. drawdown after hrs.
 Airtest **12** gal./min stem set at **75** ft. for 1 hrs.
 Artesian flow gal./min Date
 Temperature of water Was chemical analysis made? **NO**

Work Started **09/28/07** Completed: **09/29/07**

WELL CONSTRUCTOR CERTIFICATION:
 I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Name: **RICHARDSON WELL DRILLING COMPANY INC.**
 Address: **P. O. BOX 44427 TACOMA, WA 98444**
 (Signed)  Lic No. **2081**
 (Well Driller)
 Contractor's Registration No. **RICHAW*3210B** DATE **10/2/07**

RECEIVED
OCT 18 2007
 Washington State
 Department of Ecology

The Department of Ecology does NOT warranty the Data and/or the Information on this Well Report.

280033



WATER WELL REPORT

Original & 1st copy - Ecology, 2nd copy - owner, 3rd copy - driller

Construction/Decommission ("x" in circle)
 Construction
 Decommission *ORIGINAL INSTALLATION* Notice of Intent Number _____

CURRENT
 Notice of Intent No. W-44
 Unique Ecology Well ID Tag No. APR-464

Water Right Permit No. _____
 Property Owner Name Ed Larson
 Well Street Address 29505 SE 361st St

PROPOSED USE:
 DeWater Domestic Industrial Municipal Irrigation Test Well Other

TYPE OF WORK: Owner's number of well (if more than one)
 New well Reconditioned *Method:* Dug Bored Driven Deepened Cable Rotary Jetted

DIMENSIONS: Diameter of well 6 inches, drilled 220 ft.
 Depth of completed well 220 ft.

CONSTRUCTION DETAILS
 Casing Welded 6" Diam. from 0 ft. to 20 ft.
 Installed: Liner installed 4" Diam. from -1 ft. to 220 ft.
 Threaded 6" Diam. from _____ ft. to _____ ft.

Perforations: Yes No
 Type of perforator used Saw
 SIZE of perfs 1/8 in. by 3 in. and no. of perfs 100 from 130 ft. to 200 ft.

Screens: Yes No K-Pac Location _____
 Manufacturer's Name _____
 Type _____ Model No. _____
 Diam. _____ Slot size _____ from _____ ft. to _____ ft.
 Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel/Filter packed: Yes No Size of gravel/sand _____ ft.
 Materials placed from _____ ft. to _____ ft.

Surface Seal: Yes No To what depth? 18 ft.
 Material used in seal bentonite
 Did any strata contain unusable water? Yes No
 Type of water? _____ Depth of strata _____
 Method of sealing strata off _____

PUMP: Manufacturer's Name _____ H.P. _____

WATER LEVELS: Land-surface elevation above mean sea level _____ ft.
 Static level 20 ft. below top of well Date 12-4-07
 Artesian pressure _____ lbs. per square inchr Date _____
 Artesian water is controlled by _____ (cap, valve, etc.)

WELL TESTS: Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom? _____
 Yield: _____ gal/min. with _____ ft. drawdown after _____ hrs.
 Yield: _____ gal/min. with _____ ft. drawdown after _____ hrs.
 Yield: _____ gal/min. with _____ ft. drawdown after _____ hrs.
 Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Date of test _____
 Bailer test _____ gal/min. with _____ ft. drawdown after _____ hrs.
 Airstest 12 gal/min. with stem set at 190 ft. for 2 hrs.
 Artesian flow _____ g.p.m. Date _____
 Temperature of water _____ Was a chemical analysis made? Yes No

City Enumclaw County King
 Location SE 1/4-1/4 NW/4 Sec 29 Twn 21 R 7
 Lat/Long (s, t, r) Lat Deg _____ Lat Min/Sec _____
 Still **REQUIRED** Long Deg _____ Long Min/Sec _____
 Tax Parcel No. 292107-9086

CONSTRUCTION OR DECOMMISSION PROCEDURE

Formation: Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information. (USE ADDITIONAL SHEETS IF NECESSARY.)

MATERIAL	FROM	TO
Surface	0	3
Clay-gravel-brown	3	15
Sandstone-gray	15	136
Sandstone-gray-water	136	200
Sandstone-gray	200	218
Decayed rock-dark	218	220

RECEIVED
 DEC 13 2007
 DEPT. OF ECOLOGY

Start Date 11-30-07 Completed Date 12-4-07

WELL CONSTRUCTION CERTIFICATION: I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Driller Engineer Trainee Name (Print) Brad Johnson
 Driller/Engineer/Trainee Signature Brad Johnson
 Driller or trainee License No. 0233

Drilling Company Johnson Drilling Co., LLC
 Address 19415 108th Ave SE
 City, State, Zip RENTON, WA 98055
 Contractor's JOHNSON DRILLING CO. LLC Date 12-4-07
 Registration No. _____ Ecology is an Equal Opportunity Employer.

The Department of Ecology does NOT warranty the Data and/or the Information on this Well Report.



280036

WATER WELL REPORT

Original & 1st copy - Ecology, 2nd copy - owner, 3rd copy - driller

CURRENT

Notice of Intent No. W2

W-45

Unique Ecology Well ID Tag No. WNT 106

Water Right Permit No. _____

Property Owner Name Steve Smith

Well Street Address 36010 293rd PL SE

City Enumclaw County KING

Location NE1/4-1/4 NE1/4 Sec 29 Twn 21 R 7 WWM or WWM circle one

Lat/Long (s, t, r) Lat Deg _____ Lat Min/Sec _____

Still **REQUIRED** Long Deg _____ Long Min/Sec _____

Tax Parcel No. 292107-9053

Construction/Decommission ("x" in circle)

Construction

Decommission **ORIGINAL INSTALLATION** Notice of Intent Number _____

PROPOSED USE: Domestic Industrial Municipal
 DeWater Irrigation Test Well Other _____

TYPE OF WORK: Owner's number of well (if more than one) _____
 New well Reconditioned Method: Dug Bored Driven
 Deepened Cable Rotary Jetted

DIMENSIONS: Diameter of well 6 inches, drilled 54 ft.
 Depth of completed well 143 ft.

CONSTRUCTION DETAILS

Casing Welded 6" Diam. from 89 ft. to 143 ft.
 Installed: Liner installed " Diam. from _____ ft. to _____ ft.
 Threaded " Diam. from _____ ft. to _____ ft.

Perforations: Yes No

Type of perforator used _____
 SIZE of perfs _____ in. by _____ in. and no. of perfs from _____ ft. to _____ ft.

Screens: Yes No K-Pac Location _____

Manufacturer's Name _____
 Type _____ Model No. _____
 Diam _____ Slot size _____ from _____ ft. to _____ ft.
 Diam _____ Slot size _____ from _____ ft. to _____ ft.

Gravel/Filter packed: Yes No Size of gravel/sand _____
 Materials placed from _____ ft. to _____ ft.

Surface Seal: Yes No To what depth? 18 ft.

Material used in seal ben-tonite
 Did any strata contain unusable water? Yes No
 Type of water? _____ Depth of strata _____
 Method of sealing strata off _____

PUMP: Manufacturer's Name _____
 Type: _____ H.P. _____

WATER LEVELS: Land-surface elevation above mean sea level _____ ft.
 Static level 89 ft. below top of well Date 12-7-07
 Artesian pressure _____ lbs. per square inch Date _____
 Artesian water is controlled by _____ (cap, valve, etc.)

WELL TESTS: Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom? _____
 Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
 Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
 Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test _____
 Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
 Airtest 40 gal./min. with stem set at 135 ft. for 2 hrs.
 Artesian flow _____ g.p.m. Date _____
 Temperature of water _____ Was a chemical analysis made? Yes No

CONSTRUCTION OR DECOMMISSION PROCEDURE

Formation: Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information. (USE ADDITIONAL SHEETS IF NECESSARY.)

MATERIAL	FROM	TO
Handpan brown	89	95
Sand gravel water brown	95	133
Handpan-brown-gravel	133	137
Sand gravel water brown	137	143
Sandstone grey	143	-

RECEIVED
 DEC 13 2007
 DEPT. OF ECOLOGY

Start Date 11-28-07 Completed Date 12-7-07

WELL CONSTRUCTION CERTIFICATION: I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Driller Engineer Trainee Name (Print) Brad Johnson
 Driller/Engineer/Trainee Signature Brad Johnson
 Driller or trainee License No. 0233

Drilling Company Johnson Drilling Co, LLC
 Address 19415 108th Ave SE
 City, State, Zip Renton, WA 98055

If TRAINEE,
 Driller's Licensed No. _____
 Driller's Signature _____

Contractor's
 Registration No. JOHNSOC2079m Date 12-7-07

Ecology is an Equal Opportunity Employer.

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.



WATER WELL REPORT

Original & 1st copy - Ecology, 2nd copy - owner, 3rd copy - driller

337546

W-46

CURRENT

Notice of Intent No. W

Unique Ecology Well ID Tag No. AEJ-843

Water Right Permit No. _____

Property Owner Name GLC Construction

Well Street Address 30221 307th Ave SE

City Enumclaw County King

Location NE 1/4-1/4 SE 1/4 Sec 29 Twn 21 R 7 BWN or WWM circle one

Lat/Long (s, t, r) Lat Deg _____ Lat Min/Sec _____

Still **REQUIRED** Long Deg _____ Long Min/Sec _____

Tax Parcel No. 292107-9096

CONSTRUCTION OR DECOMMISSION PROCEDURE

Formation: Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information. (USE ADDITIONAL SHEETS IF NECESSARY.)

MATERIAL	FROM	TO
Surface	0	3
Hardpan - brown	3	55
Sand - gravel - brown	55	60
Hardpan - brown	60	64
Sandstone - medium - gray	64	273
Sandstone - water - gray	273	308
Coal	308	309

RECEIVED

APR 23 2009

Dept of Ecology
WR-NWFO

Start Date 4-7-09 Completed Date 4-13-09

PROPOSED USE: Domestic Industrial Municipal
 DeWater Irrigation Test Well Other _____

TYPE OF WORK: Owner's number of well (if more than one) _____
 New well Reconditioned Method: Dug Bored Driven
 Deepened Cable Rotary Jetted

DIMENSIONS: Diameter of well 6 inches, drilled 309 ft.
 Depth of completed well 308 ft.

CONSTRUCTION DETAILS
 Casing Welded 6" Diam. from 0 ft. to 64 ft.
 Installed: Liner installed 4" Diam. from -1 ft. to 308 ft.
 Threaded _____" Diam. from _____ ft. to _____ ft.

Perforations: Yes No
 Type of perforator used Saw
 SIZE of perfs 1 1/8 in. by 3 in. and no. of perfs 100 from 270 ft. to 305 ft.

Screens: Yes No K-Pac Location _____
 Manufacturer's Name _____
 Type _____ Model No. _____
 Diam. _____ Slot size _____ from _____ ft. to _____ ft.
 Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel/Filter packed: Yes No Size of gravel/sand Bentonite
 Materials placed from 308 ft. to 309 ft.

Surface Seal: Yes No To what depth? 18 ft.
 Material used in seal Bentonite
 Did any strata contain unusable water? Yes No
 Type of water? _____ Depth of strata _____
 Method of sealing strata off _____

PUMP: Manufacturer's Name _____ H.P. _____
 Type: _____

WATER LEVELS: Land-surface elevation above mean sea level _____ ft.
 Static level 65 ft. below top of well Date 4-13-09
 Artesian pressure _____ lbs. per square inch Date _____
 Artesian water is controlled by _____ (cap, valve, etc.)

WELL TESTS: Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom? _____
 Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
 Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
 Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
 Recovery data (time taken as zero, when pump turned off) (water level measured from well top to water level)
 Time Water Level Time Water Level Time Water Level
 _____ _____ _____ _____ _____ _____
 Date of test _____
 Bailor test _____ gal./min. with _____ ft. drawdown after _____ hrs.
 Airtest 4 gal./min. with stem set at 305 ft. for 2 hrs.
 Artesian flow _____ g.p.m. Date _____
 Temperature of water _____ Was a chemical analysis made? Yes No

WELL CONSTRUCTION CERTIFICATION: I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Driller Engineer Trainee Name (Print) Brad Johnson
 Driller/Engineer/Trainee Signature Brad Johnson
 Driller or trainee License No. 0233

Drilling Company Johnson Drilling Co, Inc
 Address 1415 108th Ave SE
 City, State, Zip Renton, WA 98055

IF TRAINEE,
 Driller's Licensed No. _____
 Driller's Signature _____

Contractor's
 Registration No. JOHNSOC267QM Date 4-13-09

Ecology is an Equal Opportunity Employer

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.



WATER WELL REPORT

Original & 1st copy - Ecology, 2nd copy - owner, 3rd copy - driller

359928

01-75-292
C
W-47

CURRENT

Notice of Intent No. 4

Unique Ecology Well ID Tag No. AKF-957

Water Right Permit No. 0

Property Owner Name Jesse Yates

Well Street Address 35836 293rd PL SE

City Enumclaw County King

Location NW/4-1/4 NE/4 Sec 29 Twn 21 R 7 WWM circle one

Lat/Long (s, t, r) Lat Deg _____ Lat Min/Sec _____

Still **REQUIRED** Long Deg _____ Long Min/Sec _____

Tax Parcel No. 292107-9074

Construction/Decommission ("x" in circle)
 Construction
 Decommission ORIGINAL INSTALLATION Notice of Intent Number _____

PROPOSED USE: Domestic Industrial Municipal
 DeWater Irrigation Test Well Other _____

TYPE OF WORK: Owner's number of well (if more than one) _____
 New well Reconditioned Deepened Method: Dug Bored Driven
 Cable Rotary Jetted

DIMENSIONS: Diameter of well 6 inches, drilled 170 ft.
Depth of completed well 286 ft.

CONSTRUCTION DETAILS
Casing Welded 6" Diam. from 116 ft. to 118 ft.
Installed: Liner installed 4" Diam. from 0 ft. to 286 ft.
 Threaded _____" Diam. from _____ ft. to _____ ft.

Perforations: Yes No
Type of perforator used saw
SIZE of perfs 1 1/8 in. by 3 in. and no. of perfs 100 from 230 ft. to 280 ft.

Screens: Yes No K-Pac Location _____
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ from _____ ft. to _____ ft.
Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel/Filter packed: Yes No Size of gravel/sand _____ ft.
Materials placed from _____ ft. to _____ ft.

Surface Seal: Yes No To what depth? 18 ft.
Material used in seal bentonite
Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

PUMP: Manufacturer's Name _____
Type: _____ H.P. _____

WATER LEVELS: Land-surface elevation above mean sea level _____ ft.
Static level 110 ft. below top of well Date 9-4-09
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (cap, valve, etc.)

WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
Time Water Level Time Water Level Time Water Level

Date of test _____
Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Airstest 10-12 gal./min. with stem set at 240 ft. for 2 hrs
Artesian flow _____ g.p.m. Date _____
Temperature of water _____ Was a chemical analysis made? Yes No

CONSTRUCTION OR DECOMMISSION PROCEDURE
Formation: Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information. (USE ADDITIONAL SHEETS IF NECESSARY.)

MATERIAL	FROM	TO
Sandstone-gray-medium	116	175
Shale-gray-soft	175	196
Sandstone-gray-medium	196	239
Sandstone-gray-water	239	280
Sandstone-gray	280	290

RECEIVED

SEP 08 2009

Dept of Ecology
WR-NWRO

Start Date 8-31-09 Completed Date 9-4-09

WELL CONSTRUCTION CERTIFICATION: I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Driller Engineer Trainee Name (Print) Brad Johnson
Driller/Engineer/Trainee Signature Brad Johnson
Driller or trainee License No. 0233

Drilling Company Johnson Drilling Co., LLC
Address 19415 108th Ave SE
City, State, Zip Renton, WA 98055

IF TRAINEE,
Driller's Licensed No. _____
Driller's Signature _____

Contractor's
Registration No. JOHNSDC2070M Date 9-4-09
Ecology is an Equal Opportunity Employer

The Department of Ecology does NOT Warrant the Data and/or the Information on this Well Report.

455864

(7)

W-48

RESOURCE PROTECTION WELL REPORT

(SUBMIT ONE WELL REPORT PER WELL INSTALLED)

Construction/Decommission ("x" in circle)
 Construction
 Decommission Original Construction Notice of Intent Number SE45344

Type of Well ("x" in circle)
 Resource Protection
 Geotech Soil Boring

Property Owner PSE
 Unique Ecology Well ID Tag No. _____
 Consulting Firm Golder
 Driller or Trainee Name Josh Brandt
 Driller or Trainee Signature [Signature]
 Driller or Trainee License No. 3073


Site Address 35200 Vaezic-Cumberland RD
 City Cumberland County: King
 Location SW 1/4-1/4 SE 1/4 Sec 21 Twn 21 R 7 ^{BWM circle} or one WWM
 Lat/Long (s, t, r) Lat Deg _____ Lat Min/Sec _____
 still REQUIRED) Long Deg _____ Long Min/Sec _____
 Tax Parcel No. _____
 Cased or Uncased Diameter 8" Static Level 45'
 Work/Decommission Start Date 6/22/12
 Work/Decommission Completed Date 6/22/12

If trainee, licensed driller's Signature and License no. _____

Construction/Design

Well Data

Formation Description



10'

Page 1 of 2

The Department of Ecology does NOT warrant the Data and/or the Information on this Well Report.



503633

WATER WELL REPORT

W-49

Notice of Intent Number W3C3120

Property Owner Last Name Walker First Name Glen

Organization Name /

Well Tag ID Number (e.g., AAA-001) AFJ-597 Variance Granted? (Circle One) Yes No

Water Right Permit Required? (Circle One) Yes No If Yes, enter Water Right Permit Here (Required) _____

Well Use (Circle All That Apply):		Type of Work (Circle One):	Method (Circle One):
Agricultural Irrigation	Commercial	Alteration	Cable
<input checked="" type="checkbox"/> Domestic	Group Domestic	Hydrofracturing	Dug
Individual Irrigation	Municipal	Replacement	Jetted
Parks and recreation	Stockwater	Other _____	Other _____
Test Well			
Other _____			

Drilling Start Date 11-25-2013 Drilling Completion Date 11-27-2013

Well Location Only (No Mailing Address, No PO Box, Cross Streets are ok)

Well Street Address 36220 307th Ave SE

Well City Enumclaw Well County King Well Zip Code 98022

Tax Parcel Number 292107-9093

If claiming tax parcel exemption (Circle One) Tribal Federal Property Right of Way Railroad Land

NW	NE	NW	NE
SW	SE	SW	SE
NW	NE	NW	NE
SW	SE	SW	<input checked="" type="checkbox"/>

Place an "X" in $\frac{1}{4}$.

Township 21 N Range 7 Circle One East West Section 29

Latitude _____ Decimal Degrees; Longitude _____ West Decimal Degrees

CONSTRUCTION INFORMATION - SECURELY ATTACH (STAPLE) ADDITIONAL SHEETS OF INFORMATION (NO DRAWINGS) AS NEEDED.

Diameter of Well / ft 6 in, Drilled 85 ft / in Depth of Completed Well 76 ft / in

Casings (At least one Casing must have 6 in of stickup and all fields must be filled out for each casing entered)

Type (Circle One) Concrete Plastic Steel Other _____ Diameter 6 inches Stickup 12 inches Depth / ft 12 in, TO 76 ft / in

Type (Circle One) Concrete Plastic Steel Other _____ Diameter _____ inches Stickup _____ inches Depth _____ ft _____ in, TO _____ ft _____ in

Liners? Circle One Yes No (If yes, then complete the below fields that apply)

Type 1 (Circle One) PVC Steel Other _____ Diameter _____ in, From _____ ft _____ in TO _____ ft _____ in

Type 2 (Circle One) PVC Steel Other _____ Diameter _____ in, From _____ ft _____ in TO _____ ft _____ in

Perforations? Circle One Yes No (If yes, then complete the below fields that apply)

Type of Perforator (Circle One) Drill Mills Knife Saw cut Star Torch Cut Other _____ Perforation size _____ in by _____ in - Total Perforations _____

Perforation 1 from _____ ft _____ in, TO _____ ft _____ inches Perforation 2 from _____ ft _____ in, TO _____ ft _____ inches

Screens? (Circle One) Yes No (If yes, then complete the below fields that apply)

Mfr 1 _____ Type _____ Diam _____ in Slot Size _____ From _____ ft _____ in TO _____ ft _____ in

Mfr 2 _____ Type _____ Diam _____ in Slot Size _____ From _____ ft _____ in TO _____ ft _____ in

RECEIVED
DEC 00 2013
DEC 00 2013
DEPT OF ECOLOGY

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

Sand/Gravel Packing? (Circle One) Yes No (If yes, then complete the below fields that apply)
 Packing Material 1 Circle One 10-20 20-40 8-12 Coarse Sand Pea Gravel From _____ ft _____ in _____ in _____ in
 Packing Material 2 Circle One 10-20 20-40 8-12 Coarse Sand Pea Gravel From _____ ft _____ in TO _____ ft _____ in

Surface Seal Was there an existing surface seal? Yes or No Depth of Seal 18 ft _____ in
 Type of Seal Material (Circle One) Bentonite Bentonite Slurry Concrete Dry Bentonite Neat Cement Neat Cement Grout

Pump Pump Installed? (Circle One) Yes No If yes, Mfr Name _____ Pump Type _____ HP _____

Static Water Level (Circle One and fill in the blanks if needed)

Measured Level (Below top of well) 50 ft _____ in Date Measured 11-27-2013
 Flowing Artesian (Circle One) Greater Than or Equal To _____ GPM _____ PSI Artesian Water Controlled by (e.g. Cap, Valve, etc.) _____

Dry Hole
 Unusable Water Strata? (Circle One) Yes No If Yes is circled, method of sealing strata off _____

Strata 1 (Specify Unusable Water Type) _____ From _____ ft _____ in TO _____ ft _____ in
 Strata 2 (Specify Unusable Water Type) _____ From _____ ft _____ in TO _____ ft _____ in

General Well Tests (Circle all that apply and fill in the blanks)

Bailer Test Date of test _____ (Circle One) Greater Than or Equal To _____ GPM, with _____ Drawdown after _____ hrs _____ min
 Air Test Date of test 11-27-13 (Circle One) Greater Than or Equal To 12 GPM, with stem set at 73 ft _____ in
 Test Duration 1 1/2 hrs _____ min

Pump Test Date of test _____ Test performed by _____

Note: Drawdown=the amount the water level is lowered below the static level
 Yield _____ gpm, with _____ ft _____ in; Drawdown after _____ hrs _____ min Yield _____ gpm, with _____ ft _____ in; Drawdown after _____ hrs _____ min
 Yield _____ gpm, with _____ ft _____ in; Drawdown after _____ hrs _____ min Yield _____ gpm, with _____ ft _____ in; Drawdown after _____ hrs _____ min
 Yield _____ gpm, with _____ ft _____ in; Drawdown after _____ hrs _____ min Yield _____ gpm, with _____ ft _____ in; Drawdown after _____ hrs _____ min

Note: Recovery=The time taken at zero when the pump is turned off. Water level is measured from the well top to...Ask Lars for wording
 Time _____ hrs _____ min; Water Level _____ ft _____ in Time _____ hrs _____ min; Water Level _____ ft _____ in Time _____ hrs _____ min; Water Level _____ ft _____ in
 Time _____ hrs _____ min; Water Level _____ ft _____ in Time _____ hrs _____ min; Water Level _____ ft _____ in Time _____ hrs _____ min; Water Level _____ ft _____ in
 Time _____ hrs _____ min; Water Level _____ ft _____ in Time _____ hrs _____ min; Water Level _____ ft _____ in Time _____ hrs _____ min; Water Level _____ ft _____ in

Well Lithology Details - Your lithology MUST be reported to the drilled depth of the well. Please check your "From" and "To" feet and inches for accuracy.

Layer Formation Description	From	To	Layer Formation Description	From	To
Surface loam	0	3			
Handpan gravel brown	3	65			
sand brown water	65	71			
sand-gravel brown water	71	76			
Handpan-clay-gray	76	85			

Comments - Enter any other important well construction and/or location details here.

CERTIFICATION - I hereby certify that I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington Well construction standards. Materials used and the information reported within the Well Report are true to my best knowledge and belief.
 (Circle One) Driller Trainee Engineer Name(Print) Brad Johnson Drilling Company Johnson Drilling Co, LLC
 Driller/Engineer/Trainee Signature Brad Johnson Address 19415 108th Ave SE
 Driller/Trainee/PE License No. 0233 City, State, Zip Renton, WA 98055
 Phone Number 425-255-7383
 Email Address Edith.Johnson@Comcast.net

If TRAINEE, Mentor Driller License No. _____
 Mentor Driller Signature _____

W-50

7E

(1) OWNER NAME: **DITEMAN, ARIC** ADDRESS: **30613 SE 358TH ENL**
 (2) LOCATION OF WELL: County **KING** SE 1/4 NI
 (2a) STREET ADDRESS OF WELL (or nearest address): **30613 SE 358TH ENUMCLAW PARCLE 2921079029**

(3) PROPOSED USE: **DOMESTIC**
 (4) TYPE OF WORK: **NEW WELL**
 METHOD: **ROTARY**

(10) WELL LOG OR DECOMMISSIONING PROCEDURE DESCRIPTION

(5) DIMENSIONS: Diameter of well **6** inches.
 Drilled **462** feet. Depth of completed well **462** ft.

MATERIAL	FROM	TO
BROWN BOULDERS, COBBLES, SAND, SILT	0	3
LIGHT GRAYISH BROWN GLACIAL TILL	3	28
BROWN BOULDERS, GRAVEL, SILT, SAND	28	50
GRAY GLACIAL TILL	50	73
GRAY GRAVEL, SAND, SILT	73	78
LIGHT GRAY SANDSTONE	78	106
LIGHT BROWNISH GRAY SANDSTONE	106	117
LIGHT GRAY SANDSTONE	117	207
LIGHT BROWN SHALE 1-2 GPM @220'	207	225
DARK BROWN SHALE	225	228
GRAY SANDSTONE	228	329
DARK BROWN SHALE	329	334
BROWNISH GRAY SANDSTONE	334	372
DARK GRAYISH BROWN SHALE	372	383
LIGHT BROWN GRAY SANDSTONE	383	405
DARK BROWN SHALE	405	425
DARK GRAY SANDSTONE	425	428
GRAY SANDSTONE 15GPM @440' 60GPM @443	428	462

(6) CONSTRUCTION DETAILS
 Casing instid: **6** " Diam. From **+1** ft. to **76** ft.
 Welded " Diam. From **5.5** ft. to **462** ft.
 Liner " Diam. From _____ ft. to _____ ft.
 Threaded

Perforations: Yes No
 Type of perforator used **SAW**
 Size of perforations **.2** in. by **7** in.
 130 perforations from **405** ft. to **462** in.
 perforations from _____ ft. to _____ in.
 perforations from _____ ft. to _____ in.

Screens: Yes No
 Manufacturer's Name: _____
 Type _____ Model No. _____
 Diam _____ Slot size _____ from _____ ft. to _____ ft.
 Diam _____ Slot size _____ from _____ ft. to _____ ft.

Gravel packed Yes No Size of gravel? _____
 Gravel packed from _____ ft. to _____ ft.

Surface seal: Yes No To what depth? **18** ft.
 Material used in seal **BENTONITE CHIPS**
 Did any strata contain unusable water? Yes No
 Type of water? _____ Depth of Strata _____ ft.
 Method of sealing strata off _____

(7) PUMP: Manufacturer's Name _____
 Type **H. P.**

(8) WATER LEVELS: Surface elev above mean sea level _____ ft.
 Static level **85** below top of well Date **07/09/19**
 Artesian pressure _____ lbs. Per sq. in. Date _____
 Artesian pressure is controlled by _____

RECEIVED
 DEPT OF ECOLOGY
 JUL 17 2019

WATER RESOURCES PROGRAM
 NORTHWEST REGIONAL OFFICE

(9) WELL TESTS: Pump test made? _____ By Whom _____
 Yield _____ gal./min with _____ ft. drawdown after _____ hrs.
 Yield _____ gal./min with _____ ft. drawdown after _____ hrs.
 Yield _____ gal./min with _____ ft. drawdown after _____ hrs.
 Recovery data:
 Time Wtr Lvl. Time Wtr Lvl. Time Wtr Lvl.

Work Started **07/03/19** Completed: **07/09/19**

WELL CONSTRUCTOR CERTIFICATION:
 I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Date of test: _____
 Bailor test _____ gal./min with _____ ft. drawdown after _____ hrs.
 Airtest **60** gal./min stem set at **462** ft. for **1.5** hrs.
 Artesian flow _____ gal./min Date _____
 Temperature of water _____ Was chemical analysis made? **NO**

Name: **RICHARDSON WELL DRILLING COMPANY INC.**
 Address: **P. O. BOX 44427 TACOMA, WA 98444**
 (Signed)  Lic No. **2432**
 Contractor's Registration No. **RICHAW*3210B** DATE **7/12/19**

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report

WATER WELL REPORT

STATE OF WASHINGTON

W-51

(1) **OWNER:** Name Jerry Fog Address 16015 12th Ave. S.W. Seattle, wa.

(2) **LOCATION OF WELL:** County King - SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 10 T 21 N. R. 7E W.M.

Bearing and distance from section or subdivision corner

(3) **PROPOSED USE:** Domestic Industrial Municipal
Irrigation Test Well Other

(4) **TYPE OF WORK:** (Owner's number of well if more than one)
New well Method: Dug Bored
Deepened Cable Driven
Reconditioned Rotary Jetted

(5) **DIMENSIONS:** Diameter of well 6 inches.
Drilled 240 ft. Depth of completed well 240 ft.

(6) **CONSTRUCTION DETAILS:**
Casing installed: 6" Diam. from 0 ft. to 30 ft.
Threaded 4" PVC Diam. from 0 ft. to 240 ft.
Welded " Diam. from " ft. to " ft.

Perforations: Yes No
Type of perforator used Saw
SIZE of perforations 1/8 in. by 3" in.
50 perforations from " ft. to " ft.
220 perforations from " ft. to 240 ft.
perforations from " ft. to " ft.

Screens: Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ from _____ ft. to _____ ft.
Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel packed: Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

Surface seal: Yes No To what depth? 18 ft.
Material used in seal Bentonite & Cement
Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____

(7) **PUMP:** Manufacturer's Name _____
Type: _____ HP _____

(8) **WATER LEVELS:** Land-surface elevation _____ ft.
above mean sea level _____ ft.
Static level 50 ft. below top of well Date 10-16-86
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (Cap, valve, etc.)

(9) **WELL TESTS:** Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? _____
Yield: gal./min. with _____ ft. drawdown after _____ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test _____
Balter test 5 gal./min. with 150 ft. drawdown after 1 hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water _____ Was a chemical analysis made? Yes No

(10) WELL LOG:

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Topsiol	0	3
Bnn. Sand & Gravel	3	14
Blue Till	14	25
Gray Sandstone	25	38
Coal	38	110
Gray Sandstone	110	172
Coal	172	223
Gray Sandstone	223	240

RECEIVED

OCT 14 1986

DEPARTMENT OF ECOLOGY
NORTHWEST REGION

Work started 10-15-86, 19____ Completed 10-16-86, 19____

WELL DRILLER'S STATEMENT:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME NW Pump & Drilling Co.
(Person, firm, or corporation) (Type or print)

Address 3245 Auburn Way South

[Signed] R. S. Delmon
(Well Driller)

License No. 0097 Date 10-20-86, 19____

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

W-52

WATER WELL REPORT
STATE OF WASHINGTON

(1) OWNER: Name SCHMIDT, PAUL Address 24314 119 ST E BUCKLEY, WA 98321-

(2) LOCATION OF WELL: County KING - SW 1/4 SW 1/4 Sec 22 T 21 N., R 7 W

(2a) STREET ADDRESS OF WELL (or nearest address) 325 AVE SE & SE 348 ST

(3) PROPOSED USE: DOMESTIC (10) WELL LOG

(4) TYPE OF WORK: Owner's Number of well
(If more than one)
NEW WELL Method: ROTARY

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change in formation.

(5) DIMENSIONS: Diameter of well 6 inches
Drilled 380 ft. Depth of completed well 380 ft.

MATERIAL	FROM	TO
BROWN SAND & GRAVEL	0	33
GRAY SANDSTONE	33	278
COAL	278	325
GRAY SANDSTONE W/SEEPAGE	325	380

(6) CONSTRUCTION DETAILS:
Casing installed: 6 " Dia. from 0 ft. to 40 ft.
WELDED/LINER IN 4 " Dia. from 20 ft. to 380 ft.
" Dia. from ft. to ft.

RECEIVED
JUN 24 1992
DEPT. OF ECOLOGY

Perforations: YES
Type of perforator used SAW CUT
SIZE of perforations 1/8 in. by 3 in.
40 perforations from 360 ft. to 380 ft.
perforations from ft. to ft.
perforations from ft. to ft.

Screens: NO
Manufacturer's Name
Type Model No.
Diam. slot size from ft. to ft.
Diam. slot size from ft. to ft.

Gravel packed: NO Size of gravel
Gravel placed from ft. to ft.

Surface seal: YES To what depth? 20 ft.
Material used in seal BENTONITE CLAY
Did any strata contain unusable water? YES
Type of water? N/A Depth of strata ft.
Method of sealing strata off N/A

(7) PUMP: Manufacturer's Name
Type N/A H.P.

Work started 05/20/92 Completed 05/27/92

(8) WATER LEVELS: Land-surface elevation
Static level 72 ft. below top of well Date 05/27/92
Artesian Pressure lbs. per square inch Date
Artesian water controlled by N/A

(9) WELL TESTS: Drawdown is amount water level is lowered below static level.


WELL CONSTRUCTOR CERTIFICATION:
I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Was a pump test made? NO If yes, by whom?
Yield: gal./min with ft. drawdown after hrs.

Recovery data
Time Water Level Time Water Level Time Water Level

NAME NORTHWEST PUMP & DRILLING
(Person, firm, or corporation) (Type or print)

Date of test / /
Bailer test gal/min. ft. drawdown after hrs.
Air test 4 gal/min. w/ stem set at 380 ft. for 1 hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? NO

ADDRESS 3245 AUBURN WAY SOUTH
[SIGNED]  License No. 1913
Contractor's
Registration No. NORTHDPD137PQ Date 05/29/92

WATER WELL REPORT

STATE OF WASHINGTON

W-53

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

(1) OWNER: Name Richard Payette Address 32607 SE 341st. Palmer, wa.

(2) LOCATION OF WELL: County King - SW 1/4 NW 1/4 Sec. 22 T. 21N. R. 7 W.M.

Bearing and distance from section or subdivision corner

(3) PROPOSED USE: Domestic Industrial Municipal
 Irrigation Test Well Other

(4) TYPE OF WORK: (Owner's number of well (if more than one))

New well Method: Dug Bored
 Deepened Cable Driven
 Reconditioned Rotary Jetted

(5) DIMENSIONS: Diameter of well 6 inches
 Drilled 80 ft. Depth of completed well 80 ft.

(6) CONSTRUCTION DETAILS:

Casing installed: 6" Diam. from 0 ft. to 80 ft.
 Threaded " Diam. from .. ft. to .. ft.
 Welded " Diam. from .. ft. to .. ft.

Perforations: Yes No
 Type of perforator used ..
 SIZE of perforations .. in. by .. in.
 .. perforations from .. ft. to .. ft.
 .. perforations from .. ft. to .. ft.
 .. perforations from .. ft. to .. ft.

Screens: Yes No
 Manufacturer's Name ..
 Type .. Model No. ..
 Diam. .. Slot size .. from .. ft. to .. ft.
 Diam. .. Slot size .. from .. ft. to .. ft.

Gravel packed: Yes No Size of gravel: ..
 Gravel placed from .. ft. to .. ft.

Surface seal: Yes No To what depth? 18 ft.
 Material used in seal Bentonite & Cement
 Did any strata contain unusable water? Yes No
 Type of water? .. Depth of strata ..
 Method of sealing strata off. ..

(7) PUMP: Manufacturer's Name ..
 Type: .. H.P. ..

(8) WATER LEVELS: Land-surface elevation .. ft.
 above mean sea level ..
 Static level 55 ft. below top of well Date 12-16-86
 Artesian pressure .. lbs. per square inch Date ..
 Artesian water is controlled by .. (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom? ..

Yield .. gal./min. with .. ft. drawdown after .. hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test ..
 Baller test 40 gal./min. with 10 ft. drawdown after 1 hrs.
 Artesian flow .. g.p.m. Date ..
 Temperature of water .. Was a chemical analysis made? Yes No

(10) WELL LOG: Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
<u>Topsoil</u>	<u>0</u>	<u>2</u>
<u>Bnn. Silty Sand & Gravel</u>	<u>2</u>	<u>8</u>
<u>Bnn. Cemented Sand & Gravel</u>	<u>8</u>	<u>67</u>
<u>Water Bearing Sand & Gravel</u>	<u>67</u>	<u>80</u>

RECEIVED

JAN 15 1986


DEPT. OF ECOLOGY

Work started 12-12-86, 19 .. Completed 12-16-86, 19 ..

WELL DRILLER'S STATEMENT:
 This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME NW Pump & Drilling Co.
 (Person, firm, or corporation) (Type or print)

Address 3245 Auburn Way South

(Signed)  (Well Driller)

License No. 0097 Date 12-18-86, 19 ..



The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

ENTERED

WATER WELL REPORT

21/7/22-M
W-54

STATE OF WASHINGTON

Water Right Permit No.

(1) OWNER: Name JOHNSON, RUSTY Address 32600 SE KUZAK RD KUNICLAW, WA 98022-

(2) LOCATION OF WELL: County KING - NW 1/4 SW 1/4 Sec 22 T 21 N., R 7 WM
(2a) STREET ADDRESS OF WELL (or nearest address) 32600 SE KUZAK RD, KUNICLAW

(3) PROPOSED USE: DOMESTIC

(10) WELL LOG

(4) TYPE OF WORK: Owner's Number of well (If more than one) Method: ROTARY
NEW WELL

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change in formation.

(5) DIMENSIONS: Diameter of well 6 inches
Drilled 160 ft. Depth of completed well 160 ft.

MATERIAL	FROM	TO
BROWN CEMENTED SAND & GRAVEL	0	11
COAL	11	16
GRAY SANDSTONE W/ LAYERS OF COAL & SHALE	16	160
	16	160

(6) CONSTRUCTION DETAILS:
Casing installed: 6 " Dia. from 0 ft. to 18 ft.
WELDED/LINER IN 4 " Dia. from 5 ft. to 160 ft.
" Dia. from ft. to ft.

Perforations: YES
Type of perforator used SAW CUT
SIZE of perforations 1/8 in. by 3 in.
40 perforations from 140 ft. to 160 ft.
perforations from ft. to ft.
perforations from ft. to ft.

Screens: NO
Manufacturer's Name Model No.
Type
Diam. slot size from ft. to ft.
Diam. slot size from ft. to ft.

Gravel packed: NO Size of gravel
Gravel placed from ft. to ft.

Surface seal: YES To what depth? 18 ft.
Material used in seal BENTONITE CLAY
Did any strata contain unusable water? NO
Type of water? Depth of strata ft.
Method of sealing strata off N/A

RECEIVED
AUG 14 1995
DEPT OF ECOLOGY

(7) PUMP: Manufacturer's Name Type N/A H.P.

Work started 07/31/95 Completed 08/01/95

(8) WATER LEVELS: Land-surface elevation above mean sea level ... ft.
Static level 33 ft. below top of well Date 08/01/95
Artesian Pressure lbs. per square inch Date
Artesian water controlled by N/A

(9) WELL TESTS: Drawdown is amount water level is lowered below static level.
Was a pump test made? NO If yes, by whom?
Yield: gal./min with ft. drawdown after hrs.

WELL CONSTRUCTOR CERTIFICATION:
I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Recovery data
Time Water Level Time Water Level Time Water Level

NAME NORTHWEST PUMP & DRILLING (Person, firm, or corporation) (Type or print)

Date of test gal./min. ft. drawdown after hrs.
Bailer test gal./min. w/ stem set at 160 ft. for 1 hrs.
Air test 7 gal./min. w/ stem set at 160 ft. for 1 hrs.
Artesian flow 9 p.m. Date
Temperature of water Was a chemical analysis made? NO

ADDRESS 3245 AUBURN WAY SOUTH
[SIGNED] License No. 0097
Contractor's Registration No. NORTHDPD137PO Date 08/07/95

ENTERED

WATER WELL REPORT

W-55

STATE OF WASHINGTON

Water Right Permit No. 211-100-1

(1) OWNER: Name McMasters, Warren Address 34125 328 Way E Enumclaw WA 98022

(2) LOCATION OF WELL: County King SE 1/4 NW 1/4 Sec 22 T 21 N. R 7 E W.M.

(2a) STREET ADDRESS OF WELL (or nearest address) 328th Way S.E. Caterland Heights

(3) PROPOSED USE: Domestic Industrial Municipal
 Irrigation Test Well Other
 DeWater

(4) TYPE OF WORK: Owner's number of well (if more than one) _____
Abandoned New well Method: Dug Bored
Deepened Cable Driven
Reconditioned Rotary Jetted

(5) DIMENSIONS: Diameter of well 6" Inches.
Drilled 325 feet. Depth of completed well 325 ft.

(6) CONSTRUCTION DETAILS:
Casing installed: 6" Diam. from +2 ft. to 26 ft.
Welded 4 1/2" Diam. from 4 ft. to 325 ft.
Liner installed Threaded

Perforations: Yes No
Type of perforator used Hand Saw
SIZE of perforations 3" in. by 1/8" in.
40 perforations from 307 ft. to 324.5 ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.

Screens: Yes No
Manufacturer's Name _____ Model No. _____
Type _____
Diam. _____ Slot size _____ from _____ ft. to _____ ft.
Diam. _____ Slot size _____ from _____ ft. to _____ ft.

Gravel packed: Yes No Size of gravel _____
Gravel placed from _____ ft. to _____ ft.

Surface seal: Yes No To what depth? 19' ft.
Material used in seal Bentonite
Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata 338-370
Method of sealing strata off Bentonite 315 to 370, 338-327

(7) PUMP: Manufacturer's Name _____ H.P. _____
Type: _____

(8) WATER LEVELS: Land-surface elevation above mean sea level _____ ft.
Static level 908 ft. below top of well Date MAY 19, 95
Artesian pressure _____ lbs. per square inch Date _____
Artesian water is controlled by _____ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
" " " " " "
" " " " " "
Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
Time Water Level Time Water Level Time Water Level
Date of test _____
Boiler test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Airstest 1/2 gal./min. with stem set at 325 ft. for 1.0 hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water _____ Was a chemical analysis made? Yes No

(10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information

MATERIAL	FROM	TO
Top soil	0	2
Red clay, fine sands	2	21
Box silt, some angular blk gravel	21	26
Brown sandstone with fractures	26	295
water bearing		
Brown sandstone	295	338
Coal Black surface of water	338	370
Brown sandstone	370	375

Backfill procedure: Bentonite chips

Bentonite chips	325	370
Bentonite blk gravel	370	338
Bentonite chips	338	327
Red Gravel	327	325

RECEIVED

OCT 10 1995

DEPT. OF ECOLOGY

Work Started May 14, 19. Completed May 17, 19 95

WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME Molt Drilling Inc. (PERSON, FIRM, CORPORATION) (TYPE OR PRINT)
Address 40921 Todd Rd., East Payette
(Signed) Gene Molt License No. 2108
(WELL DRILLER)

Contractor's Registration No. RD11180751 Date May 20, 19 95

(USE ADDITIONAL SHEETS IF NECESSARY)

Ecology is an Equal Opportunity and Affirmative Action employer. For special accommodation needs, contact the Water Resources Program at (206) 407-6600. The TDD number is (206) 407-6006.

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

91403 WATER WELL REPORT
STATE OF WASHINGTON

W-56

022

(1) OWNER Name Jeff Schweten Address 34125 328th Way SE, Enumclaw
 (2) LOCATION OF WELL County King NW 1/4 SW 1/4 Sec 22 T 21 N R 7E WM
 (2a) STREET ADDRESS OF WELL (or nearest address) 34125 328th Way SE - Enumclaw
 TAX PARCEL NO 222107-9025 21-7E-22M

(3) PROPOSED USE Domestic Industrial Municipal
 Irrigation Test Well Other
 DeWater

(4) TYPE OF WORK Owner's number of well (if more than one) _____
 New Well Method Dug Bored
 Deepened Cable Driven
 Reconditioned Rotary Jetted
 Decommission

(5) DIMENSIONS Diameter of well 6 inches
 Drilled 400 feet Depth of completed well 370 ft

(6) CONSTRUCTION DETAILS
 Casing installed
 Welded Diam from 0 ft to 20 ft
 Liner installed PVC 4 Diam from -1 ft to 370 ft
 Threaded

Perforations Yes No
 Type of perforator used SAW
 SIZE of perforations 118 in by 3 in
100 perforations from 240 ft to 370 ft

Screens Yes No K-Pac Location _____
 Manufacturer's Name _____
 Type _____ Model No _____
 Diam _____ Slot Size _____ from _____ ft to _____ ft
 Diam _____ Slot Size _____ from _____ ft to _____ ft

Gravel/Filter packed Yes No Size of gravel/sand _____
 Material placed from _____ ft to _____ ft

Surface seal Yes No To what depth? 18 ft
 Material used in seal Bentonite
 Did any strata contain unusable water? Yes No
 Type of water? _____ Depth of strata _____
 Method of sealing strata off _____

(7) PUMP Manufacturer's Name _____
 Type _____ HP _____

(8) WATER LEVELS Land-surface elevation above mean sea level _____ ft
 Static level 140 ft below top of well Date 3-12-2001
 Artesian pressure _____ lbs per square inch Date _____
 Artesian water is controlled by _____
 (Cap, valve, etc.)

(9) WELL TESTS Drawdown is amount water level is lowered below static level.
 Was a pump test made? Yes No If yes by whom? _____
 Yield _____ gal/min with _____ ft drawdown after _____ hrs
 Yield _____ gal/min with _____ ft drawdown after _____ hrs
 Yield _____ gal/min with _____ ft drawdown after _____ hrs
 Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
 Time Water Level Time Water Level Time Water Level

 Date of test _____
 Bailer test _____ gal/min with _____ ft drawdown after _____ hrs
 Airtest 114 gal/min with 220 ft drawdown after 3 1/2 hrs
 Artesian flow _____ gpm Date _____
 Temperature of water _____ Was a chemical analysis made? Yes No

(10) WELL LOG or DECOMMISSIONING PROCEDURE DESCRIPTION
 Formation Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information. Indicate all water encountered.

MATERIAL	FROM	TO
Surface	0	3
Clay-sandy-brown	3	9
Rock-decay-brown	9	14
Sandstone-gray	14	240
Sandstone-gray-sespe	240	270
Sandstone-gray	270	378
Decayed rock-brown	378	384
Coal	384	400

Bentonite placed from 370' - 400'

RECEIVED

MAR 16 2001

DEPT OF ECOLOGY

Work Started 3-2-2001 completed 3-12-2001

WELL CONSTRUCTION CERTIFICATION
 I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.
 Type or Print Name Bruce Johnson License No 0233
 (Licensed Driller/Engineer)
 Trainee Name _____ License No _____
 Drilling Company Johnson Drilling Co., Inc
 (Signed) Bruce Johnson License No 0233
 (Licensed Driller/Engineer) 98055
 Address 19415 108th Ave SE, Renton, WA
 Contractor's Registration No JOHNSDC2070M Date 3-12-2001

(USE ADDITIONAL SHEETS IF NECESSARY)

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

103161

WATER WELL REPORT

STATE OF WASHINGTON

Water Right Perm

21-7E-22N

W-57

(1) OWNER: Name Szczerba, Irena Address 26930 150th Place SE, Kent, WA 98042
 (2) LOCATION OF WELL: County King SW 1/4 SW 1/4 Sec 22 T 21 N, R 7E WM
 (2a) STREET ADDRESS OF WELL (or nearest address) 32620 SE 341ST
 TAX PARCEL NO. 2221079010

(3) PROPOSED USE: Domestic Industrial Municipal
 Irrigation Test Well Other
 DeWater

(4) TYPE OF WORK: Owner's number of well (if more than one) _____
 New Well Method Dug Bored
 Deepened Cable Driven
 Reconditioned Rotary Jetted
 Decommission

(5) DIMENSIONS: Diameter of well 6 inches
 Drilled 301 feet Depth of completed well 301 ft

(6) CONSTRUCTION DETAILS:
 Casing Installed:
 Welded 6 " Diam from +2 ft to 34 ft
 Liner installed 4 1/2 " Diam from 22 ft to 301 ft
 Threaded _____ " Diam from _____ ft to _____ ft

Perforations: Yes No
 Type of perforator used Skill Saw
 SIZE of perforations 1/4 in by 3 in
30 perforations from 241 ft to 301 ft
 _____ perforations from _____ ft to _____ ft
 _____ perforations from _____ ft to _____ ft

Screens: Yes No K-Pac Location _____
 Manufacturer's Name _____
 Type _____ Model No _____
 Diam _____ Slot size _____ from _____ ft to _____ ft
 Diam _____ Slot size _____ from _____ ft to _____ ft

Gravel/Filter packed: Yes No Size of gravel/sand _____
 Material placed from _____ ft to _____ ft

Surface seal: Yes No To what depth? 18 ft
 Material used in seal Bentonite Chips
 Did any strata contain unusable water? Yes No
 Type of water? _____ Depth of strata _____
 Method of sealing strata off _____

(7) PUMP: Manufacturer's Name _____
 Type _____ H P _____

(8) WATER LEVELS: Land-surface elevation above mean sea level _____ ft
 Static level 74 ft below top of well Date 10/5/2001
 Artesian pressure _____ lbs per square inch Date _____
 Artesian water is controlled by _____ (Cap, valve, etc)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom? _____
 Yield _____ gal/min with _____ ft drawdown after _____ hrs
 Yield _____ gal/min with _____ ft drawdown after _____ hrs
 Yield _____ gal/min with _____ ft drawdown after _____ hrs
 Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
 Time Water Level Time Water Level Time Water Level

 Date of test _____

Bailer test _____ gal/min with _____ ft drawdown after _____ hrs
 Airstest 40 gal/min with stem set at 300 ft for 1 hrs
 Artesian flow _____ g p m Date _____
 Temperature of water _____ Was a chemical analyses made? Yes No

(10) WELL LOG or DECOMMISSIONING PROCEDURE DESCRIPTION:
 Formation Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information Indicate all water encountered

MATERIAL	FROM	TO
Brown Cobbles Gravel Sand Silt	0	9
Lt. Gray Sand Stone	9	18
Brown Gravel Sand Silt	18	25
Gray Sand Gravel Silt	25	29
Gray Sand Stone	29	50
Brown Sand Stone	50	53
Coal	53	57
Gray Sand Stone	57	105
Coal	105	113
Soft Gray Sand Stone	113	120
Lt Gray Sand Stone	120	140
Dark Gray Sand Stone	140	151
Lt Gray Sand Stone Some Fractures	151	
180-200		280
Lt Gray Sand Stone Fractures Water	280	301

TPD File # 01-722-9

RECEIVED

NOV 06 2001

DEPT OF ECOLOGY

Work Started 10/3/2001, 19 Completed 10/5/2001, 19

WELL CONSTRUCTION CERTIFICATION:
 I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards Materials used and the information reported above are true to my best knowledge and belief

Type or Print Name Mark Wiese License No 2432
 (Licensed Driller/Engineer)
 Trainee Name _____ License No _____
 Drilling Company Tacoma Pump & Drilling Co., Inc.
 (Signed) [Signature] License No 2432
 (Licensed Driller/Engineer)

Address 30316 Mountain Hwy, Graham, WA 98338
 Contractor's Registration No TACOMPD203PF Date 10/9/2001, 19

(USE ADDITIONAL SHEETS IF NECESSARY)
 Ecology is an Equal Opportunity and Affirmative Action employer For special accommodation needs, contact the Water Resources Program at (360) 407-6600 The TDD number is (360) 407-6006

The Department of Ecology does NOT Warranty the Data and/or the Information on this Well Report.

The Department of Ecology does NOT warranty the Data and/or the Information on this Well Report.



273105
WATER WELL REPORT

Original & 1st copy - Ecology, 2nd copy - owner, 3rd copy - driller

W-58

CURRENT
 Notice of Intent No.
 Unique Ecology Well ID Tag No. APR-465
 Water Right Permit No.
 Property Owner Name Alan Bradley
 Well Street Address 34021 328th Way SE

City Enumclaw County King
 Location NE 1/4-1/4 NW 1/4 Sec 22 Twn 21 R 7 EWM or WWM circle one
 Lat/Long (s, t, r) Lat Deg Lat Min/Sec
 Still **REQUIRED** Long Deg Long Min/Sec
 Tax Parcel No. 222107-9020

PROPOSED USE: Domestic Industrial Municipal
 DeWater Irrigation Test Well Other

TYPE OF WORK: Owner's number of well (if more than one)
 New well Reconditioned Method: Dug Bored Driven
 Deepened Cable Rotary Jetted

DIMENSIONS: Diameter of well 6 inches, drilled 290 ft.
 Depth of completed well 270 ft.

CONSTRUCTION DETAILS
 Casing Welded 6" Diam. from 0 ft. to 37 ft.
 Installed: Liner installed PK 4" Diam. from -1 ft. to 270 ft.
 Threaded " Diam. from ft. to ft.

Perforations: Yes No
 Type of perforator used saw
 SIZE of perfs 1 1/8 in. by 3 in. and no. of perfs 100 from 50 ft. to 250

Screens: Yes No K-Pac Location
 Manufacturer's Name
 Type Model No.
 Diam. Slot size from ft. to ft.
 Diam. Slot size from ft. to ft.

Gravel/Filter packed: Yes No Size of gravel/sand
 Materials placed from ft. to ft.

Surface Seal: Yes No To what depth? 30 ft.
 Material used in seal benetolite
 Did any strata contain unusable water? Yes No
 Type of water? Depth of strata
 Method of sealing strata off

PUMP: Manufacturer's Name
 Type: H.P.

WATER LEVELS: Land-surface elevation above mean sea level ft.
 Static level 150 ft. below top of well Date 8-21-07
 Artesian pressure lbs. per square inch Date
 Artesian water is controlled by (cap, valve, etc.)

WELL TESTS: Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom?
 Yield: gal./min. with ft. drawdown after hrs.
 Yield: gal./min. with ft. drawdown after hrs.
 Yield: gal./min. with ft. drawdown after hrs.
 Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)
 Time Water Level Time Water Level Time Water Level

 Date of test
 Bailer test gal./min. with ft. drawdown after hrs.
 Airtest 114 gal./min. with stem set at 250 ft. for 2 hrs.
 Artesian flow g.p.m. Date
 Temperature of water Was a chemical analysis made? Yes No

CONSTRUCTION OR DECOMMISSION PROCEDURE
 Formation: Describe by color, character, size of material and structure, and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information. (USE ADDITIONAL SHEETS IF NECESSARY.)

MATERIAL	FROM	TO
Surface	0	3
Clay gravel - brown	3	12
Till - gray	12	15
Coal	15	17
Decayed rock - gray	17	33
Sandstone - gray light	33	151
Sandstone - gray seepage	151	156
Sandstone - dark gray	156	284
Coal	284	290

Benetolite placed 270 290

RECEIVED
 SEP 04 2007
 DEPT. OF ECOLOGY

Start Date 8-15-07 Completed Date 8-21-07

WELL CONSTRUCTION CERTIFICATION: I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

Driller Engineer Trainee Name (Print) Brad Johnson
 Driller/Engineer/Trainee Signature Brad Johnson
 Driller or trainee License No. 0233

Drilling Company Johnson Drilling Co., Inc
 Address 19415 108th Ave SE
 City, State, Zip Renton, WA 98055

IF TRAINEE,
 Driller's Licensed No.
 Driller's Signature

Contractor's
 Registration No. JAHSDC2070M Date 8-21-07
 Ecology is an Equal Opportunity Employer.